

MORTALITY FROM SMOKING IN DEVELOPED COUNTRIES 1950–2000

(2nd edition, revised June 2006:
www.deathsfromsmoking.net)

**Richard Peto, Alan D Lopez,
Jillian Boreham and Michael Thun**

Disease-specific mortality by age and sex, year 2000

One pair of pages for each of the following:

All Developed Countries	Czech Republic	Lithuania	Serbia & Montenegro
EU15* (European Union)	Denmark	Luxembourg	Slovakia
EU10† (European Union)	Estonia	Macedonia (FYR)	Slovenia
EU25‡ (European Union)	Finland	Malta	Spain
Australia	France	Moldova	Sweden
Austria	Germany	Netherlands	Switzerland
Belarus	Greece	New Zealand	Ukraine
Belgium	Hungary	Norway	United Kingdom
Bulgaria	Ireland	Poland	United States
Canada	Italy	Portugal	
Central Asia	Japan	Romania	
Croatia	Latvia	Russian Federation	

*15 countries: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Luxembourg, Netherlands, Portugal, Spain, Sweden, UK

†10 countries: Cyprus, Czech Republic, Estonia, Hungary, Latvia, Lithuania, Malta, Poland, Slovakia, Slovenia

‡25 countries: listed above for EU15 and EU10

2000: ALL DEVELOPED COUNTRIES

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
306.2	464.2	668.9	904.2	1248.4	2073.7	2919.0	4395.2	6313.6	13568.7	M	ALL CAUSES	001-999/A00-Y89
117.8	183.1	276.0	402.9	590.0	976.8	1520.7	2552.6	4170.7	11457.6	F		
13.1	17.6	19.2	15.8	13.2	16.5	12.0	13.3	14.5	26.4	M	Tuberculosis	010-018, 137/
2.2	2.5	2.4	1.9	1.8	2.4	2.9	4.1	5.4	8.3	F		A15-A19, B90
10.0	9.7	8.2	5.8	3.8	2.3	1.7	1.0	0.6	0.3	M	HIV (excl. Russia and Ukraine)*	279.5, 279.6/B20-B24
2.5	2.3	1.6	1.0	0.6	0.4	0.3	0.2	0.1	0.1	F		
2.9	4.2	6.5	8.3	10.1	13.5	21.3	32.0	53.5	119.7	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.6	2.3	3.2	4.1	6.2	8.7	14.4	21.1	36.7	98.7	F		
25.5	57.0	122.5	227.6	385.0	631.3	929.6	1276.8	1658.7	2350.7	M	ALL CANCER	140-208/C00-C97
32.3	60.6	103.1	162.4	237.4	337.2	467.9	635.7	841.0	1230.6	F		
1.0	3.8	9.2	15.3	19.9	24.8	25.9	26.3	25.4	28.8	M	Mouth and pharynx cancer	140-149/C00-C14
0.3	0.8	1.5	2.3	2.9	3.7	4.8	6.1	7.8	14.1	F		
0.6	2.0	5.5	11.4	19.1	26.8	34.4	41.0	46.2	52.6	M	Oesophagus cancer	150/C15
0.2	0.4	0.9	1.6	2.8	4.4	6.6	9.1	12.0	19.6	F		
2.4	5.5	11.2	19.5	32.5	58.7	84.1	115.5	132.1	183.7	M	Stomach cancer	151/C16
2.1	3.7	6.0	8.8	12.7	22.7	32.8	49.1	62.6	95.3	F		
2.1	4.5	9.5	19.1	35.8	61.7	97.1	140.7	191.6	286.4	M	Colorectal cancer	153, 154/C18-C21
2.1	4.1	8.1	14.2	23.6	37.6	54.8	81.9	116.4	202.6	F		
0.7	2.0	5.1	10.0	17.6	29.7	50.5	58.3	62.9	63.9	M	Liver cancer	155.0/C22 excl C221
0.3	0.7	1.3	2.2	4.4	8.1	14.7	21.1	25.4	30.1	F		
1.1	2.8	6.1	11.9	20.8	31.8	44.9	59.2	77.5	98.3	M	Pancreas cancer	157/C25
0.5	1.3	3.1	6.1	11.3	18.1	27.5	41.6	58.3	82.7	F		
0.4	1.6	4.2	7.4	10.8	16.4	18.7	20.9	21.2	21.7	M	Larynx cancer	161/C32
0.1	0.1	0.3	0.5	0.7	0.9	1.5	1.7	2.0	2.2	F		
3.8	13.1	33.5	66.9	121.5	204.3	294.2	392.0	454.5	472.3	M	Lung cancer	162/C33, C34
2.1	6.0	12.0	21.5	37.0	50.4	76.4	101.3	125.3	135.8	F		
1.0	1.7	2.5	3.6	4.6	5.7	7.4	9.9	12.4	18.7	M	Malignant melanoma	172/C43
0.9	1.3	1.9	2.3	2.5	3.3	4.1	5.3	6.8	10.4	F		
8.9	17.7	29.4	43.6	53.9	63.2	69.3	82.2	102.1	149.7	F	Female breast cancer	174/C50
3.7	5.6	7.2	7.4	7.6	9.2	10.2	12.9	14.1	14.1	F	Cervix cancer	180/C53
0.9	1.6	2.9	5.1	8.3	12.9	17.3	22.3	26.6	35.0	F	Other uterine cancer	179, 182/C54, C55
1.6	3.6	7.3	12.0	16.9	22.3	27.7	33.4	40.5	46.6	F	Ovarian cancer	183/C56, C570-C574
0.1	0.2	1.0	3.1	9.1	24.7	52.8	102.1	197.5	462.3	M	Prostate cancer	185/C61
0.3	0.7	1.7	3.9	7.7	16.1	27.9	46.9	69.8	126.4	M	Bladder cancer	188/C67
0.1	0.2	0.5	0.9	1.6	3.2	5.3	9.4	15.7	35.2	F		
7.8	13.5	24.3	41.5	62.2	94.5	134.0	180.7	243.9	353.3	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
5.5	9.3	14.9	24.4	36.7	54.6	80.1	109.3	153.9	249.2	F		
0.4	0.4	0.6	0.6	0.8	1.2	1.4	1.9	2.5	2.9	M	Hodgkin's disease	201/C81
0.3	0.3	0.3	0.4	0.4	0.7	0.8	1.2	1.6	1.9	F		
1.8	2.8	4.8	7.9	13.7	20.5	32.5	46.5	71.0	100.7	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
1.0	1.7	2.8	5.1	8.5	12.9	20.9	29.3	43.8	63.6	F	Leukaemia	204-208/C91-C95
2.0	2.5	3.5	5.5	9.0	14.4	23.7	35.0	50.2	78.7	M		
1.6	2.0	2.8	4.0	5.6	8.9	13.1	18.3	26.2	42.4	F		
2.4	4.1	6.9	11.5	19.1	30.6	49.9	74.0	116.1	213.2	M	Diabetes	250/E10-E14
1.5	2.4	4.1	7.5	13.4	24.4	42.1	63.4	98.1	205.9	F		
55.5	115.9	202.5	309.3	456.2	876.0	1277.2	2074.8	2979.5	6679.3	M	ALL VASCULAR DISEASE	390-459/I00-199
19.2	37.2	65.6	110.3	184.7	399.9	699.6	1357.9	2335.5	6639.3	F		
1.1	1.9	2.6	3.1	3.9	5.8	6.3	7.5	9.4	15.8	M	Rheumatic heart disease and fever	390-398/I00-109
0.8	1.5	2.2	3.0	4.7	8.1	9.3	11.4	14.9	24.1	F		
1.7	4.0	7.0	11.1	16.1	28.6	41.4	59.3	86.6	205.3	M	Hypertensive disease	401-405/I10-I15
0.9	2.0	3.8	6.3	10.1	19.6	32.1	51.6	87.8	261.6	F		
25.9	60.5	111.2	174.7	259.1	492.4	686.3	1077.8	1464.9	2928.1	M	Ischaemic heart disease	410-414/I20-I25
5.5	11.7	22.5	41.6	79.0	184.2	323.1	626.9	1035.6	2638.3	F		
1.1	1.8	2.8	3.8	5.6	9.1	14.9	21.9	36.2	67.3	M	Pulmonary embolism and other venous	415.1, 451-453/I26, I80-I82
1.0	1.7	2.4	3.0	4.4	7.4	11.8	20.2	34.7	81.2	F		
8.5	18.9	36.6	60.1	95.2	209.0	320.2	556.4	783.0	1757.5	M	Cerebrovascular disease	430-438/I60-I69
4.9	10.9	20.9	36.3	57.1	128.2	224.6	449.7	754.2	1981.1	F		
17.1	28.8	42.3	56.5	76.4	131.2	208.0	351.9	599.3	1705.3	M	Other vascular disease	Rest of 390-459/rest of I00-199
6.1	9.4	13.8	20.0	29.4	52.5	98.8	198.1	408.4	1653.0	F		
2.0	3.9	7.8	14.7	31.6	75.4	132.9	235.0	359.4	703.9	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
1.2	2.0	3.8	7.1	14.6	27.2	52.8	93.6	149.8	303.9	F		
9.5	15.3	21.6	26.6	33.0	55.0	83.8	150.3	302.3	1098.0	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
3.5	4.9	6.6	8.7	12.4	19.5	34.7	64.6	142.9	712.9	F		
1.4	2.5	3.8	5.0	6.0	9.5	11.8	16.5	22.6	46.8	M	Peptic ulcer	531-533/K25-K27
0.3	0.5	0.8	1.1	1.5	2.7	4.4	7.5	13.2	36.9	F		
11.4	22.1	33.9	41.3	50.3	64.1	66.4	63.4	57.4	50.2	M	Liver cirrhosis (incl. some other digestive)	571/K70, K74
4.8	8.4	12.4	16.0	21.3	27.0	29.1	32.7	34.5	31.3	F		
1.9	3.0	4.2	5.9	8.6	14.3	24.4	41.8	78.3	224.5	M	Renal disease	580-590/N00-N19
1.5	2.0	2.7	3.9	5.8	10.7	17.8	27.6	48.6	150.1	F		
0.8	0.3	0.0	0.0	0.0	0.0	-	-	-	0.0	F	Pregnancy, birth	630-676/A34,000-099
1.0	1.1	1.2	1.4	1.5	1.4	1.5	1.6	2.7	4.6	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.9	0.9	1.1	1.2	1.6	1.3	1.3	1.4	1.8	3.4	F		
13.9	19.3	24.2	26.8	29.2	39.5	44.1	59.1	98.1	509.2	M	Ill-defined causes	780-799/R00-R99
3.8	5.1	6.9	7.7	9.5	13.1	18.6	34.5	78.5	673.1	F		
20.0	29.4	40.7	49.4	61.9	87.7	129.2	209.8	403.3	1133.2	M	Other medical causes	Rest of 001-799/rest of A00-R99
11.3	15.9	21.5	29.0	38.4	54.3	85.2	144.8	294.5	1114.6	F		
135.7	159.0	165.9	154.7	139.0	156.6	133.4	145.7	166.5	408.6	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
30.6	35.9	40.0	41.0	40.8	48.0	49.5	63.6	90.1	248.4	F		
23.8	24.2	23.3	20.9	19.6	21.7	20.7	24.1	28.4	38.9	M	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
6.4	6.6	6.7	6.9	7.1	8.5	9.9	12.4	14.9	15.2	F		
2.8	4.0	4.4	4.2	3.8	5.2	4.2	4.4	5.0	9.9	M	Fire	E890-E899/X00-X09
0.7	1.0	1.1	1.2	1.3	1.7	1.9	2.6	3.6	5.8	F		
34.3	39.8	42.2	41.7	40.1	38.7	37.3	40.9	40.2	66.3	M	Suicide	E950-E959/X60-X84
7.1	8.2	9.4	10.0	10.0	10.7	11.0	12.6	13.4	16.8	F		
14.9	15.7	14.5	11.5	8.4	9.2	5.8	5.2	3.6	10.3	M	Homicide	E960-E969/X85-X99, Y00-Y09
4.3	4.5	4.4	3.7	3.0	3.8	3.1	3.7	3.7	4.3	F		
48302	46933	43486	39050	30498	29449	24096	20445	13326	11661	M	POPULATION	
48465	47816	44985	40848	32924	33906	29295	28254	22352	25881	F	(1000s; UN, 2004 revision)	

2000: EU15 (European Union - 15 countries)

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
150.7	233.3	365.1	550.1	853.6	1364.6	2215.8	3545.0	5798.6	13692.7	M	ALL CAUSES	001-999/A00-Y89
74.7	121.8	191.9	284.5	420.6	649.2	1059.3	1824.6	3320.7	11218.3	F		
0.4	0.5	0.6	0.8	1.2	1.7	2.9	5.1	10.4	17.0	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.1	0.1	0.3	0.2	0.3	0.6	1.3	2.4	4.3	7.5	F		
8.1	6.5	3.9	2.5	2.0	1.7	1.4	0.8	0.5	0.3	M	HIV	279.5, 279.6/B20-B24
2.1	1.4	0.7	0.3	0.2	0.3	0.2	0.2	0.1	0.1	F		
2.2	2.7	4.1	5.4	7.4	11.8	20.0	31.9	49.6	107.9	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.0	1.3	1.9	2.6	4.2	7.4	12.8	21.2	35.5	94.9	F		
22.1	51.8	112.0	207.8	352.4	567.3	887.4	1273.8	1758.0	2645.6	M	ALL CANCER	140-208/C00-C97
28.1	55.9	95.5	151.9	226.9	320.4	446.1	626.0	857.5	1409.0	F		
1.1	4.1	10.0	15.7	20.3	22.8	25.3	25.3	25.3	30.1	M	Mouth and pharynx cancer	140-149/C00-C14
0.3	1.0	1.9	2.7	3.5	4.2	4.9	5.6	6.9	13.9	F		
0.7	2.3	6.1	11.5	17.8	24.2	31.3	37.7	45.5	54.4	M	Oesophagus cancer	150/C15
0.1	0.4	0.9	1.8	3.1	4.5	6.2	9.3	13.0	23.9	F		
1.4	3.1	5.7	10.3	17.3	31.1	50.6	75.8	107.3	169.6	M	Stomach cancer	151/C16
1.5	2.2	3.3	5.0	7.6	12.5	20.6	31.8	47.9	97.2	F		
1.6	3.8	8.2	16.9	32.7	57.9	95.0	140.3	205.3	329.9	M	Colorectal cancer	153, 154/C18-C21
1.6	3.6	7.1	12.3	21.1	32.8	50.5	76.9	119.9	241.8	F		
0.4	1.2	2.8	6.1	11.1	20.9	35.2	47.2	56.6	56.5	M	Liver cancer	155.0/C22 excl C221
0.2	0.4	0.8	1.1	2.4	4.3	8.1	13.3	17.6	23.1	F		
0.7	2.3	4.9	10.3	20.0	30.2	42.9	58.0	75.0	99.0	M	Pancreas cancer	157/C25
0.5	1.2	3.1	5.8	10.8	18.3	26.7	40.9	59.6	87.0	F		
0.3	1.5	3.6	6.6	9.2	11.8	16.4	19.1	22.9	27.3	M	Larynx cancer	161/C32
0.0	0.1	0.4	0.5	0.8	0.8	1.1	1.6	1.6	2.4	F		
3.3	12.3	31.4	62.9	112.6	178.8	278.8	381.8	460.2	467.5	M	Lung cancer	162/C33, C34
1.9	6.6	12.5	20.1	31.7	42.2	60.7	83.5	97.1	101.1	F		
1.1	1.7	2.5	3.6	4.7	5.7	7.6	9.6	10.9	15.9	M	Malignant melanoma	172/C43
0.9	1.5	1.8	2.5	2.9	3.5	4.5	5.7	7.0	11.6	F		
9.5	18.6	30.3	46.3	60.3	71.7	79.4	96.5	119.6	195.6	F	Female breast cancer	174/C50
2.3	3.6	4.2	4.2	4.4	5.1	5.9	7.2	8.8	11.6	F	Cervix cancer	180/C53
0.6	1.1	2.2	3.9	6.2	10.1	14.8	20.5	26.9	42.2	F	Other uterine cancer	179, 182/C54, C55
1.3	3.2	6.4	11.5	18.1	24.6	30.5	37.3	45.4	54.5	F	Ovarian cancer	183/C56, C570-C574
0.1	0.2	0.9	3.1	9.1	27.2	59.1	116.0	233.3	586.9	M	Prostate cancer	185/C61
0.2	0.6	1.7	4.0	7.7	16.0	30.9	54.6	86.7	163.1	M	Bladder cancer	188/C67
0.1	0.2	0.6	1.0	1.6	3.6	5.7	11.1	18.2	45.1	F		
7.2	13.3	25.9	43.3	66.7	103.1	154.9	217.7	297.1	449.3	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
4.9	8.5	14.2	24.0	37.9	58.0	88.9	127.9	185.4	331.7	F		
0.4	0.5	0.6	0.6	0.8	1.2	1.6	2.0	3.0	3.5	M	Hodgkin's disease	201/C81
0.3	0.3	0.3	0.4	0.4	0.6	1.0	1.4	1.8	2.2	F		
1.9	2.6	4.5	8.0	14.1	22.5	35.2	52.1	74.6	101.6	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
0.9	1.7	2.9	5.3	9.1	14.6	24.2	36.1	51.4	71.8	F	Leukaemia	204-208/C91-C95
1.7	2.3	3.0	4.9	8.3	13.8	22.7	36.8	54.2	90.9	M		
1.1	1.7	2.6	3.4	4.9	8.8	12.4	19.6	29.5	52.5	F		
1.3	2.5	4.2	7.6	13.5	24.0	45.1	72.9	120.7	251.9	M	Diabetes	250/E10-E14
0.7	1.0	1.8	3.3	6.6	13.9	31.0	56.7	106.1	284.2	F		
21.3	47.2	87.7	147.4	245.7	426.5	755.4	1321.4	2332.2	6202.3	M	ALL VASCULAR DISEASE	390-459/I00-I99
9.4	17.5	29.4	46.5	76.9	155.5	318.6	673.7	1448.1	5830.3	F		
0.1	0.3	0.5	0.7	1.5	2.7	4.6	7.4	11.3	18.8	M	Rheumatic heart disease and fever	390-398/I00-I09
0.1	0.2	0.4	0.8	1.7	3.5	6.8	11.0	18.2	32.1	F		
0.4	1.1	2.3	4.0	7.5	12.4	22.8	38.8	73.7	225.4	M	Hypertensive disease	401-405/I10-I15
0.2	0.4	1.0	1.9	3.6	6.7	14.0	30.9	69.4	308.5	F		
9.2	23.6	47.7	83.9	141.2	236.6	401.3	656.5	1058.7	2303.7	M	Ischaemic heart disease	410-414/I20-I25
1.9	4.7	9.1	15.4	29.1	63.7	133.4	268.7	540.6	1788.6	F		
1.0	2.2	3.0	4.1	6.6	11.0	18.5	28.6	49.6	104.6	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
1.0	1.6	2.5	3.3	4.9	8.4	14.5	26.1	47.2	127.9	F		
3.7	7.5	13.2	21.2	35.7	67.9	135.9	273.5	559.4	1610.4	M	Cerebrovascular disease	430-438/I60-I69
3.3	5.8	9.4	13.7	19.6	37.3	77.6	178.4	413.9	1659.2	F		
6.9	12.5	21.0	33.4	53.2	96.0	172.4	316.7	579.5	1939.4	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
2.9	4.6	6.9	11.4	17.9	36.0	72.3	158.7	358.8	1913.8	F		
0.9	1.9	3.7	7.8	18.4	40.2	87.2	180.1	332.0	748.9	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.6	1.2	2.4	5.2	9.7	17.7	35.9	69.2	113.1	264.3	F		
3.1	5.0	7.1	11.7	18.4	35.8	70.7	146.0	318.9	1194.6	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.9	2.5	4.0	5.8	9.2	16.0	32.2	69.8	160.8	891.0	F		
0.3	0.7	1.3	2.0	2.8	4.6	7.3	12.7	24.0	60.0	M	Peptic ulcer	531-533/K25-K27
0.1	0.4	0.5	0.6	1.1	2.0	3.8	7.3	15.3	49.5	F		
7.7	16.5	26.7	33.8	44.0	57.1	63.5	62.8	61.0	56.8	M	Liver cirrhosis	571/K70, K74
3.5	6.4	10.5	14.1	17.0	21.1	24.2	28.5	32.6	30.5	F		
0.5	0.9	1.5	2.4	4.4	8.1	15.9	31.5	62.1	193.8	M	Renal disease	580-590/N00-N19
0.3	0.5	0.9	1.5	2.6	5.2	10.4	18.9	36.7	127.7	F		
0.3	0.1	-	0.0	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
0.9	0.9	1.1	1.4	1.7	1.4	1.2	1.7	2.8	3.8	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.8	0.8	0.9	1.3	1.6	1.4	1.3	1.5	1.7	3.1	F	Ill-defined causes	780-799/R00-R99
9.9	13.2	17.0	19.6	26.5	35.4	48.0	67.4	109.2	471.4	M		
3.2	4.2	6.4	7.1	9.2	13.2	21.3	35.8	71.8	554.5	F		
17.3	24.7	34.1	41.9	56.7	85.0	137.3	240.8	472.8	1365.8	M	Other medical causes	Rest of 001-799/ rest of A00-R99
7.9	11.8	17.2	23.9	33.4	50.9	89.1	168.4	359.7	1379.7	F		
54.8	58.5	60.1	58.0	58.3	64.0	72.3	96.1	144.4	372.6	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
14.7	16.7	19.6	20.2	21.5	23.6	31.0	45.1	77.4	292.0	F		
15.0	14.1	13.8	12.8	12.7	13.7	15.2	18.7	24.9	32.0	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
3.8	4.0	4.1	4.1	4.3	4.8	6.8	8.2	10.0	10.5	F		
0.8	0.9	1.0	0.8	1.0	1.1	1.0	1.4	2.5	5.5	M	Fire	E890-E899/X00-X09
0.3	0.3	0.4	0.4	0.5	0.5	0.6	0.9	1.8	3.5	F		
20.3	23.2	23.3	21.5	20.4	21.6	22.9	27.7	35.9	60.9	M	Suicide	E950-E959/X60-X84
5.8	6.8	8.4	8.1	8.4	8.2	8.3	9.4	10.4	12.4	F		
1.9	1.9	1.7	1.3	1.1	1.0	0.6	0.6	0.8	1.0	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.0	0.9	0.6	0.7	0.5	0.5	0.5	0.5	0.9	0.7	F		
15207	13775	12662	12331	10539	9924	8533	7177	5161	4416	M	POPULATION	
14987	13683	12715	12389	10789	10572	9704	9229	8208	9720	F	(1000s; UN, 2004 revision)	

2000: EU10 (European Union - 10 countries)

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
297.1	508.1	793.6	1189.8	1757.8	2636.8	3834.4	5551.9	8133.1	16040.7	M	ALL CAUSES	001-999/A00-Y89
103.0	181.9	307.3	455.3	683.4	1025.0	1685.9	2856.2	5101.8	13749.7	F		
3.7	6.2	8.2	10.5	11.2	14.3	12.4	17.5	17.9	32.1	M	Tuberculosis	010-018, 137/
1.0	1.2	1.4	1.1	1.6	2.4	2.3	4.6	8.6	12.5	F		A15-A19, B90
1.1	0.6	0.5	0.3	0.2	0.1	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
0.1	0.1	0.1	-	-	-	-	-	-	-	F		
0.7	1.7	2.3	3.4	4.4	7.9	8.4	12.7	13.9	22.7	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.4	1.1	1.1	1.6	3.0	3.8	5.1	7.9	10.8	18.7	F		
28.5	79.3	181.6	340.3	568.8	902.3	1267.1	1661.9	2053.0	2449.2	M	ALL CANCER	140-208/C00-C97
34.9	75.8	137.2	211.3	297.8	399.4	564.3	741.6	1003.2	1358.3	F		
2.2	9.4	21.8	33.8	39.7	40.8	36.1	30.5	33.2	37.0	M	Mouth and pharynx cancer	140-149/C00-C14
0.2	1.7	2.8	3.6	5.2	4.3	4.6	5.3	8.4	14.3	F		
0.6	3.2	8.4	15.9	23.4	26.6	26.4	30.6	27.9	36.3	M	Oesophagus cancer	150/C15
0.1	0.5	1.3	1.5	2.5	3.0	3.2	4.4	6.4	11.2	F		
2.3	6.0	11.4	22.4	38.5	63.1	95.5	138.6	184.5	214.5	M	Stomach cancer	151/C16
1.6	4.2	6.2	8.3	11.5	19.1	34.1	52.4	73.0	118.4	F		
2.1	5.2	12.6	26.7	53.2	88.4	146.8	207.8	300.2	389.1	M	Colorectal cancer	153, 154/C18-C21
2.2	4.8	8.8	16.9	30.4	47.0	70.2	105.2	158.0	248.8	F		
0.6	2.2	3.7	8.0	13.1	23.4	31.9	42.9	59.8	60.1	M	Liver cancer	155.0/C22 excl C221
0.5	0.9	2.2	4.0	6.1	9.7	14.9	23.3	31.4	43.9	F		
1.7	4.6	9.6	17.4	27.3	39.8	51.8	70.2	84.3	86.9	M	Pancreas cancer	157/C25
0.5	1.5	4.2	7.8	15.2	21.8	32.0	45.3	63.6	82.0	F		
0.6	3.2	8.3	15.2	23.1	31.4	34.8	32.4	32.2	28.9	M	Larynx cancer	161/C32
0.1	0.5	0.6	1.4	1.9	1.5	1.7	2.5	1.9	2.9	F		
4.8	19.8	55.4	115.0	204.3	337.8	462.9	543.0	533.5	435.4	M	Lung cancer	162/C33, C34
3.0	8.0	19.5	30.9	40.5	51.8	68.6	80.4	93.1	97.3	F		
1.4	1.8	3.2	3.8	5.7	7.4	9.7	14.2	14.2	22.1	M	Malignant melanoma	172/C43
1.1	2.2	2.4	3.8	4.0	4.7	6.0	8.3	10.2	15.4	F		
7.2	15.7	31.7	45.5	57.7	64.5	79.4	85.8	118.0	162.9	F	Female breast cancer	174/C50
6.3	11.6	15.4	15.5	15.5	18.8	20.8	23.3	26.3	28.8	F	Cervix cancer	180/C53
0.6	1.9	3.3	5.9	11.9	16.2	26.1	34.1	44.1	46.9	F	Other uterine cancer	179, 182/C54, C55
2.4	5.3	10.8	17.4	23.1	29.1	35.2	39.0	41.2	45.4	F	Ovarian cancer	183/C56, C570-C574
0.1	0.3	1.1	4.2	15.0	33.9	72.8	144.3	265.9	474.7	M	Prostate cancer	185/C61
0.3	0.9	2.6	6.1	13.2	28.5	46.3	72.7	105.8	154.0	M	Bladder cancer	188/C67
7.1	0.3	0.9	1.3	2.5	3.8	6.7	10.8	19.2	33.2	F		
0.8	16.5	33.7	57.1	86.9	135.7	187.0	246.1	295.7	364.0	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
6.4	12.9	21.4	37.3	53.9	79.9	121.3	168.5	237.7	326.2	F		
0.8	1.0	1.2	1.3	2.0	2.6	2.8	3.8	4.6	4.5	M	Hodgkin's disease	201/C81
0.2	0.3	0.6	1.0	0.9	1.5	1.9	2.6	3.1	3.1	F		
1.3	2.5	4.5	8.3	12.6	23.6	29.9	41.4	54.3	58.0	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
1.1	1.4	2.4	5.0	7.8	13.3	20.0	28.5	36.5	33.2	F		
1.9	2.7	4.3	5.2	10.9	19.2	32.4	43.5	56.8	83.9	M	Leukaemia	204-208/C91-C95
1.3	2.3	2.7	4.1	7.2	9.6	17.6	21.9	31.1	44.6	F		
1.9	3.7	7.1	11.3	18.3	30.8	47.2	76.6	106.7	130.0	M	Diabetes	250/E10-E14
1.2	1.4	2.5	5.6	12.5	24.1	46.1	75.5	114.0	165.8	F		
50.9	119.2	228.0	397.4	647.5	1072.6	1746.8	2770.1	4443.3	10074.1	M	ALL VASCULAR DISEASE	390-459/I00-199
16.6	34.4	65.4	116.3	208.3	391.2	775.7	1565.4	3136.7	9604.5	F		
0.7	1.5	2.0	4.2	6.6	8.8	14.1	16.8	18.6	21.2	M	Rheumatic heart disease and fever	390-398/I00-109
0.2	0.7	1.3	2.7	6.1	9.4	13.0	17.9	23.4	24.6	F		
1.5	3.6	8.5	15.2	26.0	44.5	67.6	94.5	153.0	274.2	M	Hypertensive disease	401-405/I10-I15
0.4	1.4	2.9	7.4	12.3	21.8	42.2	76.2	148.9	353.6	F		
21.4	58.9	116.2	209.3	340.9	537.2	829.6	1236.7	1823.7	3754.8	M	Ischaemic heart disease	410-414/I20-I25
4.7	10.5	22.0	39.8	79.9	162.6	318.0	618.8	1165.3	3366.5	F		
1.8	3.2	5.6	9.5	14.2	22.9	39.5	54.2	83.5	127.4	M	Pulmonary embolism and other venous	415.1, 451-453/I26, I80-182
1.1	1.7	3.5	5.0	9.1	13.6	23.7	40.5	69.9	121.6	F		
9.0	19.7	41.0	71.1	126.3	227.9	403.1	684.2	1157.7	2426.1	M	Cerebrovascular disease	430-438/I60-169
5.4	11.1	20.5	36.8	59.3	107.2	221.3	461.4	945.4	2450.6	F		
16.5	32.3	54.8	88.1	133.4	231.4	392.9	683.7	1206.9	3470.4	M	Other vascular disease	Rest of 390-459/rest of I00-199
4.8	9.0	15.2	24.6	41.6	76.6	157.5	350.6	783.8	3287.6	F		
1.1	3.1	6.4	13.8	32.8	69.5	122.9	210.8	325.0	519.7	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
1.1	1.1	3.1	6.2	11.6	16.9	34.7	52.4	86.3	177.8	F		
5.8	10.9	15.0	18.6	30.1	44.1	71.2	126.3	232.1	629.3	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
2.3	3.4	4.6	6.4	10.9	16.2	29.4	54.3	127.9	483.1	F		
1.1	3.8	5.7	8.6	10.3	15.9	20.9	28.0	40.6	76.2	M	Peptic ulcer	531-533/K25-K27
0.4	0.8	1.3	2.6	2.4	3.6	8.0	14.2	26.7	63.8	F		
21.8	46.0	64.2	77.8	101.0	101.8	97.1	80.7	75.3	54.2	M	Liver cirrhosis	571/K70, K74
6.1	12.4	19.5	23.8	33.3	33.3	30.1	30.2	29.8	26.7	F		
1.7	2.7	5.0	7.8	11.8	18.7	31.8	49.4	82.6	197.7	M	Renal disease	580-590/N00-N19
1.0	1.4	2.6	4.3	6.5	11.8	23.2	34.6	61.7	114.4	F		
0.6	0.1	0.0	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
0.7	1.0	1.0	0.8	0.6	0.7	0.9	0.6	1.0	0.6	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.7	0.6	0.8	0.6	0.8	0.4	0.7	0.8	0.6	0.8	F		
21.9	36.1	49.5	61.0	64.6	84.4	99.7	128.5	199.6	827.2	M	Ill-defined causes	780-799/R00-R99
3.7	6.8	10.2	12.1	15.3	22.4	29.9	59.6	124.8	849.1	F		
22.8	37.4	47.2	62.0	78.3	99.0	135.5	200.5	296.7	528.0	M	Other medical causes	Rest of 001-799/rest of A00-R99
7.6	12.1	20.7	27.9	38.9	54.7	85.1	140.5	233.1	452.2	F		
133.4	156.5	171.8	176.2	177.9	174.7	172.3	188.2	245.2	499.5	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
25.2	29.2	36.8	35.6	40.3	45.0	51.3	74.5	137.6	421.8	F		
28.8	27.3	29.4	31.0	29.0	29.1	30.1	30.9	37.6	44.6	M	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
5.5	5.6	6.2	6.3	7.5	9.0	9.4	11.3	16.1	16.8	F		
2.1	3.6	4.2	4.8	4.7	5.0	5.5	5.5	6.5	9.8	M	Fire	E890-E899/X00-X09
0.6	0.5	0.8	0.9	1.3	1.4	1.4	1.8	3.3	6.7	F		
42.2	52.2	56.2	54.2	55.1	44.7	43.3	48.4	56.5	83.7	M	Suicide	E950-E959/X60-X84
8.5	9.2	13.7	9.6	11.1	12.3	12.3	14.2	15.6	22.5	F		
6.7	7.0	7.5	6.6	6.7	4.7	5.1	4.0	3.6	7.9	M	Homicide	E960-E969/X85-X99, Y00-Y09
2.4	2.4	2.2	2.4	1.6	1.9	1.5	1.6	2.1	4.3	F		
2536	2865	2855	2371	1691	1536	1366	1079	689	471	M	POPULATION	
2507	2888	2952	2544	1942	1923	1864	1713	1320	1122	F	(1000s; UN, 2004 revision)	

2000: EU25 (European Union - 25 countries)

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
171.7	280.6	443.9	653.3	978.6	1535.1	2439.1	3807.2	6073.5	13919.0	M	ALL CAUSES	001-999/A00-Y89
78.8	132.3	213.7	313.6	460.6	707.0	1160.2	1986.1	3567.5	11480.2	F		
0.9	1.5	2.0	2.4	2.6	3.4	4.2	6.8	11.3	18.5	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.2	0.3	0.5	0.4	0.5	0.9	1.4	2.8	4.9	8.0	F		
7.1	5.5	3.3	2.1	1.8	1.5	1.2	0.7	0.4	0.3	M	HIV	279.5, 279.6/B20-B24
1.8	1.1	0.6	0.3	0.2	0.2	0.2	0.1	0.1	0.0	F		
2.0	2.5	3.7	5.1	7.0	11.3	18.4	29.4	45.4	99.7	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.0	1.3	1.7	2.4	4.0	6.8	11.6	19.1	32.1	87.0	F		
23.1	56.5	124.8	229.2	382.3	612.2	939.8	1324.5	1792.7	2626.6	M	ALL CANCER	140-208/C00-C97
29.1	59.3	103.4	162.0	237.7	332.5	465.1	644.1	877.7	1403.7	F		
1.2	5.0	12.2	18.6	23.0	25.2	26.7	25.9	26.2	30.8	M	Mouth and pharynx cancer	140-149/C00-C14
0.3	1.1	2.1	2.9	3.8	4.2	4.8	5.5	7.1	13.9	F		
0.7	2.5	6.5	12.2	18.6	24.5	30.6	36.8	43.4	52.7	M	Oesophagus cancer	150/C15
0.1	0.4	1.0	1.8	3.0	4.3	5.7	8.6	12.1	22.6	F		
1.5	3.6	6.8	12.2	20.2	35.4	56.8	84.0	116.4	173.9	M	Stomach cancer	151/C16
1.5	2.6	3.8	5.6	8.2	13.5	22.8	35.0	51.3	99.4	F		
1.7	4.1	9.0	18.5	35.5	62.0	102.2	149.1	216.4	335.6	M	Colorectal cancer	153, 154/C18-C21
1.7	3.8	7.4	13.1	22.5	35.0	53.6	81.3	125.2	242.5	F		
0.5	1.3	3.0	6.4	11.3	21.2	34.7	46.7	57.0	56.8	M	Liver cancer	155.0/C22 excl C221
0.3	0.5	1.1	1.6	3.0	5.1	9.2	14.9	19.5	25.3	F		
0.9	2.7	5.8	11.4	21.0	31.5	44.1	59.6	76.1	97.9	M	Pancreas cancer	157/C25
0.5	1.2	3.3	6.2	11.5	18.8	27.6	41.6	60.2	86.5	F		
0.4	1.7	4.5	8.0	11.1	14.4	18.9	20.9	24.0	27.5	M	Larynx cancer	161/C32
0.0	0.2	0.4	0.7	0.9	0.9	1.2	1.7	1.7	2.5	F		
3.5	13.6	35.8	71.3	125.3	200.1	304.2	402.9	468.8	464.4	M	Lung cancer	162/C33, C34
2.0	6.8	13.8	21.9	33.1	43.7	61.9	83.0	96.5	100.7	F		
1.2	1.7	2.6	3.6	4.8	5.9	7.9	10.2	11.3	16.5	M	Malignant melanoma	172/C43
0.9	1.6	1.9	2.7	3.1	3.7	4.8	6.1	7.5	12.0	F		
9.1	18.1	30.6	46.2	59.9	70.6	79.4	94.8	119.4	192.2	F	Female breast cancer	174/C50
2.9	5.0	6.3	6.2	6.1	7.2	8.3	9.7	11.2	13.3	F	Cervix cancer	180/C53
0.6	1.3	2.4	4.3	7.1	11.1	16.6	22.6	29.3	42.7	F	Other uterine cancer	179, 182/C54, C55
1.4	3.6	7.3	12.5	18.8	25.3	31.2	37.6	44.8	53.5	F	Ovarian cancer	183/C56, C570-C574
0.1	0.2	0.9	3.3	9.9	28.1	61.0	119.7	237.2	576.1	M	Prostate cancer	185/C61
0.2	0.7	1.9	4.4	8.5	17.7	33.1	57.0	89.0	162.2	M	Bladder cancer	188/C67
0.1	0.3	0.7	1.0	1.8	3.7	5.9	11.1	18.3	43.9	F		
7.3	13.9	27.3	45.5	69.5	107.5	159.3	221.4	296.9	441.1	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
5.1	9.3	15.5	26.3	40.3	61.4	94.1	134.2	192.6	331.1	F		
0.5	0.6	0.7	0.7	1.0	1.4	1.8	2.2	3.2	3.6	M	Hodgkin's disease	201/C81
0.3	0.3	0.3	0.5	0.5	0.8	1.2	1.5	2.0	2.3	F		
1.8	2.6	4.5	8.0	13.9	22.7	34.4	50.7	72.2	97.4	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.0	1.7	2.8	5.2	8.9	14.4	23.5	34.9	49.3	67.8	F	Leukaemia	204-208/C91-C95
1.7	2.3	3.3	5.0	8.7	14.5	24.0	37.6	54.5	90.2	M		
1.1	1.8	2.6	3.5	5.3	8.9	13.3	19.9	29.8	51.7	F		
1.4	2.7	4.7	8.2	14.2	24.9	45.4	73.4	119.0	240.2	M	Diabetes	250/E10-E14
0.8	1.1	1.9	3.7	7.5	15.5	33.4	59.6	107.2	272.0	F		
25.6	59.6	113.5	187.7	301.3	513.1	892.2	1510.7	2580.7	6575.4	M	ALL VASCULAR DISEASE	390-459/I00-I99
10.4	20.4	36.2	58.4	96.9	191.8	392.3	813.3	1682.0	6220.8	F		
0.2	0.5	0.8	1.3	2.2	3.5	5.9	8.6	12.2	19.1	M	Rheumatic heart disease and fever	390-398/I00-I09
0.2	0.3	0.6	1.1	2.4	4.4	7.8	12.0	19.0	31.4	F		
0.5	1.6	3.4	5.8	10.1	16.7	28.9	46.0	83.0	230.1	M	Hypertensive disease	401-405/I10-I15
0.2	0.6	1.3	2.9	4.9	9.0	18.5	38.0	80.4	313.2	F		
10.9	29.7	60.3	104.1	168.8	276.9	460.4	732.3	1148.8	2443.5	M	Ischaemic heart disease	410-414/I20-I25
2.3	5.7	11.6	19.5	36.9	78.9	163.2	323.5	627.1	1951.9	F		
1.2	2.4	3.5	5.0	7.6	12.6	21.4	32.0	53.6	106.8	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
1.0	1.6	2.7	3.6	5.5	9.2	16.0	28.4	50.3	127.3	F		
4.5	9.6	18.3	29.2	48.3	89.3	172.7	327.2	629.8	1689.0	M	Cerebrovascular disease	430-438/I60-I69
3.6	6.8	11.5	17.6	25.7	48.0	100.8	222.7	487.5	1741.1	F		
8.3	15.9	27.2	42.3	64.3	114.1	202.8	364.6	653.3	2086.9	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
3.1	5.4	8.5	13.7	21.5	42.3	86.1	188.7	417.6	2056.0	F		
0.9	2.1	4.2	8.7	20.4	44.2	92.1	184.1	331.2	726.8	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.7	1.2	2.6	5.4	10.0	17.6	35.7	66.5	109.4	255.4	F		
3.5	6.0	8.5	12.8	20.0	36.9	70.8	143.4	308.7	1140.1	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.9	2.7	4.1	5.9	9.5	16.1	31.8	67.3	156.3	848.8	F		
0.4	1.2	2.1	3.0	3.9	6.1	9.2	14.7	26.0	61.6	M	Peptic ulcer	531-533/K25-K27
0.2	0.4	0.6	1.0	1.3	2.3	4.5	8.4	16.9	51.0	F		
9.7	21.5	33.6	40.9	51.9	63.1	68.2	65.1	62.7	56.5	M	Liver cirrhosis	571/K70, K74
3.9	7.4	12.2	15.7	19.5	23.0	25.2	28.8	32.2	30.1	F		
0.6	1.2	2.1	3.3	5.4	9.5	18.1	33.9	64.5	194.2	M	Renal disease	580-590/N00-N19
0.4	0.7	1.2	1.9	3.2	6.2	12.4	21.3	40.2	126.3	F		
0.4	0.1	0.0	0.0	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
0.9	0.9	1.1	1.3	1.5	1.3	1.2	1.5	2.6	3.5	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.8	0.8	0.9	1.2	1.5	1.2	1.2	1.4	1.6	2.9	F		
11.6	17.1	23.0	26.3	31.8	42.0	55.1	75.4	119.8	505.7	M	Ill-defined causes	780-799/R00-R99
3.2	4.7	7.1	8.0	10.2	14.6	22.7	39.5	79.2	585.0	F		
18.0	26.9	36.5	45.2	59.7	86.9	137.1	235.5	452.1	1285.1	M	Other medical causes	Rest of 001-799/ rest of A00-R99
7.8	11.8	17.8	24.5	34.3	51.5	88.5	164.0	342.1	1283.7	F		
66.0	75.4	80.7	77.1	74.8	78.9	86.1	108.1	156.3	384.8	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
16.2	18.9	22.8	22.8	24.4	26.9	34.3	49.7	85.7	305.5	F		
16.9	16.4	16.6	15.7	15.0	15.7	17.3	20.3	26.4	33.2	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
4.0	4.3	4.5	4.5	4.7	5.4	7.2	8.7	10.8	11.2	F		
1.0	1.4	1.6	1.5	1.5	1.6	1.6	2.0	3.0	5.9	M	Fire	E890-E899/X00-X09
0.3	0.4	0.5	0.5	0.6	0.6	0.7	1.1	2.0	3.8	F		
23.4	28.2	29.4	26.7	25.2	24.7	25.7	30.4	38.3	63.1	M	Suicide	E950-E959/X60-X84
6.2	7.3	9.4	8.4	8.8	8.9	8.9	10.2	11.1	13.4	F		
2.5	2.7	2.7	2.1	1.9	1.5	1.2	1.0	1.2	1.6	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.2	1.2	0.9	1.0	0.7	0.7	0.6	0.7	1.1	1.1	F		
17743	16639	15517	14703	12230	11460	9899	8256	5850	4886	M	POPULATION	
17494	16571	15667	14934	12731	12495	11568	10943	9528	10842	F	(1000s; UN, 2004 revision)	

AUSTRALIA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)							
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34	
ALL CAUSES	M	67058	4152	19691	719.4	87.4	647.3	132.0	14.1	17.8	74.0	109.2	134.8	129.9	
	F	61726	2015	11474	461.6	43.2	367.3	108.6	11.3	12.1	33.2	40.2	46.8	50.5	
Tuberculosis	M	33	-	8	0.4	-	0.3	-	-	-	-	-	-	-	
	F	21	-	5	0.2	-	0.1	-	-	-	-	-	-	-	
HIV	M	124	26	96	1.3	0.5	2.1	-	-	-	0.1	0.3	1.5	1.8	
	F	10	3	6	0.1	0.1	0.1	-	-	-	-	-	-	0.4	
Other infective and parasitic	M	714	42	195	7.6	0.9	6.0	2.7	0.3	0.4	0.7	0.6	0.3	1.1	
	F	756	43	117	5.6	0.9	3.8	3.2	0.4	0.4	0.5	0.3	0.9	0.8	
ALL CANCER	M	20279	252	7693	221.2	5.2	265.7	2.6	3.5	2.0	4.2	5.7	6.0	12.5	
	F	15546	240	5821	135.6	5.0	185.1	2.1	2.4	3.3	2.9	5.4	5.7	12.9	
Mouth and pharynx cancer	M	467	3	267	5.2	0.1	8.7	-	-	-	0.1	-	-	0.3	
	F	203	5	85	1.8	0.1	2.6	-	-	-	0.2	0.2	0.1	0.3	
Oesophagus cancer	M	683	2	316	7.5	0.0	10.7	-	-	-	-	-	-	0.3	
	F	288	2	67	2.3	0.0	2.3	-	-	-	-	-	-	0.1	
Stomach cancer	M	763	4	291	8.3	0.1	9.9	-	-	-	-	0.3	0.3	-	
	F	426	3	128	3.5	0.1	4.0	-	-	-	-	0.3	-	0.1	
Colorectal cancer	M	2569	13	1108	28.3	0.3	38.5	-	-	-	-	0.2	0.3	1.4	
	F	2149	13	694	18.1	0.3	23.1	-	-	-	-	0.5	0.1	1.2	
Liver cancer	M	388	9	179	4.3	0.2	6.1	-	-	0.3	0.1	0.2	0.1	0.6	
	F	110	2	40	0.9	0.0	1.4	-	-	-	-	0.2	-	0.1	
Pancreas cancer	M	872	2	391	9.6	0.0	13.5	-	-	-	-	-	-	0.3	
	F	876	3	226	7.2	0.1	7.8	-	-	-	-	-	-	0.4	
Larynx cancer	M	203	-	104	2.3	-	3.5	-	-	-	-	-	-	-	
	F	36	-	18	0.3	-	0.6	-	-	-	-	-	-	-	
Lung cancer	M	4594	5	1866	50.5	0.1	67.1	-	-	-	-	-	0.3	0.4	
	F	2317	1	943	21.1	0.0	31.6	-	-	-	-	-	-	0.1	
Malignant melanoma	M	617	15	281	6.7	0.3	8.8	-	-	-	0.3	0.3	0.4	1.1	
	F	354	17	164	3.2	0.3	4.6	-	-	-	-	0.6	0.6	1.2	
Female breast cancer	F	2521	33	1327	23.6	0.6	38.6	-	-	-	-	0.2	0.7	3.6	
Cervix cancer	F	265	14	140	2.5	0.3	4.0	-	-	-	-	0.2	0.6	1.2	
Other uterine cancer	F	261	1	97	2.3	0.0	3.4	-	-	-	-	0.2	-	-	
Ovarian cancer	F	787	8	349	7.2	0.2	11.2	-	0.1	0.1	-	0.2	-	0.7	
Prostate cancer	M	2665	-	408	28.1	-	15.9	-	-	-	-	-	-	-	
Bladder cancer	M	570	-	111	6.1	-	4.1	-	-	-	-	-	-	-	
	F	249	-	33	1.8	-	1.1	-	-	-	-	-	-	-	
Other and ill-defined cancer sites	M	3803	117	1580	41.6	2.4	52.3	1.5	2.3	0.7	2.2	2.3	2.5	5.5	
	F	3035	86	980	25.7	1.8	31.6	1.4	1.9	2.2	1.1	2.0	1.6	2.4	
Hodgkin's disease	M	37	3	15	0.4	0.1	0.4	-	-	-	-	-	-	0.4	
	F	31	3	8	0.3	0.1	0.3	-	-	-	0.2	-	0.1	0.1	
Myeloma and non- Hodgkin lymphomas	M	1254	24	491	13.6	0.5	16.5	-	0.1	-	0.4	0.6	0.6	1.7	
	F	1069	7	353	9.1	0.1	11.6	-	-	0.1	0.2	0.2	0.3	0.3	
Leukaemia	M	794	55	285	8.6	1.2	9.7	1.1	1.1	1.0	1.0	1.9	1.2	0.8	
	F	569	42	169	4.8	0.9	5.4	0.6	0.3	0.7	1.4	0.8	1.4	0.9	
Diabetes	M	1591	10	497	17.2	0.2	17.2	-	-	-	0.1	0.3	0.1	0.8	
	F	1418	14	301	11.0	0.3	10.5	-	-	0.1	0.2	0.6	0.3	0.8	
ALL VASCULAR DISEASE	M	23778	175	5548	253.4	3.6	189.5	1.5	0.7	0.9	2.6	1.9	7.1	10.7	
	F	26055	105	2256	173.8	2.2	76.8	1.9	0.7	0.3	0.8	1.4	4.0	5.9	
Rheumatic heart disease and fever	M	98	5	28	1.1	0.1	1.0	-	-	-	0.3	-	0.4	-	
	F	161	8	43	1.3	0.2	1.4	-	-	-	-	0.2	0.6	0.4	
Hypertensive disease	M	457	3	82	4.8	0.1	2.8	-	-	-	-	-	0.1	0.3	
	F	750	3	63	5.0	0.1	2.2	-	0.1	-	-	0.2	-	0.1	
Ischaemic heart disease	M	14069	57	3805	150.8	1.2	129.7	0.2	-	-	0.3	0.9	1.6	5.2	
	F	12537	12	1140	84.6	0.2	39.7	-	-	-	0.2	-	0.3	1.2	
Pulmonary embolism and other venous	M	219	6	59	2.3	0.1	1.9	-	-	-	-	-	0.4	0.4	
	F	329	6	66	2.5	0.1	2.1	-	-	-	0.2	0.2	0.1	0.4	
Cerebrovascular disease	M	4909	25	761	51.7	0.5	26.8	-	0.1	0.1	0.1	0.3	1.3	1.5	
	F	7437	22	545	48.5	0.4	18.0	0.2	-	-	-	0.5	1.0	1.5	
Other vascular disease	M	4026	79	813	42.7	1.6	27.2	1.4	0.6	0.7	1.9	0.6	3.1	3.2	
	F	4841	54	399	31.9	1.1	13.4	1.7	0.6	0.3	0.5	0.5	2.0	2.3	
Chronic obstructive pulmonary disease	M	3538	32	713	37.6	0.7	25.8	0.2	0.7	0.3	0.3	0.6	0.9	1.7	
	F	2463	24	549	19.4	0.5	19.4	-	0.4	0.3	-	0.3	1.1	1.2	
Other respiratory disease	M	2449	33	377	25.9	0.7	13.2	2.0	-	-	0.3	0.3	0.4	1.8	
	F	2538	28	193	16.7	0.6	6.6	1.9	0.1	0.1	0.5	0.3	0.3	0.9	
Peptic ulcer	M	234	2	60	2.5	0.0	2.0	-	-	-	-	-	-	0.3	
	F	237	1	30	1.6	0.0	1.0	-	-	-	-	-	-	0.1	
Liver cirrhosis	M	651	7	475	7.3	0.1	14.2	-	-	-	-	-	-	0.4	
	F	261	7	154	2.6	0.1	4.3	-	-	-	-	-	-	0.6	
Renal disease	M	901	6	99	9.4	0.1	3.5	-	0.1	-	-	-	-	0.3	
	F	1072	7	107	7.3	0.1	3.7	-	-	-	0.2	0.2	0.3	0.4	
Pregnancy, birth Congenital and perinatal causes	F	13	7	6	0.1	0.1	0.1	-	-	-	0.2	0.2	0.4	0.3	
	M	687	601	61	8.1	12.9	1.7	83.3	0.4	0.7	2.2	1.4	1.5	1.0	
	F	582	497	59	7.0	11.2	1.6	71.7	1.6	1.2	1.2	0.8	1.1	0.7	
Ill-defined causes	M	337	139	112	3.7	3.0	3.0	14.6	0.1	0.1	1.0	1.4	1.6	1.8	
	F	304	81	34	2.5	1.8	1.0	9.7	0.1	0.3	0.5	0.9	0.7	0.4	
Other medical causes	M	6156	511	1472	65.2	10.7	45.7	9.2	2.1	3.3	9.8	16.1	19.5	15.2	
	F	7863	245	1039	55.3	5.2	32.9	7.6	2.2	2.1	4.0	6.9	6.3	7.3	
ALL NON- MEDICAL CAUSES	M	5586	2316	2285	58.7	48.6	56.2	15.9	6.1	10.1	52.5	80.6	95.1	80.1	
	F	2587	713	797	22.8	15.1	20.2	10.5	3.1	3.9	22.5	22.9	25.0	17.9	
Road traffic accidents	M	1284	697	455	13.5	14.7	11.4	2.4	2.3	4.6	26.0	28.9	22.3	16.3	
	F	526	241	183	5.3	5.2	4.7	2.7	1.3	2.1	10.3	8.5	7.3	3.9	
Fire	M	61	15	23	0.6	0.3	0.6	0.6	0.4	-	0.1	0.6	0.1	0.3	
	F	37	10	12	0.4	0.2	0.3	1.0	0.1	0.1	-	-	0.1	0.1	
Suicide	M	1883	743	958	19.7	15.6	23.2	-	-	1.1	13.3	27.6	33.4	33.5	
	F	505	185	266	5.1	3.9	6.4	-	-	0.1	6.6	5.5	8.3	6.5	
Homicide	M	189	86	95	2.0	1.8	2.3	1.4	0.6	0.4	2.2	2.0	3.2	2.8	
	F	114	67	41	1.2	1.4	0.9	0.6	0.6	0.3	1.7	2.5	1.9	2.3	
POPULATION:			M=male												
(1000s; UN, 2004 revision)			F=female												
					9409.7	4795.7	3922.8	662.3	707.7	703.0	684.0	647.7	680.5	710.5	
					9662.0	4699.4	3999.7	630.0	670.7	670.3	653.1	634.2	699.2	741.9	

2000: AUSTRALIA

Annual death rates / 100,000 (zero denoted by -)											9th ICD/10th ICD categories	
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
152.4	189.0	248.1	390.4	632.2	1071.6	1847.0	3168.0	5277.3	12036.4	M	ALL CAUSES	001-999/A00-Y89
74.6	103.2	154.4	240.1	392.2	600.3	1006.8	1720.0	2959.2	9731.1	F		
-	-	-	0.3	0.2	0.3	1.2	2.4	3.7	5.3	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.1	-	-	0.3	0.4	-	-	1.5	0.7	2.6	F		
4.0	3.8	2.8	1.0	2.1	0.8	0.6	0.7	-	-	M	HIV	279.5, 279.6/B20-B24
0.4	0.1	0.1	-	-	0.3	-	-	0.4	-	F		
1.5	4.2	2.7	4.0	4.7	12.4	12.4	24.0	57.6	150.3	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.3	1.2	2.0	2.7	3.2	5.7	11.2	15.8	42.2	120.8	F		
18.9	37.9	71.2	153.9	285.5	479.1	813.5	1256.2	1739.1	2638.2	M	ALL CANCER	140-208/C00-C97
25.7	46.5	82.1	139.3	225.5	316.5	460.3	661.7	879.0	1372.7	F		
0.6	1.1	4.3	7.2	11.6	14.0	22.0	27.1	25.3	34.3	M	Mouth and pharynx cancer	140-149/C00-C14
0.4	0.9	1.3	2.6	2.9	3.4	6.8	8.8	7.5	17.9	F		
0.6	1.8	3.0	7.6	11.1	20.7	30.4	37.5	59.5	68.6	M	Oesophagus cancer	150/C15
0.3	0.3	0.4	1.1	3.2	4.2	6.5	10.6	17.4	38.4	F		
0.4	2.2	3.0	6.9	9.7	15.0	32.3	50.3	62.8	99.7	M	Stomach cancer	151/C16
0.7	1.5	1.3	3.9	3.6	6.5	10.9	13.4	31.2	46.3	F		
3.0	4.6	9.1	20.6	40.6	79.3	112.0	156.5	200.9	299.6	M	Colorectal cancer	153, 154/C18-C21
1.7	2.7	8.9	12.6	29.9	45.4	60.2	87.8	129.2	224.3	F		
0.1	1.1	2.7	3.7	5.6	9.3	20.5	26.0	30.0	32.2	M	Liver cancer	155.0/C22 excl C221
0.1	0.5	0.1	0.5	1.1	2.6	4.7	2.4	7.1	11.4	F		
1.1	1.4	3.3	9.2	15.3	20.0	44.4	49.3	72.6	96.0	M	Pancreas cancer	157/C25
0.1	0.8	1.8	4.5	8.6	14.0	24.7	45.9	67.4	87.0	F		
-	0.4	1.2	2.6	3.7	7.5	9.3	13.9	14.1	15.3	M	Larynx cancer	161/C32
-	0.3	-	0.3	0.4	1.3	2.1	1.8	1.1	2.6	F		
1.7	5.2	10.8	29.5	72.2	132.0	218.1	325.6	428.1	459.4	M	Lung cancer	162/C33, C34
1.6	3.5	10.1	21.0	38.1	57.6	89.0	132.7	143.4	151.2	F		
2.2	3.4	4.2	6.9	9.7	16.1	18.9	38.2	44.5	61.2	M	Malignant melanoma	172/C43
2.8	2.4	3.5	3.4	5.5	7.5	7.3	13.4	15.3	24.4	F		
8.0	17.0	27.5	41.2	51.8	61.5	63.2	89.3	99.4	166.9	F	Female breast cancer	174/C50
1.6	2.3	3.9	2.9	4.0	6.0	7.1	11.2	8.5	14.2	F	Cervix cancer	180/C53
0.1	0.4	0.4	1.3	4.0	6.2	11.5	10.0	17.0	23.3	F	Other uterine cancer	179, 182/C54, C55
1.3	2.3	4.2	8.7	14.3	21.8	25.6	35.2	45.8	52.6	F	Ovarian cancer	183/C56, C570-C574
-	-	0.9	4.0	11.8	25.1	69.2	162.8	278.7	629.2	M	Prostate cancer	185/C61
-	0.3	0.7	1.6	3.5	7.0	15.5	41.3	52.9	119.7	M	Bladder cancer	188/C67
0.3	-	0.6	0.2	1.5	1.0	4.4	9.1	13.5	42.1	F		
5.0	11.5	19.0	38.7	59.0	90.2	143.0	212.1	293.2	458.3	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
4.9	7.1	12.4	22.0	38.3	49.3	87.3	123.6	172.1	306.1	F		
0.7	0.3	-	0.6	0.2	0.3	0.6	2.1	2.3	4.2	M	Hodgkin's disease	201/C81
-	0.1	0.1	0.2	0.2	0.3	0.9	1.8	1.1	3.1	F		
1.9	3.5	5.2	10.0	19.2	28.0	47.8	68.4	109.1	163.0	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
0.7	2.2	3.5	9.9	13.3	19.2	32.3	44.9	70.3	103.2	F	Leukaemia	204-208/C91-C95
1.7	1.1	3.7	4.7	12.4	14.5	29.5	45.1	65.1	97.6	M		
1.2	2.2	1.9	3.1	4.8	8.8	16.2	19.7	31.9	57.7	F		
1.5	1.4	5.1	12.4	14.6	30.3	54.9	95.8	130.7	279.0	M	Diabetes	250/E10-E14
0.8	0.7	3.2	5.3	7.6	17.1	39.1	58.0	85.9	190.4	F		
22.1	39.0	64.5	104.6	179.0	323.8	593.2	1121.1	2052.9	5507.4	M	ALL VASCULAR DISEASE	390-459/I00-I99
9.3	14.2	23.5	35.9	69.3	126.6	258.8	586.1	1205.8	5220.6	F		
-	-	0.3	0.8	1.4	1.0	3.1	3.8	8.4	19.0	M	Rheumatic heart disease and fever	390-398/I00-I09
-	0.7	0.9	1.0	0.8	1.3	5.0	6.7	8.5	18.2	F		
0.3	0.3	1.5	1.3	2.9	4.1	9.3	26.4	32.3	119.7	M	Hypertensive disease	401-405/I10-I15
0.3	0.1	0.7	1.0	1.9	2.9	8.5	18.5	33.0	150.7	F		
13.5	25.0	44.1	75.4	124.8	228.4	396.8	710.9	1202.8	2948.8	M	Ischaemic heart disease	410-414/I20-I25
2.9	4.9	10.1	17.3	37.1	64.1	141.9	333.7	619.2	2427.8	F		
0.4	1.0	1.0	0.8	1.9	2.1	6.2	6.6	25.3	42.7	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.4	0.7	1.0	1.1	2.9	4.2	4.1	6.7	20.2	50.6	F		
3.3	4.8	7.6	11.4	21.9	43.8	94.9	213.1	441.7	1353.4	M	Cerebrovascular disease	430-438/I60-I69
2.8	5.0	6.7	9.7	15.6	30.9	55.2	140.0	320.8	1564.8	F		
4.5	8.0	9.9	14.8	26.2	44.3	82.8	160.4	342.4	1023.7	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
2.9	2.8	4.1	5.8	10.9	23.3	44.1	80.5	204.0	1008.5	F		
1.2	2.0	2.8	7.2	20.6	46.7	107.4	210.0	352.7	756.9	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
1.9	1.9	3.5	6.8	19.8	31.4	70.5	109.9	156.1	309.3	F		
1.4	3.2	3.4	5.2	12.4	21.0	45.9	86.4	207.5	710.4	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
0.4	1.2	2.5	2.7	6.5	10.4	22.3	45.6	95.8	539.2	F		
0.1	0.6	1.2	0.6	2.5	2.6	6.5	13.9	16.4	51.2	M	Peptic ulcer	531-533/K25-K27
-	0.4	0.6	0.5	0.6	1.3	3.5	5.5	9.2	46.0	F		
1.8	6.3	11.1	12.2	19.6	24.1	24.5	27.8	21.1	23.2	M	Liver cirrhosis	571/K70, K74
0.9	2.2	3.5	5.8	5.7	6.5	5.6	12.1	9.2	9.7	F		
0.6	0.8	1.3	1.0	1.9	4.7	14.6	22.2	94.6	279.5	M	Renal disease	580-590/N00-N19
0.3	0.5	1.0	2.1	2.9	6.0	12.9	20.0	62.1	203.8	F		
0.5	0.1	0.1	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
1.4	1.5	1.2	0.8	2.5	1.8	2.5	3.5	2.8	4.7	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
2.0	0.7	0.7	1.0	2.7	1.3	2.9	1.2	3.2	3.7	F	Ill-defined causes	780-799/R00-R99
3.2	1.5	2.4	2.9	3.9	4.1	2.8	4.9	6.1	31.1	M		
0.5	0.4	0.7	0.2	1.1	1.8	2.6	4.3	4.6	46.0	F		
19.4	19.7	21.8	33.2	39.8	70.8	115.4	223.5	488.5	1311.2	M	Other medical causes	Rest of 001-799/ rest of A00-R99
10.2	9.7	13.9	22.5	28.8	54.5	90.8	160.3	352.4	1437.7	F		
75.4	67.1	56.5	51.1	42.9	49.0	51.5	75.7	103.5	288.0	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
21.2	23.3	16.8	15.0	18.1	21.0	26.1	38.0	52.5	228.5	F		
15.7	11.7	12.0	9.2	8.3	10.4	12.4	11.8	19.2	30.1	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
4.5	4.5	4.4	3.7	4.2	6.0	5.9	9.1	12.8	10.2	F		
0.4	0.4	0.4	1.1	0.2	0.8	0.9	3.1	4.2	2.6	M	Fire	E890-E899/X00-X09
0.1	0.1	0.4	0.3	0.2	0.3	0.9	1.5	0.7	2.3	F		
32.4	29.9	23.8	21.9	16.7	18.1	19.5	22.9	24.4	33.8	M	Suicide	E950-E959/X60-X84
9.0	8.6	5.1	5.3	5.3	5.7	5.6	6.4	5.3	5.1	F		
2.5	3.5	3.0	1.6	1.4	2.3	1.9	1.7	0.5	1.1	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.9	1.1	1.2	0.6	0.4	0.5	0.9	0.3	1.1	0.6	F		
725.5	715.2	668.6	620.7	484.8	385.7	322.3	288.1	213.5	189.6	M	POPULATION	
753.7	741.5	684.6	619.0	475.0	385.5	340.4	329.3	281.8	351.8	F	(1000s; UN, 2004 revision)	

AUSTRIA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	35211	1434	12196	834.8	77.9	824.6	122.1	14.9	17.6	84.7	105.7	105.0	95.2
	F	41569	629	6279	530.8	37.2	395.5	100.9	10.9	12.3	30.6	34.8	32.2	38.9
Tuberculosis	M	48	1	25	1.1	0.0	1.5	-	-	-	-	-	-	0.3
	F	26	1	7	0.4	0.0	0.4	-	-	-	-	-	-	0.3
HIV	M	37	9	27	0.9	0.4	1.3	-	-	-	0.8	0.4	1.1	0.8
	F	13	4	9	0.3	0.2	0.5	-	-	-	-	-	0.4	0.9
Other infective and parasitic	M	83	5	43	2.0	0.3	2.9	1.0	0.4	-	-	0.4	0.4	-
	F	101	7	30	1.7	0.4	1.9	1.0	-	0.4	-	0.4	0.4	0.6
ALL CANCER	M	9524	101	4123	224.4	5.1	286.3	2.9	2.5	3.8	3.2	3.4	8.8	10.8
	F	9225	86	2988	141.3	4.3	187.1	1.5	1.7	3.1	3.4	1.8	6.0	12.5
Mouth and pharynx cancer	M	350	-	275	8.6	-	17.7	-	-	-	-	-	-	-
	F	129	1	60	2.2	0.0	3.8	-	-	-	-	-	-	0.3
Oesophagus cancer	M	207	2	128	5.0	0.1	8.5	-	-	-	-	-	0.4	0.3
	F	59	1	23	1.0	0.0	1.5	-	-	-	-	-	-	0.3
Stomach cancer	M	637	10	217	14.9	0.4	15.1	-	-	-	-	0.4	0.4	2.2
	F	592	2	148	8.4	0.1	9.4	-	-	-	-	-	-	0.6
Colorectal cancer	M	1240	2	443	29.0	0.1	31.9	-	-	-	-	0.4	-	0.3
	F	1296	1	296	17.8	0.0	18.7	-	-	-	-	-	-	0.3
Liver cancer	M	257	2	126	6.0	0.1	9.2	0.5	0.4	-	-	-	-	-
	F	107	-	24	1.5	-	1.6	-	-	-	-	-	-	-
Pancreas cancer	M	572	-	268	13.4	-	19.0	-	-	-	-	-	-	-
	F	692	3	195	10.0	0.1	12.7	-	-	-	-	-	0.4	0.6
Larynx cancer	M	153	-	106	3.7	-	7.2	-	-	-	-	-	-	-
	F	18	-	10	0.3	-	0.6	-	-	-	-	-	-	-
Lung cancer	M	2285	6	1225	53.9	0.2	85.1	-	-	-	-	-	-	1.7
	F	984	5	438	16.8	0.2	27.1	-	-	-	-	-	0.7	0.9
Malignant melanoma	M	136	1	68	3.2	0.1	4.4	-	-	-	-	-	0.4	-
	F	126	7	50	2.1	0.3	3.1	-	-	-	-	0.4	1.1	0.9
Female breast cancer	F	1671	15	695	27.7	0.6	42.2	-	-	-	-	-	1.1	3.5
Cervix cancer	F	138	2	68	2.5	0.1	4.1	-	-	-	-	-	0.4	0.3
Other uterine cancer	F	368	4	119	5.6	0.2	7.6	-	-	-	0.4	-	-	0.9
Ovarian cancer	F	549	2	204	8.8	0.1	13.1	-	-	-	-	-	-	0.6
Prostate cancer	M	1229	-	191	28.6	-	14.9	-	-	-	-	-	-	-
Bladder cancer	M	320	-	82	7.5	-	6.1	-	-	-	-	-	-	-
	F	175	-	24	2.2	-	1.5	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	1418	50	697	33.7	2.6	47.4	1.0	1.7	2.9	2.0	1.7	4.2	4.4
	F	1589	25	419	23.3	1.4	26.5	1.0	0.9	2.6	0.8	0.9	1.8	1.7
Hodgkin's disease	M	18	2	8	0.4	0.1	0.5	-	-	-	-	0.4	-	0.3
	F	12	2	7	0.2	0.1	0.4	-	-	-	-	-	0.4	0.3
Myeloma and non-Hodgkin lymphomas	M	383	8	160	8.9	0.4	10.8	-	-	0.4	0.4	-	1.8	0.3
	F	432	4	127	6.4	0.2	8.4	-	-	-	0.4	0.4	-	0.6
Leukaemia	M	319	18	129	7.6	1.0	8.5	1.4	0.4	0.4	0.8	0.4	1.8	1.4
	F	288	12	81	4.4	0.7	5.0	0.5	0.9	0.4	1.7	-	0.4	0.9
Diabetes	M	550	3	175	12.9	0.1	12.7	-	-	-	-	-	-	0.8
	F	838	2	109	10.2	0.1	7.4	-	-	-	-	0.4	-	0.3
ALL VASCULAR DISEASE	M	16259	77	4190	382.2	3.9	294.4	3.4	1.2	0.8	1.2	5.5	6.3	8.6
	F	23852	54	1688	268.6	2.8	110.8	1.0	0.4	0.4	3.0	3.5	5.3	5.8
Rheumatic heart disease and fever	M	35	1	15	0.8	0.1	1.2	-	-	-	0.4	-	-	-
	F	142	1	17	1.7	0.1	1.2	-	-	-	-	-	0.4	-
Hypertensive disease	M	411	-	94	9.7	-	6.7	-	-	-	-	-	-	-
	F	970	1	65	10.8	0.0	4.3	-	-	-	-	-	-	0.3
Ischaemic heart disease	M	7724	21	2446	181.4	0.9	171.3	-	-	-	-	0.8	1.1	4.4
	F	8518	6	668	97.2	0.3	44.5	-	-	-	-	0.4	0.4	1.2
Pulmonary embolism and other venous	M	340	2	108	8.0	0.1	7.5	-	-	-	-	-	0.4	0.3
	F	709	11	109	9.0	0.6	6.9	-	-	-	1.3	0.4	1.4	0.9
Cerebrovascular disease	M	3136	17	590	73.4	0.9	42.1	0.5	0.4	0.4	0.4	0.8	1.8	1.7
	F	5733	11	393	64.3	0.5	25.4	-	-	-	-	1.3	1.1	1.5
Other vascular disease	M	4613	36	937	108.9	2.0	65.6	2.9	0.8	0.4	0.4	3.8	3.2	2.2
	F	7780	24	436	85.5	1.3	28.5	1.0	0.4	0.4	1.7	1.3	2.1	2.0
Chronic obstructive pulmonary disease	M	1241	6	318	28.9	0.3	23.1	0.5	0.4	-	0.4	0.4	-	0.6
	F	954	5	118	11.7	0.3	7.7	0.5	0.4	0.9	-	-	-	0.3
Other respiratory disease	M	766	15	177	18.3	0.9	12.1	1.9	0.4	-	-	1.3	2.1	0.3
	F	1126	4	87	12.7	0.2	5.5	0.5	0.4	-	-	0.4	0.4	-
Peptic ulcer	M	110	-	35	2.6	-	2.4	-	-	-	-	-	-	-
	F	150	-	23	1.8	-	1.4	-	-	-	-	-	-	-
Liver cirrhosis	M	1241	18	901	29.9	0.8	58.2	-	-	-	0.4	-	1.4	3.6
	F	572	8	306	10.6	0.3	18.6	-	-	-	-	-	0.7	1.7
Renal disease	M	308	2	73	7.2	0.1	5.0	-	-	-	-	-	-	0.6
	F	445	2	52	5.3	0.1	3.4	-	-	-	-	-	0.7	-
Pregnancy, birth	F	2	1	1	0.1	0.1	0.0	-	-	-	0.4	-	-	-
Congenital and perinatal causes	M	208	190	16	7.6	12.8	0.9	84.8	1.2	1.3	-	0.4	1.4	0.6
	F	164	151	10	6.2	10.7	0.5	66.6	3.9	0.9	1.3	1.8	0.4	-
Ill-defined causes	M	246	23	23	6.3	1.5	1.5	10.1	-	-	-	-	0.4	0.3
	F	634	20	11	7.1	1.4	0.7	10.1	-	-	-	-	-	-
Other medical causes	M	1624	104	634	38.7	5.5	39.9	7.7	0.8	2.5	6.1	5.5	7.7	8.3
	F	2034	66	346	27.2	3.8	21.5	8.1	0.4	0.9	3.0	4.8	4.6	4.6
ALL NON-MEDICAL CAUSES	M	2966	880	1436	71.8	46.2	82.4	10.1	7.9	9.2	72.6	88.4	75.4	59.7
	F	1433	218	494	25.7	12.5	28.1	11.6	3.5	5.7	19.5	21.6	13.4	11.9
Road traffic accidents	M	653	344	239	16.2	18.5	13.1	1.9	2.1	2.9	36.1	40.8	27.8	17.5
	F	220	73	82	4.8	4.2	4.6	0.5	0.9	2.2	8.5	8.8	6.4	2.0
Fire	M	99	50	44	2.4	2.7	2.3	1.0	2.1	0.8	5.7	3.4	3.2	2.8
	F	54	20	16	1.1	1.1	0.9	0.5	0.9	1.3	1.3	2.2	0.4	1.5
Suicide	M	1156	259	648	27.6	13.2	37.0	-	-	1.7	19.5	24.4	24.7	21.9
	F	432	65	238	8.8	3.5	13.4	-	-	1.8	5.1	6.6	4.9	5.8
Homicide	M	26	12	10	0.7	0.7	0.6	1.4	0.8	-	-	1.3	0.7	0.6
	F	49	16	18	1.1	0.9	1.0	2.5	0.4	-	1.3	0.4	1.1	0.9
POPULATION:			M=male		3945.5	1817.1	1810.3	208.8	241.0	238.9	246.7	237.5	283.9	360.3
(1000s; UN, 2004 revision)			F=female		4150.7	1744.3	1815.8	198.3	229.2	226.8	235.4	227.3	282.9	344.4

2000: AUSTRIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
130.3	230.2	343.5	622.9	919.6	1331.4	2193.9	3564.1	5805.9	13499.4	M	ALL CAUSES	001-999/A00-Y89
67.9	129.7	203.3	320.6	439.8	606.8	1000.5	1842.7	3486.9	11964.1	F		
0.3	1.9	0.8	2.8	1.2	1.5	1.9	7.2	3.0	11.1	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	0.3	0.4	0.8	-	0.9	0.5	1.0	2.6	5.4	F		
2.4	2.5	1.5	1.2	0.4	-	1.2	0.7	-	-	M	HIV	279.5, 279.6/B20-B24
0.6	0.7	0.8	0.8	-	-	0.5	-	-	-	F		
0.8	0.6	2.3	1.6	2.1	4.9	8.0	8.6	10.2	16.1	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.6	0.3	0.8	2.8	0.4	3.2	5.3	8.8	9.8	13.8	F		
17.3	44.6	95.0	206.8	341.4	499.0	799.9	1178.7	1606.7	2574.8	M	ALL CANCER	140-208/C00-C97
22.1	61.0	103.0	164.1	228.1	318.9	412.4	652.1	914.2	1532.2	F		
1.6	6.3	11.7	19.5	24.3	27.3	33.4	25.9	14.2	30.9	M	Mouth and pharynx cancer	140-149/C00-C14
-	0.7	1.9	4.0	3.6	8.7	7.9	5.7	11.3	17.2	F		
0.3	0.6	4.5	10.3	13.2	14.1	16.1	24.5	21.3	27.2	M	Oesophagus cancer	150/C15
-	-	0.4	2.4	1.2	2.3	4.2	3.6	8.7	5.4	F		
1.4	1.6	5.3	11.9	17.7	23.4	44.5	76.4	132.1	215.1	M	Stomach cancer	151/C16
1.4	2.7	5.8	6.8	10.4	14.1	24.3	40.5	61.6	120.0	F		
0.3	3.2	6.4	19.9	33.4	56.5	103.8	167.9	244.9	396.8	M	Colorectal cancer	153, 154/C18-C21
2.9	5.0	5.4	15.7	22.7	36.5	42.7	84.6	125.8	290.7	F		
0.5	0.6	0.8	3.6	10.3	17.1	31.5	33.1	55.9	34.6	M	Liver cancer	155.0/C22 excl C221
-	-	1.2	1.6	1.6	2.3	4.2	10.9	19.5	11.8	F		
0.5	1.6	6.8	11.1	20.6	36.5	55.6	84.3	92.5	118.7	M	Pancreas cancer	157/C25
1.2	2.3	5.0	8.0	11.2	24.6	36.4	45.7	81.2	122.0	F		
-	2.5	1.5	6.4	7.8	15.6	16.7	18.0	14.2	9.9	M	Larynx cancer	161/C32
-	-	0.4	1.2	1.2	1.4	-	1.0	2.6	0.5	F		
2.7	9.8	28.4	62.5	110.1	152.0	230.4	315.6	351.6	333.7	M	Lung cancer	162/C33, C34
2.3	8.0	17.8	28.2	39.9	40.1	53.8	75.3	95.5	103.3	F		
0.8	1.6	1.1	4.4	7.8	6.3	8.6	15.1	18.3	34.6	M	Malignant melanoma	172/C43
-	1.0	3.9	2.8	3.6	4.6	5.8	4.2	13.9	16.7	F		
7.5	20.9	29.4	38.2	58.6	71.6	69.1	107.5	132.0	244.5	F	Female breast cancer	174/C50
0.6	2.0	5.4	4.8	4.8	5.0	5.8	10.9	9.8	13.8	F	Cervix cancer	180/C53
0.3	2.3	2.7	6.0	10.8	11.9	19.0	26.5	37.5	59.5	F	Other uterine cancer	179, 182/C54, C55
0.6	3.0	5.0	10.9	14.8	24.6	32.7	48.8	44.2	80.2	F	Ovarian cancer	183/C56, C570-C574
-	0.3	0.8	2.4	9.9	25.3	65.5	128.2	273.4	730.5	M	Prostate cancer	185/C61
-	0.3	0.4	4.0	5.4	9.3	23.5	35.3	73.2	144.6	M	Bladder cancer	188/C67
0.3	0.3	0.8	-	2.0	4.1	3.2	10.4	16.9	48.2	F		
5.4	10.4	20.1	37.4	53.2	83.3	121.7	162.8	193.1	315.2	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
3.7	8.3	11.6	23.3	29.1	44.3	64.9	123.6	173.1	280.4	F		
0.3	0.6	-	-	0.4	0.5	1.9	0.7	2.0	6.2	M	Hodgkin's disease	201/C81
-	0.7	-	-	0.4	0.9	1.1	-	1.0	0.5	F		
1.9	2.5	3.8	7.6	14.8	17.1	27.8	52.6	75.2	84.1	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	0.7	2.7	5.6	9.2	15.5	24.8	33.7	52.9	65.4	F	Leukaemia	204-208/C91-C95
1.6	2.5	3.4	6.0	12.4	14.6	19.1	38.2	44.7	92.7	M		
1.4	3.3	3.5	4.4	3.2	6.4	12.7	19.2	26.7	52.1	F		
0.8	1.6	3.0	6.4	12.4	19.0	45.7	68.4	104.7	215.1	M	Diabetes	250/E10-E14
0.3	0.7	2.3	3.2	4.8	12.3	28.0	44.7	88.9	230.2	F		
19.5	55.7	100.3	190.5	309.3	473.7	911.7	1682.3	3057.9	8217.6	M	ALL VASCULAR DISEASE	390-459/I00-I99
10.9	21.2	39.1	68.0	102.5	158.3	375.5	839.0	1917.8	8244.0	F		
-	-	0.4	0.4	0.8	1.0	5.6	2.2	5.1	13.6	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	0.8	0.4	-	1.8	5.3	8.3	12.8	40.8	F		
0.3	0.6	3.4	4.0	7.0	8.3	23.5	33.9	82.3	233.6	M	Hypertensive disease	401-405/I10-I15
7.3	0.3	1.2	3.6	3.6	8.7	12.1	31.2	77.6	340.9	F		
7.6	31.0	63.6	117.3	181.4	287.0	511.4	890.5	1427.8	3233.6	M	Ischaemic heart disease	410-414/I20-I25
2.0	5.3	11.6	24.9	44.3	62.0	161.4	358.8	774.5	2776.7	F		
1.4	1.9	2.3	5.2	7.4	10.7	23.5	40.3	62.0	139.7	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
1.2	1.7	3.5	4.8	9.6	9.6	17.9	31.7	71.9	190.9	F		
3.8	8.9	12.9	22.7	40.0	60.4	145.8	299.0	665.7	1803.5	M	Cerebrovascular disease	430-438/I60-I69
3.2	8.6	12.4	14.9	20.7	37.0	81.2	191.1	481.3	1979.3	F		
6.5	13.3	17.8	41.0	72.6	106.2	202.0	416.4	815.0	2793.6	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
4.3	5.3	9.7	19.3	24.3	39.2	97.6	218.1	499.7	2915.4	F		
0.3	2.5	7.2	6.8	26.8	38.0	80.3	148.4	264.2	557.5	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.3	0.7	3.5	4.4	9.2	12.8	23.2	51.4	97.1	267.1	F		
2.4	3.5	4.2	8.8	10.3	21.0	34.6	63.4	108.7	468.5	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.2	2.0	2.3	3.2	8.0	6.4	15.3	28.6	73.4	411.7	F		
0.3	-	0.8	2.0	3.3	4.9	5.6	15.9	13.2	49.4	M	Peptic ulcer	531-533/K25-K27
0.6	1.0	-	0.4	2.0	2.7	3.2	5.7	13.9	43.8	F		
8.7	19.3	33.7	66.0	72.2	96.5	111.2	104.5	122.0	70.5	M	Liver cirrhosis	571/K70, K74
2.6	8.6	12.4	24.5	25.9	23.3	32.7	39.5	43.7	47.7	F		
0.5	1.9	1.5	2.0	4.5	12.7	11.7	20.9	62.0	176.8	M	Renal disease	580-590/N00-N19
-	1.3	1.5	1.2	2.0	5.9	12.1	18.7	28.2	147.6	F		
-	0.3	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
1.4	0.3	0.4	0.8	0.4	-	-	-	1.0	0.5	M	Ill-defined causes	780-799/R00-R99
0.3	1.3	1.5	0.8	0.8	1.9	3.7	7.2	17.3	213.8	M		
0.6	-	0.4	-	1.6	0.5	1.6	6.2	19.5	272.0	F		
7.0	21.5	31.8	41.8	43.3	66.8	67.3	134.7	263.2	543.9	M	Other medical causes	Rest of 001-799/ rest of A00-R99
5.8	8.6	12.4	18.1	21.5	30.6	53.8	96.6	192.1	522.4	F		
69.1	72.2	59.8	84.3	89.1	91.6	110.6	122.5	171.7	384.4	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
21.0	22.6	24.0	28.2	33.5	31.0	36.4	50.4	84.7	225.8	F		
17.3	9.5	11.0	14.3	11.1	15.1	13.6	17.3	19.3	33.4	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
4.3	5.0	4.3	4.4	3.6	4.6	5.8	10.9	9.8	12.3	F		
3.5	3.5	1.1	2.0	2.1	1.5	2.5	0.7	2.0	2.5	M	Fire	E890-E899/X00-X09
0.3	1.0	0.8	2.0	0.8	1.4	-	-	4.6	4.4	F		
29.0	34.2	27.6	37.8	43.7	43.9	42.6	55.5	73.2	123.6	M	Suicide	E950-E959/X60-X84
10.6	12.3	10.5	12.5	17.9	14.1	15.8	19.2	20.0	26.1	F		
0.3	0.3	1.9	0.4	-	0.5	0.6	0.7	2.0	1.2	M	Homicide	E960-E969/ X85-X99, Y00-Y09
2.0	-	1.2	0.8	0.8	0.5	1.6	2.1	2.1	3.4	F		
369.2	315.8	264.3	251.4	242.5	205.2	161.9	138.8	98.4	80.9	M	POPULATION	
347.8	301.5	258.3	248.6	250.8	219.2	189.6	192.6	194.7	203.3	F	(1000s; UN, 2004 revision)	

BELARUS: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
		M	F	M	F	M	F	M	F	M	F	M	F	M
ALL CAUSES	M	70202	5257	39126	1807.2	229.1	2361.4	291.4	28.9	36.5	104.4	277.2	355.8	509.2
	F	64665	1764	18020	904.0	84.3	855.0	224.8	19.5	21.5	48.2	67.7	85.2	123.4
Tuberculosis	M	626	79	501	14.0	3.3	25.6	-	-	-	-	3.6	6.3	13.5
	F	100	18	47	1.6	0.8	2.0	0.9	-	-	-	0.9	1.7	2.1
HIV	M	231	83	147	4.7	3.5	6.2	1.3	-	-	1.0	3.0	7.1	12.3
	F	20	11	9	0.4	0.5	0.3	0.9	-	-	0.3	0.6	0.9	0.9
Other infective and parasitic	M	41	31	...	1.7	2.1	0.4	17.1	0.6	0.5	1.2
	F	92	39	35	2.2	2.4	1.6	15.8	-	0.2	0.8	0.6	-	...
ALL CANCER	M	11567	214	7530	281.0	9.0	486.2	5.3	3.2	3.5	5.2	8.3	15.9	21.2
	F	7857	196	4240	118.1	8.2	198.8	4.2	2.1	4.2	6.3	6.5	10.6	23.8
Mouth and pharynx cancer	M	578	3	463	14.3	0.1	28.5	-	-	-	-	-	-	0.9
	F	63	2	31	0.9	0.1	1.4	-	-	-	0.3	-	0.3	-
Oesophagus cancer	M	290	-	211	7.3	-	13.6	-	-	-	-	-	-	-
	F	42	1	15	0.6	0.0	0.6	-	-	-	-	-	-	0.3
Stomach cancer	M	1863	15	1208	45.3	0.6	78.7	-	-	-	0.2	-	0.6	3.7
	F	1265	17	585	18.0	0.7	27.6	-	-	-	-	0.9	2.0	2.1
Colorectal cancer	M	1125	11	618	28.4	0.5	40.6	-	-	-	-	-	1.4	1.8
	F	1116	5	502	15.6	0.2	23.9	-	-	-	0.3	-	0.3	0.9
Liver cancer	M
	F
Pancreas cancer	M
	F
Larynx cancer	M	481	1	372	11.4	0.0	23.3	-	-	-	-	-	0.3	-
	F	13	-	9	0.2	-	0.5	-	-	-	-	-	-	-
Lung cancer	M	3319	10	2312	79.3	0.4	152.0	-	-	-	-	0.8	0.9	1.2
	F	388	4	184	5.5	0.2	8.7	-	-	-	-	0.3	0.6	0.3
Malignant melanoma	M
	F
Female breast cancer	F	1291	16	871	21.2	0.7	40.5	-	-	-	-	0.3	0.9	3.6
Cervix cancer	F	349	12	222	5.7	0.5	9.9	-	-	-	-	0.6	0.6	2.4
Other uterine cancer	F	366	5	214	5.5	0.2	10.2	-	-	-	-	0.3	0.3	0.9
Ovarian cancer	F
Prostate cancer	M	570	1	225	14.7	0.0	15.7	-	-	-	-	-	-	0.3
Bladder cancer	M
	F
Other and ill-defined cancer sites	M	2702	94	1752	65.6	4.0	111.5	3.1	1.3	2.3	1.9	2.8	6.8	9.5
	F	2382	84	1290	36.0	3.6	60.7	2.8	1.4	2.2	3.8	1.7	3.7	9.3
Hodgkin's disease	M
	F
Myeloma and all lymphomas	M	325	42	200	7.3	1.8	11.9	1.3	0.6	0.5	1.0	2.8	4.0	2.2
	F	294	20	166	4.5	0.8	7.8	-	-	-	0.5	1.1	0.9	3.3
Leukaemia	M	314	37	169	7.3	1.5	10.4	0.9	1.3	0.7	2.1	1.9	2.0	1.5
	F	288	30	151	4.4	1.2	7.0	1.4	0.7	2.0	1.5	1.4	1.1	0.6
Diabetes	M	248	16	173	5.9	0.7	10.4	-	-	-	-	0.6	1.4	2.8
	F	425	23	214	6.2	0.9	10.3	-	-	0.2	0.3	1.1	2.6	2.4
ALL VASCULAR DISEASE	M	33595	418	17248	887.4	17.6	1100.2	0.9	0.3	1.2	3.3	14.3	35.0	68.0
	F	38806	131	9296	508.3	5.6	451.3	2.3	-	1.0	2.3	5.1	8.6	19.6
Rheumatic heart disease and fever	M	270	13	232	6.3	0.5	13.3	-	0.3	-	0.2	0.3	0.9	2.2
	F	314	7	230	5.2	0.3	10.9	-	-	-	-	0.3	0.9	0.9
Hypertensive disease	M	343	6	257	8.3	0.3	15.7	-	-	-	-	-	0.6	1.2
	F	387	1	200	5.7	0.0	9.8	-	-	-	-	-	-	0.3
Ischaemic heart disease	M	22718	173	11190	607.5	7.3	716.3	-	-	-	-	5.0	15.1	31.4
	F	24776	40	5043	319.6	1.7	246.0	-	-	-	0.3	0.3	3.2	8.1
Pulmonary embolism and other venous	M
	F
Cerebrovascular disease	M	7848	74	4094	204.7	3.1	267.4	-	-	0.2	0.7	3.6	4.6	12.6
	F	11479	40	3210	151.5	1.7	156.0	-	-	0.5	0.5	2.8	2.3	5.4
Other vascular disease, incl. venous	M	2416	152	1475	60.5	6.3	87.5	0.9	-	0.9	2.4	5.5	13.9	20.6
	F	1850	43	613	26.3	1.9	28.6	2.3	-	0.5	1.5	1.7	2.3	4.8
Chronic obstructive pulmonary disease	M	3341	14	1528	89.8	0.6	103.8	0.4	-	-	-	0.6	2.0	1.2
	F	1697	7	369	22.1	0.3	17.7	-	-	-	0.5	0.3	0.6	0.6
Other respiratory disease	M	1073	86	706	27.3	4.8	41.1	25.5	-	0.7	0.5	1.4	0.9	4.6
	F	432	67	147	7.3	3.9	6.8	20.9	1.0	-	1.3	0.9	1.1	2.1
Peptic ulcer	M	268	7	194	6.6	0.3	11.4	-	-	-	0.2	-	0.6	1.2
	F	104	1	38	1.4	0.0	1.9	-	-	-	-	0.3	-	-
Liver cirrhosis & some other digestive	M	903	42	748	20.8	1.8	42.0	0.4	-	0.2	-	1.1	3.4	7.4
	F	592	17	451	10.4	0.7	21.1	-	-	0.5	-	0.3	1.7	2.4
Renal disease	M	440	30	300	10.8	1.2	17.6	0.9	-	0.2	1.0	2.5	1.4	2.8
	F	460	26	259	7.3	1.1	12.4	-	-	0.2	0.3	1.7	2.9	2.4
Pregnancy, birth Congenital and perinatal causes	F	20	14	6	0.4	0.6	0.2	-	-	-	0.3	0.9	1.4	1.5
	M	443	414	26	14.4	24.8	1.4	160.4	2.3	1.9	2.1	2.8	2.3	2.2
	F	298	276	20	10.1	17.5	0.8	114.0	1.7	1.7	1.8	1.4	0.9	1.2
Ill-defined causes	M	3174	140	705	125.9	6.4	38.5	13.2	1.0	0.2	1.7	6.1	11.1	11.7
	F	9024	52	219	124.8	2.7	10.3	9.8	0.3	1.2	0.5	1.1	2.3	3.3
Other medical causes	M	1831	293	1140	42.5	11.9	63.0	14.9	6.8	6.1	8.1	8.3	15.4	23.7
	F	1346	154	675	22.0	7.2	31.1	16.8	4.1	2.4	4.5	3.4	8.3	10.8
ALL NON- MEDICAL CAUSES	M	12421	3390	8180	273.6	140.3	412.8	51.0	14.6	22.0	80.1	224.8	253.1	336.6
	F	3392	732	1995	61.4	31.9	88.5	39.1	10.3	9.8	29.3	42.6	41.6	50.3
Road traffic accidents	M	1282	553	646	26.7	22.2	31.3	3.1	2.6	5.4	18.6	45.2	42.7	37.8
	F	449	161	216	8.1	6.7	9.5	4.2	3.4	2.2	10.6	10.0	9.2	7.2
Fire	M	499	94	358	11.4	4.2	18.9	6.2	2.3	0.2	1.2	3.6	6.5	9.5
	F	152	25	74	2.6	1.2	3.4	3.7	1.7	1.2	-	0.3	0.9	0.9
Suicide	M	2985	834	1928	64.8	33.8	97.3	-	-	4.7	20.7	60.4	68.0	82.8
	F	506	96	293	8.6	3.9	12.7	-	-	1.5	3.3	6.5	5.7	10.2
Homicide	M	755	257	450	16.2	10.5	21.4	1.3	-	0.5	6.2	17.4	20.8	27.7
	F	384	101	229	7.0	4.3	9.8	3.3	0.3	1.2	3.3	7.7	8.0	6.0
POPULATION: (1000s; UN, 2004 revision)		M=male			4706.1	2421.4	2015.8	227.5	307.8	427.3	419.7	362.5	351.6	325.0
		F=female			5322.5	2344.0	2350.7	214.9	292.1	408.4	396.2	351.7	348.5	332.2

2000: BELARUS

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
615.1	883.1	1199.8	2052.6	2770.6	3954.3	5054.2	6956.9	9455.7	19777.8	M	ALL CAUSES	001-999/A00-Y89
159.2	250.0	369.1	667.4	919.2	1381.7	2238.4	3516.4	6164.9	15834.6	F		
14.8	25.3	27.5	35.2	28.0	30.3	17.7	16.7	12.5	26.6	M	Tuberculosis	010-018/A15-A19
1.9	1.6	2.6	1.1	2.5	3.3	0.7	4.7	7.0	5.5	F		
11.4	10.2	8.1	7.2	3.7	1.7	1.1	0.6	-	-	M	HIV	279.5, 279.6/B20-B24
0.7	0.7	0.5	0.4	-	-	-	-	-	-	F		
...	1.7	1.1	3.8	1.6	3.2	8.3	9.7	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.2	0.7	1.8	1.5	2.5	2.4	2.1	3.7	3.2	0.7	F		
37.0	73.9	164.9	403.1	626.3	932.1	1166.2	1433.4	1477.8	1280.2	M	ALL CANCER	140-208/C00-C97
42.5	74.8	114.9	191.8	222.5	319.9	425.0	531.9	588.6	515.5	F		
1.5	6.2	16.3	42.9	44.4	52.1	35.9	39.9	51.2	31.4	M	Mouth and pharynx cancer	140-149/C00-C14
0.5	0.5	0.8	2.3	0.4	3.0	2.5	4.7	5.4	4.1	F		
-	0.5	7.3	18.2	16.9	22.6	29.5	30.3	23.5	36.2	M	Oesophagus cancer	150/C15
-	-	1.3	0.4	-	1.8	1.1	2.7	5.9	4.8	F		
6.1	13.4	22.2	60.7	93.6	142.2	212.9	231.8	263.2	217.4	M	Stomach cancer	151/C16
4.1	9.6	13.0	24.6	26.6	44.2	71.3	99.5	118.7	101.3	F		
2.4	5.7	9.8	28.0	40.7	81.6	115.8	158.4	205.0	246.4	M	Colorectal cancer	153, 154/C18-C21
2.6	6.8	9.0	15.5	27.9	46.0	59.3	90.4	107.9	96.5	F		
...	M	Liver cancer	Not given separately
...	F		
...	M	Pancreas cancer	Not given separately
...	F		
1.9	3.5	11.0	25.0	27.0	51.2	43.4	46.4	34.6	26.6	M	Larynx cancer	161/C32
-	-	0.3	0.8	0.8	0.3	1.1	1.0	0.5	-	F		
4.1	15.6	45.0	107.3	220.9	313.4	357.6	428.2	338.0	212.6	M	Lung cancer	162/C33, C34
1.0	1.9	5.6	5.3	10.2	13.6	23.6	27.0	38.1	33.8	F		
...	M	Malignant melanoma	Not given separately
...	F		
10.0	18.1	33.0	54.1	50.3	57.9	60.0	70.2	63.4	53.8	F	Female breast cancer	174/C50
4.8	6.3	12.3	9.8	12.3	10.6	13.1	15.9	20.9	20.0	F	Cervix cancer	180/C53
1.4	1.9	3.3	11.0	9.7	20.0	24.3	23.9	24.7	20.7	F	Other uterine cancer	179, 182/C54, C55
...	F	Ovarian cancer	Not given separately
0.5	-	0.3	6.4	15.3	31.2	56.3	111.4	142.7	164.3	M	Prostate cancer	185/C61
...	M	Bladder cancer	Not given separately
...	F		
12.2	22.1	44.1	98.4	141.1	197.3	265.4	307.1	350.4	304.3	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
12.2	23.0	31.2	53.7	70.6	99.7	134.4	158.9	162.2	162.0	F	Hodgkin's disease	Not given separately
...	M		
...	F		
3.4	4.7	6.5	8.5	15.9	22.2	22.5	38.6	24.9	12.1	M	Myeloma and all lymphomas	200-203 incl 201/C81-C90, C96
2.1	4.2	2.3	7.9	7.6	11.8	18.3	18.5	19.9	11.0	F	Leukaemia	204-208/C91-C95
4.9	2.2	2.5	7.6	10.6	18.4	26.8	41.2	44.3	29.0	M		
3.8	2.6	2.8	6.4	5.9	10.9	16.2	19.2	20.9	7.6	F		
3.4	2.5	5.6	12.3	9.0	16.2	24.1	21.2	22.2	24.2	M	Diabetes	250/E10-E14
1.0	2.1	2.0	8.3	9.7	20.9	27.9	31.7	37.1	17.2	F		
131.0	234.5	405.7	803.1	1236.8	2026.9	2863.3	4314.2	6504.2	10949.3	M	ALL VASCULAR DISEASE	390-459/I00-I99
27.2	56.1	102.6	252.7	437.8	790.7	1491.7	2595.6	4829.8	8745.7	F		
3.2	7.4	9.6	16.1	22.7	21.8	12.3	12.2	5.5	4.8	M	Rheumatic heart disease and fever	390-398/I00-I09
0.7	3.0	7.4	10.2	15.2	20.6	19.0	16.5	11.3	4.8	F	Hypertensive disease	401-405/I10-I15
2.9	5.5	6.5	18.7	24.8	26.0	25.7	29.6	33.2	24.2	M		
0.5	2.3	3.3	6.4	14.8	14.5	26.5	17.2	36.5	46.2	F		
79.0	146.2	259.1	511.7	777.0	1326.2	1915.3	2976.2	4696.7	8072.5	M	Ischaemic heart disease	410-414/I20-I25
7.9	20.6	38.6	108.6	222.9	441.7	881.5	1642.2	3154.7	6188.2	F		
...	M	Pulmonary embolism and other venous	Not given separately
...	F		
20.2	38.7	82.3	177.8	292.3	502.6	757.6	1075.3	1441.8	2340.6	M	Cerebrovascular disease	430-438/I60-I69
8.4	19.9	38.6	100.3	152.7	266.0	506.2	826.6	1446.8	2125.4	F		
25.8	36.7	48.3	78.9	120.0	150.3	152.3	220.9	326.9	507.2	M	Other vascular disease, incl. venous	Rest of 390-459/rest of I00-I99
9.8	10.1	14.6	27.2	32.1	47.9	58.6	93.1	180.5	401.1	F	Chronic obstructive pulmonary disease	490-493/J40-J46
3.2	8.4	14.3	45.0	100.4	205.0	350.7	504.2	669.0	1287.4	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
1.0	1.6	4.9	8.7	11.8	33.3	62.8	98.1	215.4	433.5	F		
9.7	17.6	31.5	45.0	56.6	67.5	60.1	83.1	106.6	181.2	M	Peptic ulcer	531-533/K25-K27
4.1	3.0	3.1	7.9	6.3	9.4	13.4	23.3	37.6	54.4	F		
3.4	6.2	6.5	10.6	15.9	15.4	22.0	21.2	19.4	48.3	M		
-	0.2	0.3	0.8	3.0	3.6	5.3	6.7	10.2	17.9	F		
16.0	24.3	29.5	49.6	51.3	73.9	49.3	47.0	37.4	31.4	M	Liver cirrhosis & some other digestive	570-3, 575.2-579.9/K70-K77, K82-K92
4.1	11.7	16.9	27.6	33.4	26.4	27.9	18.2	25.8	15.2	F	Renal disease	580-590/N00-N19
3.9	8.2	12.9	18.2	25.9	26.5	27.3	27.7	56.8	62.8	M		
2.9	4.9	6.1	9.8	22.0	18.2	22.6	28.3	27.4	27.6	F		
1.2	0.2	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34, O00-O99
0.2	1.7	1.1	2.5	1.6	0.9	1.6	1.9	-	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
1.0	1.6	0.3	1.1	0.4	0.9	0.4	0.7	-	-	F	Ill-defined causes	780-799/R00-R99
19.2	22.6	36.0	41.2	42.8	59.8	47.7	72.1	164.8	5067.6	M		
3.1	4.0	7.9	11.7	17.8	15.8	11.6	32.4	190.1	5722.3	F		
27.2	38.5	47.8	59.0	72.4	90.1	106.2	124.3	134.3	248.8	M	Other medical causes	Rest of 001-799/rest of A00-R99
10.3	18.1	20.2	38.2	32.1	40.6	58.2	63.7	87.5	113.7	F		
334.5	409.2	408.3	518.9	498.9	404.4	315.3	285.9	242.4	560.4	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
58.2	68.5	85.2	105.6	117.2	96.3	88.9	77.2	105.3	165.4	F	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
31.9	40.0	31.8	31.4	34.9	20.1	29.0	32.2	29.1	29.0	M	Fire	E890-E899/X00-X09
9.1	5.9	7.7	11.0	8.9	10.3	13.8	8.8	12.4	15.9	F	Suicide	E950-E959/X60-X84
12.6	16.9	13.5	22.5	19.6	25.6	21.4	14.8	18.0	26.6	M	Homicide	E960-E969/X85-X99, Y00-Y09
1.7	1.2	2.0	3.8	3.8	5.8	5.6	5.7	12.4	9.0	F		
82.7	94.5	96.7	114.1	119.5	91.4	82.6	81.8	67.9	113.5	M		
8.8	11.7	12.0	13.6	12.7	15.1	15.2	16.5	16.1	26.2	F		
25.5	23.8	24.7	23.3	21.7	17.1	13.4	15.5	9.7	41.1	M		
8.1	8.2	12.5	11.4	10.2	9.7	8.8	7.1	8.1	12.4	F		
411.3	403.0	355.9	235.7	189.2	234.2	186.5	155.3	72.2	41.4	M	POPULATION	
419.1	426.4	390.9	264.3	236.4	330.1	283.5	296.5	186.2	145.1	F	(1000s; UN, 2004 revision)	

BELGIUM: 2000[†]

[†]1997 rates applied
to 2000 population

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	52330	2024	16578	886.4	86.7	855.1	133.4	11.5	17.6	74.9	129.4	113.5	126.3
	F	52573	955	8783	534.6	43.5	425.8	108.4	8.7	15.5	32.0	43.7	39.2	57.3
Tuberculosis	M	83	-	25	1.4	-	1.3	-	-	-	-	-	-	-
	F	32	-	10	0.3	-	0.5	-	-	-	-	-	-	-
HIV	M	66	13	47	1.2	0.5	2.0	0.3	0.3	-	-	-	-	2.8
	F	23	12	11	0.5	0.5	0.4	0.7	-	0.3	-	0.3	1.2	1.1
Other infective and parasitic	M	506	14	144	8.5	0.6	7.5	2.1	0.3	-	1.3	-	0.6	0.3
	F	730	21	90	7.2	1.0	4.4	3.6	-	0.3	1.3	0.6	0.6	0.5
ALL CANCER	M	16150	158	6536	272.1	6.7	346.5	7.2	2.6	4.2	5.4	8.4	6.5	12.6
	F	11800	138	4041	143.8	5.9	196.7	3.9	3.0	3.7	4.3	5.5	5.6	15.5
Mouth and pharynx cancer	M	456	4	320	8.4	0.2	15.5	-	-	-	0.3	0.3	-	0.5
	F	122	-	73	1.8	-	3.4	-	-	-	-	-	-	-
Oesophagus cancer	M	443	1	260	7.8	0.0	13.3	-	-	-	-	-	-	0.3
	F	134	-	42	1.5	-	2.0	-	-	-	-	-	-	-
Stomach cancer	M	650	3	234	10.8	0.1	12.4	-	-	-	-	-	-	0.8
	F	504	3	78	5.1	0.1	3.9	-	-	-	-	-	0.6	0.3
Colorectal cancer	M	1539	4	550	25.7	0.2	29.4	-	-	-	-	0.3	0.9	-
	F	1644	6	367	17.7	0.3	18.2	-	-	-	0.3	0.3	0.3	0.8
Liver cancer	M	269	3	123	4.5	0.1	6.6	1.0	-	-	-	-	-	-
	F	174	1	46	1.9	0.1	2.3	0.4	-	-	-	-	-	-
Pancreas cancer	M	625	2	279	10.5	0.1	15.1	-	-	-	0.3	-	-	0.3
	F	649	-	172	7.3	-	8.5	-	-	-	-	-	-	-
Larynx cancer	M	312	1	190	5.5	0.0	9.5	-	-	-	-	-	-	0.3
	F	57	-	28	0.8	-	1.4	-	-	-	-	-	-	-
Lung cancer	M	5721	8	2636	96.2	0.3	141.8	-	-	-	-	0.3	0.3	1.5
	F	1080	4	504	14.5	0.2	24.8	-	-	-	-	-	0.6	0.5
Malignant melanoma	M	117	4	71	2.1	0.2	3.3	-	-	-	-	0.3	0.3	0.5
	F	117	6	47	1.6	0.2	2.3	-	-	-	-	-	0.3	1.3
Female breast cancer	F	2399	23	1203	33.5	0.9	57.7	-	0.3	-	-	-	1.2	4.8
Cervix cancer	F	220	5	121	3.2	0.2	5.5	-	-	-	-	-	0.3	1.1
Other uterine cancer	F	375	2	106	4.3	0.1	5.2	-	-	-	-	-	-	0.5
Ovarian cancer	F	810	11	340	10.5	0.5	16.7	-	-	-	-	1.3	0.3	1.6
Prostate cancer	M	1957	-	275	31.6	-	15.7	-	-	-	-	-	-	-
Bladder cancer	M	619	-	184	10.1	-	10.1	-	-	-	-	-	-	-
	F	241	-	40	2.3	-	2.0	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	2308	73	994	39.7	3.1	51.6	4.4	1.6	2.2	2.2	3.7	2.6	5.1
	F	2272	56	617	26.2	2.5	30.2	2.1	2.3	3.0	2.0	2.9	2.0	3.2
Hodgkin's disease	M	38	-	21	0.7	-	1.1	-	-	-	-	-	-	-
	F	26	2	12	0.3	0.1	0.6	-	-	-	0.3	-	-	0.3
Myeloma and non-Hodgkin lymphomas	M	582	8	245	9.8	0.3	13.1	-	-	-	0.6	0.3	0.6	0.8
	F	557	3	142	6.3	0.1	7.1	-	-	-	-	0.3	-	0.5
Leukaemia	M	514	47	154	8.7	2.0	7.9	1.7	1.0	1.9	1.9	3.1	2.0	2.6
	F	419	16	103	4.8	0.8	5.1	1.4	0.3	0.7	1.7	0.6	-	0.5
Diabetes	M	592	5	178	9.8	0.2	9.2	-	-	-	-	-	0.6	0.8
	F	1121	3	155	10.7	0.1	7.8	-	-	-	-	-	0.3	0.5
ALL VASCULAR DISEASE	M	17243	90	4620	287.1	3.7	243.7	1.7	0.3	0.6	4.5	4.1	4.8	9.7
	F	21305	44	1971	192.2	1.8	97.5	0.7	-	0.3	2.7	0.6	2.3	6.2
Rheumatic heart disease and fever	M	27	-	4	0.5	-	0.2	-	-	-	-	-	-	-
	F	45	-	8	0.5	-	0.4	-	-	-	-	-	-	-
Hypertensive disease	M	177	-	51	3.0	-	2.7	-	-	-	-	-	-	-
	F	377	-	35	3.4	-	1.8	-	-	-	-	-	-	-
Ischaemic heart disease	M	6781	23	2352	113.2	0.9	123.5	-	-	-	0.3	0.3	1.4	4.1
	F	5319	4	711	50.8	0.2	35.4	-	-	-	-	-	-	1.1
Pulmonary embolism and other venous	M	265	2	73	4.4	0.1	3.8	-	-	-	-	-	-	0.5
	F	509	4	71	5.0	0.2	3.5	-	-	-	-	0.3	0.3	0.5
Cerebrovascular disease	M	3714	27	771	61.3	1.1	40.9	-	-	0.3	1.9	1.6	0.9	3.1
	F	5890	19	537	53.2	0.8	26.3	0.4	-	0.3	1.0	-	1.5	2.4
Other vascular disease	M	6279	38	1369	104.8	1.6	72.5	1.7	0.3	0.3	2.2	2.2	2.6	2.1
	F	9165	17	609	79.4	0.7	30.2	0.4	-	-	1.7	0.3	0.6	2.1
Chronic obstructive pulmonary disease	M	3437	5	763	55.9	0.2	42.5	-	-	0.3	0.3	-	-	0.8
	F	1589	7	265	15.9	0.3	13.3	-	-	-	0.7	-	0.6	0.8
Other respiratory disease	M	2876	25	433	47.6	1.1	23.3	3.8	0.3	0.3	0.6	0.9	1.4	0.5
	F	2949	13	189	25.6	0.6	9.3	0.4	0.3	0.7	0.7	-	0.9	1.1
Peptic ulcer	M	184	1	48	3.0	0.0	2.4	-	-	-	-	-	0.3	-
	F	233	-	22	2.1	-	1.1	-	-	-	-	-	-	-
Liver cirrhosis	M	843	11	601	15.3	0.4	28.3	-	-	-	-	-	-	2.8
	F	510	3	316	7.7	0.1	14.4	-	-	-	-	-	-	0.8
Renal disease	M	505	4	73	8.3	0.2	3.9	0.3	-	-	-	-	0.3	0.5
	F	712	3	68	6.5	0.1	3.4	-	-	-	-	0.3	-	0.5
Pregnancy, birth	F	10	8	2	0.2	0.3	0.1	-	-	-	-	0.6	0.9	0.8
Congenital and perinatal causes	M	263	245	16	6.9	11.8	0.7	76.9	1.0	0.3	1.0	0.6	1.7	1.3
	F	234	203	28	6.3	10.2	1.3	66.9	0.3	0.3	1.0	0.3	1.8	1.1
Ill-defined causes	M	1173	88	294	20.7	4.0	15.0	20.5	0.3	-	-	1.9	1.7	3.8
	F	1938	41	139	17.6	2.1	6.7	13.2	-	-	0.3	0.3	0.6	-
Other medical causes	M	4346	127	966	73.0	5.4	48.8	5.5	1.3	1.6	4.8	10.0	5.4	9.2
	F	7149	77	685	65.9	3.6	33.3	8.9	1.7	2.7	2.3	4.2	1.2	4.0
ALL NON-MEDICAL CAUSES	M	4063	1238	1834	75.5	51.8	80.1	15.0	5.1	10.3	57.1	103.6	90.2	81.2
	F	2238	382	791	32.0	16.8	35.4	10.0	3.3	7.1	18.7	30.9	23.4	24.4
Road traffic accidents	M	1089	542	397	20.9	22.9	17.1	2.7	2.2	5.1	29.0	56.8	38.6	26.1
	F	392	161	154	7.1	7.2	7.0	1.8	1.7	5.7	11.7	14.1	7.9	7.5
Fire	M	65	16	31	1.2	0.7	1.4	1.4	0.6	-	-	0.9	0.6	1.3
	F	40	9	12	0.6	0.4	0.6	1.1	0.3	-	0.3	0.3	0.3	0.5
Suicide	M	1549	404	856	28.6	16.4	36.8	-	-	2.2	16.3	26.5	32.9	37.2
	F	590	112	367	10.4	4.7	16.1	-	-	-	3.7	8.4	10.5	10.4
Homicide	M	98	46	46	1.9	2.0	1.8	1.7	0.3	0.3	1.3	5.0	3.7	1.5
	F	82	32	42	1.5	1.4	1.7	1.4	0.3	0.7	1.0	1.9	2.6	1.9
POPULATION:			M=male											
(1000s; UN, 2004 revision)			F=female											
				5049.0	2294.0	2285.3	292.4	312.7	312.1	313.6	320.6	352.4	390.2	

2000[±]: BELGIUM

[±]1997 rates applied to 2000 population

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
156.8	233.2	384.2	602.8	935.7	1359.0	2314.3	3841.5	6208.3	14504.4	M	ALL CAUSES	001-999/A00-Y89
84.8	137.8	222.9	321.0	476.5	690.8	1046.6	1869.6	3365.9	11504.8	F		
-	0.3	0.8	0.6	1.9	2.4	3.3	6.9	13.7	20.4	M	Tuberculosis	010-018, 137/A15-A19, B90
-	0.3	-	0.3	-	0.7	2.2	0.8	2.6	5.3	F		
3.6	2.0	1.9	1.7	0.4	1.2	2.9	1.0	2.6	-	M	HIV	279.5, 279.6/B20-B24
1.2	0.3	0.8	0.3	0.4	-	-	-	-	-	F		
1.7	1.5	2.5	4.6	8.5	15.4	18.5	38.4	65.1	150.4	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.5	1.5	1.4	2.7	4.6	7.8	12.6	28.0	49.3	164.7	F		
22.1	48.8	124.4	236.0	402.8	596.1	995.5	1426.4	1957.7	3143.4	M	ALL CANCER	140-208/C00-C97
30.1	55.0	106.7	159.0	254.7	342.1	429.6	648.4	857.3	1505.1	F		
1.9	4.5	12.8	22.8	25.8	20.1	20.6	26.1	29.3	30.1	M	Mouth and pharynx cancer	140-149/C00-C14
0.5	2.3	2.5	4.4	5.3	4.4	4.3	4.6	6.1	8.8	F		
0.2	3.3	8.2	13.0	19.6	17.8	30.9	36.4	33.2	50.4	M	Oesophagus cancer	150/C15
0.2	1.0	0.6	2.7	1.5	3.3	4.7	6.1	7.8	22.1	F		
0.2	3.0	2.5	9.8	14.2	22.1	35.0	53.7	91.8	144.2	M	Stomach cancer	151/C16
1.0	0.3	1.7	1.8	4.2	8.9	9.4	28.0	37.2	100.6	F		
2.6	5.0	10.9	13.3	29.6	56.8	87.3	134.9	188.8	372.6	M	Colorectal cancer	153, 154/C18-C21
2.0	3.4	9.0	10.9	22.4	34.0	45.5	93.9	124.1	281.7	F		
0.5	-	1.6	4.6	6.9	12.2	20.6	25.6	36.5	31.0	M	Liver cancer	155.0/C22 excl C221
0.2	0.5	0.8	0.6	1.9	4.1	7.9	12.7	14.3	23.3	F		
0.5	1.3	4.6	6.4	18.9	30.0	44.5	47.8	84.6	103.5	M	Pancreas cancer	157/C25
0.5	1.5	3.4	7.4	7.6	15.9	23.1	45.6	58.0	85.4	F		
0.5	2.8	6.5	11.6	13.5	14.2	17.3	19.7	29.3	31.9	M	Larynx cancer	161/C32
-	-	1.4	1.5	3.0	1.8	1.8	2.3	6.1	3.4	F		
3.8	11.8	39.7	92.1	167.0	251.7	426.7	593.3	684.2	726.5	M	Lung cancer	162/C33, C34
2.5	4.9	12.9	19.1	32.6	45.4	56.0	66.3	77.0	84.3	F		
1.9	1.3	3.5	3.8	2.3	2.8	7.8	8.9	5.2	14.2	M	Malignant melanoma	172/C43
0.5	1.0	1.7	1.2	3.4	4.1	4.0	7.3	9.1	9.1	F		
9.7	21.2	37.0	59.2	85.8	90.9	100.1	114.6	135.4	213.9	F	Female breast cancer	174/C50
2.5	4.1	6.7	4.4	6.1	8.1	6.5	9.6	8.2	19.1	F	Cervix cancer	180/C53
1.0	1.0	2.0	2.7	4.6	11.1	14.5	24.2	33.3	48.4	F	Other uterine cancer	179, 182/C54, C55
1.2	4.1	8.1	13.3	20.1	32.1	37.9	47.2	59.3	75.9	F	Ovarian cancer	183/C56, C570-C574
-	0.5	1.1	1.7	10.0	27.2	69.2	144.8	313.2	802.7	M	Prostate cancer	185/C61
0.2	0.5	2.5	3.8	10.0	17.8	36.2	60.6	89.8	154.0	M	Bladder cancer	188/C67
-	0.5	0.3	1.2	1.5	3.3	7.2	8.4	18.6	51.8	F		
4.8	12.0	23.1	39.0	65.0	82.8	134.7	174.3	245.4	451.3	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
5.7	5.9	13.4	23.6	38.0	52.1	73.0	109.7	172.1	348.8	F		
-	0.3	0.8	0.9	1.9	2.4	1.2	3.9	2.0	5.3	M	Hodgkin's disease	201/C81
0.5	0.3	0.3	-	-	1.1	1.8	0.8	1.3	2.7	F		
1.4	1.8	3.3	7.5	12.7	24.9	40.4	50.2	69.7	106.2	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
0.7	1.5	2.8	3.2	10.6	12.6	18.1	43.7	54.1	66.0	F	Leukaemia	204-208/C91-C95
3.4	1.0	3.3	5.8	5.4	13.4	23.1	46.3	54.7	119.5	M		
1.2	1.3	2.2	2.1	6.1	8.9	13.7	23.4	35.5	59.9	F		
1.4	2.8	2.7	7.5	8.5	14.2	27.6	50.2	84.6	156.6	M	Diabetes	250/E10-E14
0.5	1.8	1.4	3.2	3.4	15.9	28.2	45.6	91.7	240.9	F		
19.9	52.1	90.7	157.1	267.8	388.6	729.4	1261.4	2240.9	5777.9	M	ALL VASCULAR DISEASE	390-459/I00-I99
12.7	21.9	34.2	53.9	80.5	157.7	321.9	666.4	1407.0	5451.4	F		
-	-	-	0.3	0.8	-	0.4	3.0	2.6	11.5	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	0.3	-	0.4	0.4	1.8	2.7	3.9	8.0	F		
-	0.3	2.2	0.9	2.7	4.3	8.6	13.3	19.5	61.1	M	Hypertensive disease	401-405/I10-I15
-	-	0.6	0.9	1.5	2.6	6.9	13.4	20.3	99.1	F		
10.1	24.5	52.0	83.2	146.6	201.2	346.8	576.1	887.4	1657.5	M	Ischaemic heart disease	410-414/I20-I25
2.5	6.2	11.2	20.3	27.0	60.6	120.3	223.9	454.6	1131.9	F		
1.0	0.8	1.9	2.6	3.5	5.1	11.5	17.2	39.1	84.1	M	Pulmonary embolism and other venous	415.1, 451-453/I26, I80-I82
0.5	1.3	0.8	2.7	3.0	5.9	10.1	22.6	44.1	104.1	F		
2.2	11.5	12.0	23.7	41.6	64.7	131.0	234.9	545.6	1416.8	M	Cerebrovascular disease	430-438/I60-I69
4.7	7.2	12.6	14.7	23.9	41.4	79.5	181.7	383.2	1515.1	F		
6.7	15.0	22.6	46.5	72.7	113.2	231.1	417.0	746.7	2546.9	M	Other vascular disease	Rest of 390-459/rest of I00-I99
5.0	7.2	8.7	15.3	24.7	46.9	103.3	222.0	500.9	2593.2	F		
1.4	4.0	5.2	11.6	34.6	76.5	163.9	312.7	502.6	1116.8	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
0.5	1.0	2.8	10.0	15.9	27.7	35.4	69.4	118.1	329.0	F	Other respiratory disease	Rest of 460-519/rest of J00-J98
1.7	3.5	5.2	13.3	21.5	41.4	76.6	186.6	380.9	1286.7	M		
1.0	1.8	3.6	7.4	9.9	14.8	26.7	65.2	134.5	863.9	F		
1.2	0.5	1.4	2.3	0.8	3.9	6.6	12.3	24.7	63.7	M	Peptic ulcer	531-533/K25-K27
0.2	0.3	0.6	0.6	1.1	1.5	3.3	7.7	15.1	59.5	F		
7.7	16.3	25.9	36.7	44.6	30.0	37.1	46.3	62.5	36.3	M	Liver cirrhosis	571/K70, K74
6.2	8.3	16.0	15.3	14.8	17.7	22.8	23.4	24.7	27.8	F		
0.7	0.8	0.8	2.3	4.2	6.7	11.5	27.1	84.0	215.9	M	Renal disease	580-590/N00-N19
0.2	0.3	0.8	3.2	2.3	6.6	10.1	27.2	48.9	174.2	F		
0.5	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34, O00-O99
0.5	0.8	0.8	0.6	0.8	0.4	1.2	0.5	0.7	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.2	1.0	1.4	1.5	3.0	1.5	0.4	-	-	1.1	F	Ill-defined causes	780-799/R00-R99
2.4	5.0	6.8	11.6	18.9	27.2	33.4	62.0	98.3	454.9	M		
1.5	2.3	3.9	4.4	8.7	9.2	17.0	34.1	77.4	568.1	F		
10.8	16.0	29.7	39.9	41.9	74.6	128.5	291.5	504.6	1669.0	M	Other medical causes	Rest of 001-799/rest of A00-R99
6.0	12.1	16.2	21.8	38.0	48.0	91.0	198.2	452.9	1838.7	F		
81.7	78.9	85.5	77.1	78.5	80.5	78.3	118.2	185.5	412.4	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
23.4	29.9	33.0	37.4	39.1	39.5	45.5	55.2	86.5	274.9	F		
23.3	17.5	15.2	15.3	13.9	17.0	17.3	26.1	35.8	37.2	M	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
4.7	5.7	4.2	7.4	6.8	8.5	11.6	8.1	10.4	12.2	F		
1.4	1.0	0.3	2.3	1.2	2.0	1.6	3.0	3.3	6.2	M	Fire	E890-E899/X00-X09
0.5	-	0.6	0.3	0.4	1.5	0.7	3.1	1.3	3.0	F		
37.2	40.8	43.6	37.3	37.3	32.7	28.4	38.9	65.1	97.3	M	Suicide	E950-E959/X60-X84
11.9	15.5	19.9	17.4	21.3	15.1	11.6	14.6	14.7	14.9	F		
3.8	2.8	1.1	2.0	1.9	0.8	0.4	1.0	2.6	-	M	Homicide	E960-E969/X85-X99, Y00-Y09
2.5	3.6	0.6	1.8	1.5	0.4	1.8	-	2.6	0.8	F		
416.4	399.2	367.3	346.2	259.9	253.5	242.8	203.1	153.6	113.0	M	POPULATION	
401.9	387.6	357.1	339.6	263.4	270.7	276.8	260.8	231.2	262.3	F	(1000s; UN, 2004 revision)	

BULGARIA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	61520	2263	25482	1432.2	138.3	1589.2	387.1	41.0	32.6	80.3	112.2	123.9	191.4
	F	53567	1266	13176	918.8	86.7	727.4	323.7	26.1	18.4	43.9	52.0	52.0	91.1
Tuberculosis	M	255	15	162	5.8	0.8	9.7	-	-	-	-	1.0	2.1	2.2
	F	78	11	42	1.5	0.7	2.3	1.3	-	-	-	1.0	0.4	1.9
HIV	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	226	68	101	6.5	5.2	6.0	29.3	2.4	0.4	1.1	1.0	1.7	0.7
	F	165	52	55	4.4	4.2	3.0	24.6	-	0.4	0.4	1.0	0.7	2.3
ALL CANCER	M	8764	144	5166	195.0	7.8	321.9	4.2	4.8	3.7	5.7	6.5	9.9	19.5
	F	6521	145	3421	118.2	8.0	185.9	3.2	3.0	3.1	6.4	4.8	13.1	22.2
Mouth and pharynx cancer	M	230	2	185	5.4	0.1	11.1	-	-	-	-	-	0.3	0.4
	F	59	5	25	1.1	0.3	1.3	-	-	0.4	0.4	-	0.4	0.8
Oesophagus cancer	M	136	-	91	3.1	-	5.6	-	-	-	-	-	-	-
	F	38	-	19	0.7	-	1.0	-	-	-	-	-	-	-
Stomach cancer	M	993	9	544	21.7	0.5	34.4	-	0.5	-	0.4	0.3	0.3	1.9
	F	650	8	258	11.0	0.4	14.2	-	-	-	0.4	-	0.7	1.9
Colorectal cancer	M	1169	5	579	25.6	0.3	36.7	-	-	-	-	-	0.3	1.5
	F	1010	10	409	17.0	0.5	22.6	-	-	-	-	0.3	0.7	2.7
Liver cancer	M
	F
Pancreas cancer	M	446	4	255	9.9	0.2	15.6	-	-	-	-	-	0.3	1.1
	F	331	2	164	5.8	0.1	9.0	-	-	0.4	-	0.3	-	-
Larynx cancer	M	352	2	261	8.0	0.1	16.0	-	-	0.4	-	-	0.3	-
	F	23	1	11	0.4	0.1	0.6	-	-	-	-	-	0.4	-
Lung cancer	M	2383	10	1678	53.2	0.6	104.3	0.6	-	0.7	0.4	0.7	-	1.5
	F	526	3	299	9.4	0.2	16.4	-	-	-	-	-	1.1	-
Malignant melanoma	M	65	3	30	1.5	0.2	1.7	-	-	-	-	-	-	1.1
	F	51	3	26	1.0	0.2	1.4	-	-	-	-	-	0.4	0.8
Female breast cancer	F	1155	12	728	22.1	0.7	39.1	-	-	-	-	-	0.4	4.2
Cervix cancer	F	340	10	239	7.0	0.5	12.5	-	-	-	-	0.7	0.7	2.3
Other uterine cancer	F	362	8	218	6.9	0.4	11.8	-	-	-	-	-	1.4	1.5
Ovarian cancer	F	311	6	207	6.0	0.3	11.1	-	-	-	0.4	-	0.7	1.1
Prostate cancer	M	664	2	193	14.5	0.1	12.8	-	-	-	-	0.3	0.3	-
Bladder cancer	M	313	1	141	6.8	0.0	9.1	-	-	-	-	-	0.3	-
	F	95	1	37	1.6	0.1	2.0	-	-	-	-	-	-	0.4
Other and ill-defined cancer sites	M	1625	61	995	36.5	3.4	61.4	3.6	1.9	1.5	3.6	1.6	4.1	7.5
	F	1251	44	612	22.3	2.5	33.7	2.5	1.5	1.2	3.4	1.7	3.5	3.8
Hodgkin's disease	M	51	10	32	1.2	0.5	1.9	-	0.5	-	-	0.3	2.1	0.7
	F	34	12	15	0.7	0.6	0.8	-	-	-	1.1	1.0	1.1	1.1
Myeloma and non-Hodgkin lymphomas	M	139	13	71	3.2	0.7	4.4	-	0.5	-	0.7	1.0	1.0	1.5
	F	111	5	53	2.0	0.3	2.9	0.6	0.5	-	-	0.3	0.4	0.4
Leukaemia	M	198	22	111	4.4	1.2	6.8	-	1.4	1.1	0.7	2.3	0.3	2.2
	F	174	15	101	3.4	0.8	5.4	-	1.0	1.2	0.8	0.3	1.4	1.1
Diabetes	M	903	12	398	19.6	0.6	25.5	-	-	0.4	-	-	1.4	2.6
	F	1181	23	393	19.1	1.2	22.0	0.6	-	-	0.8	2.1	2.8	2.3
ALL VASCULAR DISEASE	M	38692	315	13967	889.2	17.6	885.3	23.9	5.7	3.0	8.5	14.1	22.2	46.1
	F	37449	185	7260	614.4	11.2	405.1	22.1	4.0	1.2	7.5	9.9	11.0	22.6
Rheumatic heart disease and fever	M	112	3	86	2.5	0.2	5.2	-	0.5	-	-	0.3	-	0.4
	F	148	-	90	2.6	-	5.0	-	-	-	-	-	-	-
Hypertensive disease	M	2041	11	909	46.4	0.6	57.3	-	-	-	0.7	-	0.7	2.6
	F	2207	2	567	36.1	0.1	31.6	-	-	-	-	-	-	0.8
Ischaemic heart disease	M	10893	60	4452	250.3	3.1	280.5	-	-	-	0.7	1.6	5.8	13.5
	F	8984	15	1732	147.0	0.8	96.8	-	-	-	0.4	1.4	1.4	2.3
Pulmonary embolism and other venous	M
	F
Cerebrovascular disease	M	10501	69	3671	235.9	3.8	235.4	3.6	1.0	1.1	1.8	4.3	4.4	10.1
	F	11210	40	2300	180.4	2.3	128.5	3.2	1.0	0.4	1.5	2.1	2.1	6.1
Other vascular disease, incl. venous	M	15145	172	4849	354.1	10.1	306.8	20.3	4.3	1.9	5.3	7.8	11.3	19.5
	F	14900	128	2571	248.4	8.0	143.1	18.9	3.0	0.8	5.6	6.5	7.4	13.4
Chronic obstructive pulmonary disease	M	1031	4	424	23.3	0.2	27.6	0.6	-	-	-	0.3	-	0.7
	F	572	3	128	9.6	0.3	7.1	1.9	-	-	-	-	-	-
Other respiratory disease	M	1709	204	589	42.7	15.0	36.4	78.3	3.8	2.2	4.6	4.6	3.8	7.9
	F	1188	137	239	23.5	10.9	13.1	59.9	2.5	2.0	3.0	2.4	2.1	4.2
Peptic ulcer	M	157	1	86	3.4	0.1	5.3	-	-	-	-	-	-	0.4
	F	65	-	14	1.1	-	0.8	-	-	-	-	-	-	-
Liver cirrhosis	M	1199	33	895	27.6	1.7	53.7	-	0.5	1.1	0.7	0.7	1.4	7.9
	F	358	6	200	6.6	0.4	11.0	1.3	-	-	-	0.7	0.4	0.4
Renal disease	M	521	21	233	11.9	1.3	14.4	4.2	-	-	0.7	-	3.1	1.1
	F	421	7	175	7.2	0.4	9.7	0.6	-	0.4	-	0.7	-	1.1
Pregnancy, birth	F	13	7	6	0.3	0.4	0.3	-	-	-	0.4	1.4	0.4	0.4
Congenital and perinatal causes	M	334	331	3	15.8	28.1	0.2	194.1	1.4	-	-	0.3	0.7	-
	F	263	261	2	13.0	23.2	0.1	158.4	1.0	0.4	1.5	0.7	-	0.4
Ill-defined causes	M	2666	107	755	69.5	6.0	46.4	11.4	0.5	1.5	5.3	8.5	5.8	9.4
	F	3012	53	377	54.5	3.5	20.7	12.0	1.0	0.8	1.9	1.7	3.2	4.2
Other medical causes	M	1594	137	737	37.6	8.6	44.9	23.3	7.6	3.4	5.7	6.5	5.1	8.2
	F	1097	97	363	20.3	6.3	19.7	16.4	5.5	2.0	4.1	5.5	2.8	7.7
ALL NON-MEDICAL CAUSES	M	3469	871	1966	84.4	45.3	112.1	17.9	14.3	16.9	48.0	68.7	66.7	84.6
	F	1184	279	501	25.1	16.2	26.7	21.5	9.0	8.2	18.0	20.2	15.2	21.4
Road traffic accidents	M	694	242	364	16.8	12.5	20.6	4.2	3.3	3.0	14.6	19.9	21.2	21.0
	F	246	80	106	5.3	4.4	5.7	2.5	2.0	2.7	6.0	7.9	3.2	6.5
Fire	M	67	8	41	1.5	0.4	2.4	-	-	1.1	0.4	0.7	0.3	0.4
	F	27	2	7	0.5	0.1	0.4	-	0.5	-	-	-	0.4	-
Suicide	M	1001	161	574	24.2	8.1	32.6	-	-	1.9	5.0	13.1	13.3	23.6
	F	382	57	177	7.5	3.0	9.4	-	-	-	3.0	4.1	5.7	8.0
Homicide	M	205	74	113	5.0	3.7	6.3	-	0.5	1.1	3.2	8.2	5.5	7.5
	F	85	23	43	1.9	1.3	2.3	1.3	-	1.2	1.5	2.1	1.1	1.9
POPULATION:			M=male		3890.1	1790.4	1752.7	167.4	209.6	266.9	281.5	305.8	292.2	267.0
(1000s; UN, 2004 revision)			F=female		4106.6	1715.5	1895.1	158.5	199.2	255.1	266.4	292.2	282.8	261.3

2000: BULGARIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
277.7	464.4	781.0	1244.3	1840.9	2621.1	3895.2	5953.8	9491.6	20051.2	M	ALL CAUSES	001-999/A00-Y89
129.2	198.6	290.1	466.4	754.3	1218.9	2034.5	3789.1	6863.9	17933.6	F		
3.0	6.8	5.6	11.5	10.8	13.0	17.1	20.1	23.7	26.4	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.8	1.7	2.3	0.7	0.8	3.3	6.3	5.0	5.9	3.7	F		
-	-	-	-	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
-	-	-	-	-	-	-	-	-	-	F		
3.4	2.9	4.2	6.4	7.6	6.7	11.0	10.7	21.1	23.3	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.5	1.7	2.7	2.7	3.2	4.6	4.3	7.7	10.1	22.4	F		
42.8	76.2	160.8	279.4	405.6	531.5	756.7	899.9	1061.6	1128.7	M	ALL CANCER	140-208/C00-C97
50.1	74.7	117.7	172.6	219.0	290.4	376.9	497.3	626.0	750.5	F		
0.8	2.5	9.4	14.3	17.9	15.9	17.1	13.6	8.8	15.5	M	Mouth and pharynx cancer	140-149/C00-C14
1.1	0.7	0.3	1.7	0.8	1.7	3.1	4.1	5.9	9.3	F		
0.4	1.1	4.5	5.4	4.9	13.0	10.0	10.1	14.1	18.6	M	Oesophagus cancer	150/C15
0.4	0.3	-	1.3	0.8	1.7	2.7	2.3	5.3	4.7	F		
3.8	5.7	12.9	25.4	40.8	57.8	94.8	111.4	141.6	141.1	M	Stomach cancer	151/C16
1.1	3.1	6.3	11.4	15.4	22.8	39.2	57.7	81.7	111.2	F		
3.0	9.7	14.0	23.3	42.1	63.1	101.9	142.2	179.4	218.6	M	Colorectal cancer	153, 154/C18-C21
2.6	5.6	7.7	17.0	27.9	37.6	59.6	95.0	127.8	155.1	F		
...	M	Liver cancer	Not given separately
...	F		
3.0	4.3	10.5	14.0	24.7	20.7	32.4	49.8	58.9	55.8	M	Pancreas cancer	157/C25
0.8	2.1	5.0	9.0	9.3	15.3	21.2	29.5	34.3	39.3	F		
1.1	3.9	10.8	16.8	23.3	22.6	33.3	20.7	32.5	26.4	M	Larynx cancer	161/C32
-	0.7	0.7	0.3	0.8	0.8	0.8	0.9	3.0	3.7	F		
8.6	21.1	54.8	100.3	134.9	179.6	231.0	220.4	195.3	156.6	M	Lung cancer	162/C33, C34
2.6	4.9	10.0	13.0	20.2	26.9	36.9	47.3	43.8	43.0	F		
1.1	1.4	3.1	1.4	0.9	1.0	2.9	8.3	7.9	14.0	M	Malignant melanoma	172/C43
1.1	1.0	1.3	1.3	0.8	2.5	1.6	2.7	2.4	11.2	F		
14.3	19.9	29.7	44.7	47.4	59.2	58.8	65.9	87.0	115.0	F	Female breast cancer	174/C50
7.5	11.5	16.7	16.0	11.7	13.7	10.2	15.0	20.1	22.4	F	Cervix cancer	180/C53
6.4	5.9	7.7	10.0	12.6	19.9	20.4	21.4	27.8	39.3	F	Other uterine cancer	179, 182/C54, C55
3.0	3.5	8.3	13.7	15.4	14.9	19.2	23.6	17.2	15.9	F	Ovarian cancer	183/C56, C570-C574
-	1.1	1.0	4.7	9.0	24.6	49.0	80.6	162.7	229.5	M	Prostate cancer	185/C61
0.8	2.1	2.4	4.3	9.0	17.8	27.1	41.5	52.8	63.6	M	Bladder cancer	188/C67
-	0.3	1.0	3.0	2.4	2.5	4.7	6.4	13.6	18.7	F		
12.8	17.9	31.7	57.7	81.6	97.3	131.0	164.1	166.2	159.7	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
5.6	10.1	16.7	22.7	44.5	55.0	81.2	104.1	129.6	137.4	F		
3.4	1.4	1.0	1.1	2.2	1.0	2.9	4.7	0.9	-	M	Hodgkin's disease	201/C81
0.4	0.3	1.0	0.7	0.8	0.4	2.0	1.8	1.8	-	F		
1.1	2.5	1.7	3.6	6.7	8.2	6.7	15.4	15.8	17.1	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.1	1.0	1.0	2.0	3.2	6.6	5.5	10.5	11.8	9.3	F		
3.0	1.4	2.8	7.2	7.6	9.1	16.7	17.2	24.6	12.4	M	Leukaemia	204-208/C91-C95
1.9	3.5	4.3	4.7	4.9	9.1	9.8	9.1	13.0	15.0	F		
2.3	3.9	8.7	15.4	24.7	43.3	80.0	106.0	169.7	187.6	M	Diabetes	250/E10-E14
1.1	3.5	4.7	9.3	17.8	43.9	73.7	113.6	174.6	205.6	F		
80.3	179.2	342.5	617.1	990.6	1561.4	2425.7	4064.6	6925.2	15000.0	M	ALL VASCULAR DISEASE	390-459/I00-I99
34.3	64.2	99.0	195.0	394.3	706.2	1342.4	2739.1	5329.0	13992.5	F		
0.8	2.5	2.4	6.1	5.8	8.2	11.0	6.5	8.8	3.1	M	Rheumatic heart disease and fever	390-398/I00-I09
-	1.4	0.7	2.3	9.7	7.9	13.3	15.9	13.0	0.9	F		
4.9	8.6	27.9	41.9	69.0	95.8	153.3	219.2	303.4	629.5	M	Hypertensive disease	401-405/I10-I15
1.5	5.6	7.7	18.4	33.2	60.0	94.9	173.6	326.6	657.9	F		
31.1	56.5	121.0	211.7	333.5	495.9	713.8	1115.5	1763.4	3865.1	M	Ischaemic heart disease	410-414/I20-I25
9.8	15.7	20.7	41.1	91.9	170.9	327.8	645.0	1277.5	3419.6	F		
...	M	Pulmonary embolism and other venous	Not given separately
...	F		
12.0	39.7	75.0	139.0	249.2	430.9	701.9	1226.9	2058.9	3641.9	M	Cerebrovascular disease	430-438/I60-I69
6.0	17.1	32.3	56.8	111.3	225.9	449.8	958.6	1700.0	3633.6	F		
31.5	71.9	116.1	218.5	333.0	530.6	845.7	1496.4	2790.7	6860.5	M	Other vascular disease, incl. venous	Rest of 390-459/ rest of I00-I99
16.9	24.4	37.7	76.5	148.2	241.6	456.5	945.9	2011.8	6280.4	F		
1.9	1.8	5.9	13.6	26.9	59.7	83.3	114.9	165.3	342.6	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.4	1.7	2.0	4.3	10.5	9.1	21.6	46.4	72.8	201.9	F		
10.1	16.8	19.9	23.6	44.4	46.2	93.8	148.1	277.0	544.2	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
2.6	5.6	6.3	8.7	10.5	24.8	33.3	66.4	145.6	392.5	F		
0.4	1.1	2.8	6.4	6.3	7.2	12.9	21.9	21.1	14.0	M	Peptic ulcer	531-533/K25-K27
-	0.7	-	-	0.4	1.7	2.7	4.1	8.9	25.2	F		
11.6	18.2	47.1	62.0	74.4	73.7	88.6	77.6	88.0	62.0	M	Liver cirrhosis	571/K70, K74
3.8	2.8	4.0	10.0	15.8	21.1	19.6	35.0	22.5	34.6	F		
3.4	5.0	8.0	11.8	17.9	25.5	29.0	55.7	86.2	116.3	M	Renal disease	580-590/N00-N19
2.3	2.8	3.3	6.3	14.2	15.3	23.5	36.4	58.0	57.0	F		
1.5	0.3	0.3	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-O99
0.4	-	0.7	-	-	-	-	-	-	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
-	-	0.7	-	-	-	-	-	-	-	F	III-defined causes	780-799/R00-R99
9.8	17.9	27.6	40.5	58.3	77.0	93.8	154.6	253.3	1945.7	M		
3.4	8.0	9.0	14.7	21.9	37.2	51.0	100.5	189.9	1906.5	F		
14.3	19.3	29.6	38.0	56.5	65.0	91.9	140.4	222.5	356.6	M	Other medical causes	Rest of 001-799/ rest of A00-R99
9.0	10.5	12.7	16.0	20.6	29.0	40.0	78.6	141.4	210.3	F		
94.2	115.2	117.5	118.6	117.0	110.7	111.4	139.2	176.8	303.9	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
18.5	20.2	25.3	26.0	25.1	32.3	39.2	59.1	79.3	130.8	F		
20.3	22.2	25.8	18.6	16.6	18.8	21.9	19.0	33.4	27.9	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
3.4	3.8	5.0	6.3	4.0	9.1	7.8	13.2	11.8	10.3	F		
1.9	2.1	1.7	2.1	1.8	2.9	4.3	4.7	5.3	6.2	M	Fire	E890-E899/X00-X09
-	-	0.3	-	0.4	0.8	1.2	0.9	4.1	8.4	F		
30.0	31.5	33.8	38.0	34.5	33.7	26.7	50.9	70.4	155.0	M	Suicide	E950-E959/X60-X84
6.4	5.9	10.3	10.7	6.5	12.0	13.7	21.8	27.2	50.5	F		
4.5	9.7	7.3	7.9	5.8	4.8	3.8	3.0	7.9	6.2	M	Homicide	E960-E969/ X85-X99, Y00-Y09
3.0	1.7	1.7	1.3	3.6	1.7	3.1	2.7	5.3	3.7	F		
266.5	279.5	286.7	279.2	223.1	207.7	210.0	168.8	113.7	64.5	M	POPULATION	
265.5	286.5	299.9	299.5	247.0	241.7	255.0	220.0	169.0	107.0	F	(1000s; UN, 2004 revision)	

CANADA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	111741	5145	36314	739.3	71.0	718.7	127.9	14.3	18.0	67.1	90.8	81.0	98.0
	F	106320	2706	22367	480.5	39.7	423.9	102.7	10.4	13.9	33.5	35.8	34.8	46.7
Tuberculosis	M	82	2	27	0.5	0.0	0.6	-	-	-	-	-	0.1	0.1
	F	56	3	14	0.3	0.0	0.2	-	-	-	-	-	0.2	0.1
HIV	M	429	61	359	2.6	0.8	4.7	-	0.1	-	0.1	0.1	1.0	4.1
	F	82	23	56	0.5	0.3	0.7	-	0.1	-	-	0.2	0.9	1.0
Other infective and parasitic	M	1218	43	433	8.0	0.6	8.0	2.0	0.3	0.1	0.5	0.3	0.6	0.6
	F	1245	51	283	5.8	0.8	5.4	1.9	0.7	0.5	0.7	0.5	0.3	0.7
ALL CANCER	M	33360	385	13411	224.4	5.1	278.9	2.3	3.1	2.5	4.1	7.2	6.8	10.0
	F	29312	354	11645	154.0	4.8	219.6	2.4	2.0	1.5	3.9	3.7	6.8	13.5
Mouth and pharynx cancer	M	594	6	335	4.1	0.1	6.5	-	-	-	0.1	0.1	0.2	0.2
	F	307	7	108	1.6	0.1	2.0	-	-	-	-	-	0.1	0.5
Oesophagus cancer	M	1052	-	541	7.2	-	11.0	-	-	-	-	-	-	-
	F	340	2	108	1.7	0.0	2.2	-	-	-	-	-	0.1	0.1
Stomach cancer	M	1195	10	472	8.0	0.1	9.8	-	-	-	-	0.1	0.2	0.6
	F	793	6	254	3.9	0.1	4.8	-	-	-	0.1	-	0.3	0.2
Colorectal cancer	M	3549	15	1455	24.0	0.2	30.5	-	-	-	0.1	0.2	0.4	0.7
	F	3094	11	954	15.1	0.1	18.5	-	-	-	0.1	-	0.2	0.7
Liver cancer	M	651	8	304	4.4	0.1	6.0	0.1	0.2	-	-	0.1	0.1	0.3
	F	311	6	104	1.6	0.1	2.0	0.1	-	-	0.2	0.1	0.2	-
Pancreas cancer	M	1510	6	676	10.2	0.1	14.0	-	-	-	0.1	0.1	0.2	0.2
	F	1582	2	487	7.9	0.0	9.6	-	-	-	-	-	-	0.2
Larynx cancer	M	416	-	189	2.8	-	4.0	-	-	-	-	-	-	-
	F	90	-	40	0.5	-	0.9	-	-	-	-	-	-	-
Lung cancer	M	9650	7	4300	65.7	0.1	92.1	-	-	-	0.1	-	0.3	0.3
	F	6484	10	3055	36.4	0.1	59.7	-	-	-	-	0.2	0.3	0.4
Malignant melanoma	M	432	15	239	2.9	0.2	4.4	-	-	-	-	0.3	0.5	0.6
	F	277	11	140	1.5	0.1	2.3	-	-	-	-	0.1	0.3	0.6
Female breast cancer	F	4857	40	2399	26.5	0.5	42.4	-	-	-	-	-	0.2	3.4
Cervix cancer	F	398	24	237	2.3	0.3	3.8	-	-	-	-	0.3	0.5	1.4
Other uterine cancer	F	640	2	225	3.3	0.0	4.3	-	-	-	-	-	0.1	0.1
Ovarian cancer	F	1402	18	644	7.7	0.2	12.1	-	-	-	0.3	0.1	0.5	0.8
Prostate cancer	M	3718	-	615	24.2	-	14.5	-	-	-	-	-	-	-
Bladder cancer	M	1082	2	298	7.2	0.0	6.5	-	-	-	-	-	-	0.2
	F	437	-	84	1.9	-	1.7	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	6313	173	2672	42.3	2.3	53.0	1.3	2.0	1.3	1.8	3.0	2.3	4.5
	F	5675	126	1984	28.9	1.8	37.6	1.7	1.7	1.0	1.3	1.3	2.5	2.8
Hodgkin's disease	M	78	14	43	0.5	0.2	0.7	-	-	0.1	0.1	0.5	0.6	0.1
	F	50	11	15	0.3	0.2	0.3	-	-	-	0.2	0.4	0.3	0.2
Myeloma and non- Hodgkin lymphomas	M	1930	38	839	13.0	0.5	17.1	-	0.1	0.1	0.5	0.9	0.8	1.1
	F	1717	24	582	8.8	0.3	11.3	-	0.1	0.1	0.6	-	0.5	1.0
Leukaemia	M	1190	91	433	7.9	1.2	8.7	0.9	0.9	0.9	1.3	2.0	1.3	1.3
	F	858	54	225	4.2	0.8	4.1	0.6	0.2	0.4	1.1	1.2	0.8	1.1
Diabetes	M	3322	33	1085	22.0	0.4	22.4	-	-	0.2	0.2	0.2	0.8	1.7
	F	3392	17	620	15.0	0.2	12.6	-	-	0.1	0.1	0.3	0.5	0.6
ALL VASCULAR DISEASE	M	38080	206	10448	250.6	2.8	216.5	2.2	0.5	0.5	1.7	3.2	4.6	6.6
	F	38346	143	4193	154.8	2.0	85.1	2.3	0.3	0.9	1.4	2.5	2.4	4.2
Rheumatic heart disease and fever	M	122	1	34	0.8	0.0	0.6	-	-	0.1	-	-	-	-
	F	304	-	77	1.4	-	1.6	-	-	-	-	-	-	-
Hypertensive disease	M	592	4	142	3.9	0.1	3.0	-	-	-	-	0.1	-	0.3
	F	1100	1	71	4.2	0.0	1.4	-	-	-	-	0.1	-	-
Ischaemic heart disease	M	23354	44	7286	154.6	0.6	150.9	-	-	-	-	0.3	1.1	2.5
	F	19063	22	2234	77.9	0.3	46.5	0.1	-	-	0.2	0.1	0.7	1.0
Pulmonary embolism and other venous	M	416	9	171	2.8	0.1	3.2	-	-	-	-	-	0.5	0.4
	F	557	14	165	2.7	0.2	3.0	-	-	-	0.1	0.7	0.2	0.4
Cerebrovascular disease	M	6421	29	1204	41.7	0.4	25.3	0.1	0.1	0.1	0.3	0.5	0.7	1.0
	F	9155	32	862	36.2	0.5	16.8	0.5	0.2	0.3	0.2	0.5	0.9	0.6
Other vascular disease	M	7175	119	1611	46.9	1.6	33.3	2.1	0.4	0.3	1.4	2.4	2.4	2.5
	F	8167	74	784	32.4	1.0	15.7	1.7	0.1	0.6	0.9	1.1	0.7	2.2
Chronic obstructive pulmonary disease	M	5518	14	850	35.8	0.2	19.7	0.2	-	-	0.3	0.7	0.1	0.1
	F	4301	21	640	18.8	0.3	13.6	0.1	0.1	0.1	0.2	0.6	0.5	0.4
Other respiratory disease	M	3820	62	659	24.8	0.9	13.2	2.8	0.4	0.2	0.5	0.4	0.8	1.2
	F	4105	43	419	16.3	0.6	8.2	1.6	0.2	0.3	0.2	0.7	0.6	0.8
Peptic ulcer	M	234	2	65	1.5	0.0	1.2	-	-	-	-	-	0.1	0.1
	F	190	1	26	0.8	0.0	0.5	-	-	-	-	0.1	-	-
Liver cirrhosis	M	1468	9	1011	10.1	0.1	19.5	-	-	-	-	-	0.1	0.7
	F	699	3	382	4.0	0.0	7.0	-	-	-	-	0.1	-	0.2
Renal disease	M	1642	6	307	10.7	0.1	6.6	0.1	-	-	-	0.2	0.1	0.2
	F	1650	13	200	6.8	0.2	4.0	0.3	-	-	0.1	0.1	0.1	0.6
Pregnancy, birth	F	11	10	1	0.1	0.1	0.0	-	-	-	0.1	0.2	0.2	0.4
Congenital and perinatal causes	M	1001	858	105	8.3	13.4	1.6	86.2	1.4	1.2	1.4	1.2	0.8	1.3
	F	817	655	108	6.9	10.7	1.7	69.1	1.1	0.7	0.7	1.8	1.0	0.8
Ill-defined causes	M	1392	272	615	9.3	3.9	10.2	11.6	0.3	0.5	1.7	4.6	4.2	4.2
	F	1345	143	258	6.2	2.2	4.4	8.9	0.3	0.6	1.5	1.3	1.5	1.2
Other medical causes	M	11361	362	2750	74.2	5.0	54.1	10.4	2.3	1.7	3.7	5.1	4.5	7.4
	F	16334	327	2100	67.3	4.7	39.7	8.7	2.6	2.8	3.1	4.6	5.2	6.0
ALL NON- MEDICAL CAUSES	M	8814	2830	4189	56.4	37.7	61.5	10.0	5.9	11.2	53.1	67.7	56.5	59.8
	F	4435	899	1422	23.0	12.6	21.2	7.2	3.0	6.4	21.6	19.2	14.7	16.1
Road traffic accidents	M	1861	881	759	12.0	11.8	11.4	1.7	3.1	3.4	21.5	24.6	15.3	13.0
	F	887	360	335	5.5	5.1	5.2	1.4	1.6	2.9	12.5	8.8	4.3	3.9
Fire	M	150	39	74	1.0	0.5	1.1	0.7	0.6	0.5	0.5	0.4	0.6	0.6
	F	92	26	26	0.5	0.4	0.4	0.8	0.2	0.2	0.2	0.4	0.3	0.5
Suicide	M	2798	943	1631	17.7	12.5	23.0	-	-	2.8	16.3	24.4	20.5	23.3
	F	807	248	506	5.1	3.4	7.1	-	-	1.7	5.2	6.0	5.9	5.2
Homicide	M	337	168	149	2.1	2.3	2.0	1.7	0.1	0.2	2.8	3.7	4.1	3.3
	F	126	56	57	0.8	0.8	0.7	1.2	0.2	0.3	1.1	1.1	0.9	0.9
POPULATION:			M=male											

2000: CANADA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
128.6	186.6	278.0	439.8	745.3	1235.9	2016.7	3293.4	5347.7	11896.9	M	ALL CAUSES	001-999/A00-Y89
70.6	111.8	172.7	291.3	454.6	717.9	1148.3	1890.3	3161.2	9286.9	F		
0.2	-	-	0.3	0.1	1.0	2.5	2.4	3.6	9.6	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	0.2	0.3	0.2	0.4	0.3	0.3	1.6	1.7	3.7	F		
6.2	7.7	6.2	5.2	3.9	1.9	1.5	1.3	0.6	0.3	M	HIV	279.5, 279.6/B20-B24
1.9	1.0	0.4	0.5	0.4	0.3	0.5	-	0.4	0.2	F		
1.6	3.0	5.6	7.1	8.1	10.4	20.0	34.7	54.8	127.4	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.8	1.2	2.3	3.7	6.1	10.6	12.7	26.3	35.1	99.7	F		
16.9	38.9	73.7	163.8	306.4	538.1	814.3	1278.3	1727.9	2526.8	M	ALL CANCER	140-208/C00-C97
28.3	52.8	91.6	169.3	263.2	388.2	543.9	757.2	986.7	1411.7	F		
0.4	1.7	2.3	5.6	8.7	12.2	14.7	19.9	21.5	28.7	M	Mouth and pharynx cancer	140-149/C00-C14
0.6	0.8	0.4	1.8	1.8	3.9	4.7	8.0	11.4	15.6	F		
0.9	1.0	3.2	8.5	14.4	18.0	30.9	41.1	45.6	54.3	M	Oesophagus cancer	150/C15
0.1	0.1	0.7	1.5	1.3	3.6	8.5	9.9	12.7	19.2	F		
0.4	1.8	2.9	5.0	10.2	20.3	28.0	44.8	57.5	100.6	M	Stomach cancer	151/C16
0.6	1.5	2.4	3.8	3.8	8.1	13.2	18.5	26.2	51.1	F		
1.6	3.0	8.2	17.2	34.1	63.2	85.9	132.8	177.3	279.7	M	Colorectal cancer	153, 154/C18-C21
1.7	2.7	6.0	13.6	23.3	32.5	50.0	69.1	114.2	201.0	F		
0.2	1.4	3.1	4.0	7.1	9.9	16.4	27.7	31.3	34.2	M	Liver cancer	155.0/C22 excl C221
0.3	0.2	0.7	0.7	3.7	3.0	5.7	8.8	10.8	16.9	F		
0.5	2.3	3.9	8.4	14.1	30.1	38.9	53.5	83.7	96.4	M	Pancreas cancer	157/C25
0.7	1.3	2.2	7.2	10.4	19.2	26.4	46.6	60.9	91.3	F		
-	0.4	1.0	2.1	4.7	8.8	11.1	18.6	22.9	20.8	M	Larynx cancer	161/C32
-	-	-	0.4	0.8	0.9	4.1	3.1	2.5	3.5	F		
1.6	7.9	19.1	47.9	99.0	187.8	281.2	421.2	511.3	542.5	M	Lung cancer	162/C33, C34
2.5	10.7	21.0	37.7	77.5	111.0	157.4	206.3	227.2	202.0	F		
1.0	1.7	2.3	3.5	6.0	6.5	10.0	12.2	18.2	19.5	M	Malignant melanoma	172/C43
0.9	1.4	2.1	1.9	2.5	3.3	4.2	4.9	7.8	10.3	F		
9.0	14.7	24.2	46.0	50.6	72.7	79.3	105.0	128.6	205.1	F	Female breast cancer	174/C50
2.1	2.5	3.3	4.4	3.9	5.5	4.7	5.7	9.1	10.5	F	Cervix cancer	180/C53
0.4	0.7	1.5	3.5	5.3	7.3	11.5	16.1	25.0	34.4	F	Other uterine cancer	179, 182/C54, C55
1.3	2.4	5.7	9.1	16.8	22.5	27.0	37.3	47.0	52.1	F	Ovarian cancer	183/C56, C570-C574
-	0.2	0.5	2.7	10.1	24.9	63.1	128.7	247.0	538.0	M	Prostate cancer	185/C61
0.1	0.7	1.0	3.6	5.2	12.2	22.6	41.1	59.0	126.4	M	Bladder cancer	188/C67
0.3	0.2	0.2	1.2	1.5	3.1	5.2	10.1	14.8	37.8	F		
6.8	11.6	16.6	39.9	62.3	97.2	136.6	223.1	301.3	458.5	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
5.0	10.4	15.4	25.6	43.2	65.4	98.2	134.9	190.1	319.9	F		
0.4	0.4	0.3	0.8	1.0	1.1	1.1	2.4	1.5	1.6	M	Hodgkin's disease	201/C81
0.1	0.2	0.1	0.2	0.5	0.3	0.5	0.5	2.3	1.7	F		
1.9	2.5	5.9	9.3	21.1	31.0	47.8	71.0	94.5	131.2	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.4	2.0	3.7	8.0	12.2	18.1	33.8	49.6	66.2	87.5	F		
1.0	2.4	3.2	5.1	8.5	14.9	25.8	40.2	55.4	94.5	M	Leukaemia	204-208/C91-C95
1.4	1.3	2.0	2.8	4.1	7.8	9.3	22.9	29.8	51.9	F		
2.4	4.4	5.8	11.1	25.1	40.9	67.3	117.8	174.6	344.5	M	Diabetes	250/E10-E14
1.1	2.1	2.8	6.8	10.4	21.2	43.6	74.2	129.4	288.3	F		
16.7	34.3	67.5	120.2	225.5	382.1	668.9	1130.0	2000.0	4962.3	M	ALL VASCULAR DISEASE	390-459/I00-I99
6.6	13.2	21.9	41.5	76.1	147.8	288.4	567.4	1141.9	4233.0	F		
0.1	0.1	0.5	0.6	0.6	1.6	0.9	2.8	9.2	13.7	M	Rheumatic heart disease and fever	390-398/I00-I09
0.1	0.2	0.4	0.6	1.0	3.9	4.9	7.7	10.8	22.2	F		
0.4	0.8	0.8	1.2	2.1	4.7	11.1	17.7	29.2	85.2	M	Hypertensive disease	401-405/I10-I15
0.2	0.2	0.5	0.6	1.7	3.1	3.6	13.2	27.5	137.1	F		
8.9	23.4	45.5	88.1	163.5	269.0	458.2	722.3	1227.4	2745.5	M	Ischaemic heart disease	410-414/I20-I25
2.3	5.0	8.9	19.4	39.8	84.3	166.2	309.7	602.2	2035.5	F		
0.7	0.8	1.8	2.5	4.1	4.9	7.8	14.6	17.6	35.1	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.5	1.3	1.5	2.0	3.6	5.2	7.1	11.7	18.4	37.7	F		
2.3	3.6	8.7	11.0	23.2	44.2	84.2	178.9	365.6	1003.2	M	Cerebrovascular disease	430-438/I60-I69
1.7	3.6	6.4	10.9	15.0	26.7	53.6	120.9	261.6	1055.9	F		
4.4	5.7	10.2	16.9	31.9	57.7	106.6	193.6	351.0	1079.5	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
1.8	2.8	4.3	8.0	15.1	24.7	53.1	104.2	221.4	944.6	F		
0.7	0.3	2.0	4.7	12.7	32.5	85.1	174.4	357.0	848.7	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.4	0.9	1.8	5.3	11.4	24.2	51.2	105.7	176.0	370.1	F		
2.5	3.1	4.8	7.5	12.8	20.3	41.7	87.6	174.3	674.6	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.1	2.1	2.7	4.1	7.8	14.0	25.7	46.4	95.8	487.2	F		
0.1	0.5	0.8	1.1	0.6	2.1	3.5	8.1	10.4	30.3	M	Peptic ulcer	531-533/K25-K27
0.2	0.1	0.3	0.2	0.4	0.6	1.9	3.1	3.8	21.2	F		
2.1	5.5	10.6	13.8	22.8	33.6	48.2	44.1	42.0	33.5	M	Liver cirrhosis	571/K70, K74
1.6	2.1	3.4	5.9	6.5	12.3	17.4	19.6	20.9	17.9	F		
0.5	0.7	2.1	2.2	5.6	11.5	23.8	46.5	93.6	256.1	M	Renal disease	580-590/N00-N19
0.8	0.7	1.1	1.8	2.4	6.4	15.0	28.9	58.8	166.1	F		
0.1	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
1.0	1.3	1.8	1.8	1.8	1.1	2.5	2.2	3.9	4.8	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
1.1	1.2	1.4	2.2	1.9	2.2	1.5	3.5	3.0	3.5	F		
6.1	6.8	8.5	8.4	10.5	13.0	18.0	20.3	29.8	99.6	M	Ill-defined causes	780-799/R00-R99
1.8	2.2	3.7	3.5	3.3	5.9	10.5	12.3	17.6	131.8	F		
10.6	14.2	22.7	34.7	51.4	92.4	152.6	269.4	548.3	1652.6	M	Other medical causes	Rest of 001-799/ rest of A00-R99
7.5	11.3	17.4	24.9	42.4	63.2	110.9	206.3	426.6	1785.9	F		
61.0	65.8	66.0	58.0	58.1	54.8	66.8	76.3	126.9	325.7	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
17.4	20.5	21.8	21.4	21.9	20.4	24.7	37.8	63.5	266.7	F		
10.7	10.4	12.6	9.7	11.6	10.4	14.7	10.9	22.1	31.0	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
2.9	5.4	4.7	4.8	5.6	5.8	7.1	9.9	15.2	11.0	F		
0.7	0.8	1.2	1.4	1.6	0.6	1.6	0.7	4.8	5.7	M	Fire	E890-E899/X00-X09
0.3	0.3	0.3	0.2	0.6	0.5	0.7	1.5	1.1	4.5	F		
25.4	29.7	24.8	23.3	21.2	19.7	16.7	17.0	23.2	21.7	M	Suicide	E950-E959/X60-X84
6.5	8.1	9.7	8.6	6.2	4.8	5.6	4.2	3.4	2.3	F		
3.3	3.1	1.7	1.7	0.9	1.6	1.6	1.5	1.8	2.2	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.3	1.3	0.9	0.4	0.4	0.6	0.2	0.9	0.6	0.8	F		
1353	1303	1153	1019	773	616	550	458	336	313	M	POPULATION	
1333	1303	1163	1028	787	641	592	547	473	603	F	(1000s; UN, 2004 revision)	

CENTRAL ASIA (8 countries*): 2000
--

		No. of deaths			Standardised rates			Annual death rates / 100,000						
		(Source: WHO)			(defined overleaf)			(zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	311507	61921	154649	1774.1	277.0	2163.0	716.2	65.9	60.1	125.4	232.2	323.7	415.3
	F	282327	38045	92429	1174.3	167.3	1167.7	586.8	48.6	40.4	65.5	113.3	140.5	176.0
Tuberculosis	M	10143	3288	6355	40.6	17.2	65.9	1.1	0.4	0.6	2.8	20.7	40.5	54.6
	F	3396	1323	1755	11.6	6.5	16.6	1.3	0.7	0.4	3.1	9.1	15.4	15.8
HIV	M	179	82	97	0.6	0.4	0.7	0.1	-	-	0.1	0.3	1.0	1.7
	F	16	12	4	0.0	0.1	0.0	0.1	-	-	-	-	0.1	0.2
Other infective and parasitic	M	4699	3783	736	13.3	15.4	8.3	82.3	3.5	2.9	3.5	5.7	4.4	5.5
	F	3827	3091	508	10.2	13.1	5.2	69.4	3.4	2.1	2.5	5.3	4.7	4.3
ALL CANCER	M	31741	2114	21065	183.0	9.6	314.9	5.6	5.2	5.8	7.9	9.7	13.8	19.3
	F	27989	1956	16875	119.1	9.3	200.8	4.5	4.0	3.6	5.7	8.0	14.7	24.4
Mouth and pharynx cancer	M	1106	52	804	6.4	0.3	11.8	0.1	-	0.1	0.2	0.4	0.5	0.6
	F	419	21	231	1.8	0.1	2.6	0.1	0.1	0.0	0.1	0.0	0.1	0.3
Oesophagus cancer	M	2350	20	1522	14.7	0.1	24.1	0.0	0.0	0.0	-	0.1	0.3	0.3
	F	1816	29	955	8.0	0.1	12.6	0.0	-	-	0.0	0.3	0.4	0.3
Stomach cancer	M	5348	124	3578	31.9	0.6	53.9	0.1	-	-	0.2	0.8	1.4	2.1
	F	3506	111	1944	15.1	0.6	24.3	0.0	0.1	0.0	0.1	0.2	1.2	2.4
Colorectal cancer	M	1853	72	1176	11.3	0.4	18.1	0.0	-	0.1	0.1	0.4	0.5	1.5
	F	2157	79	1267	9.3	0.4	15.6	0.0	-	-	0.1	0.4	1.2	1.2
Liver cancer	M	1689	35	1088	10.3	0.2	17.2	0.1	0.0	0.1	0.1	0.1	0.3	0.3
	F	869	22	416	3.8	0.1	5.6	0.1	0.0	0.0	0.0	0.1	0.1	0.3
Pancreas cancer	M	1605	14	1012	10.2	0.1	15.5	-	-	-	-	0.0	0.1	0.4
	F	1519	9	676	6.8	0.0	9.0	-	-	-	-	0.1	0.1	0.2
Larynx cancer	M	993	14	736	5.8	0.1	11.1	-	-	-	0.1	0.1	0.0	0.3
	F	172	16	99	0.7	0.1	1.2	0.0	-	0.0	0.1	0.1	0.2	0.2
Lung cancer	M	7530	104	5573	44.1	0.5	85.2	0.0	0.0	0.1	0.2	0.6	1.1	1.6
	F	2011	74	1179	8.8	0.4	14.7	0.1	-	0.0	0.1	0.3	0.5	1.7
Malignant melanoma	M	428	28	272	2.6	0.1	3.6	-	-	-	0.1	0.1	0.3	0.6
	F	405	25	203	1.7	0.1	2.3	-	-	-	0.1	0.2	0.2	0.4
Female breast cancer	F	4684	144	3398	20.5	0.8	38.2	0.0	-	0.0	0.0	0.3	1.0	4.0
Cervix cancer	F	1657	95	1115	6.9	0.5	12.0	-	-	0.0	-	0.2	0.9	2.5
Other uterine cancer	F	1424	64	941	6.1	0.3	10.9	-	-	-	0.0	0.3	1.0	1.0
Ovarian cancer	F	1592	47	974	7.0	0.2	12.0	-	0.0	0.1	0.2	0.2	0.4	0.7
Prostate cancer	M	999	9	448	6.9	0.0	7.5	0.0	-	-	-	0.1	0.1	0.1
Bladder cancer	M	1397	19	745	9.4	0.1	11.7	0.3	-	-	0.1	0.0	0.1	0.1
	F	522	9	239	2.3	0.0	3.1	0.1	-	-	0.1	-	0.0	0.2
Other and ill-defined cancer sites	M	4055	696	2899	19.5	3.2	39.8	1.7	1.3	1.6	2.9	3.5	5.2	6.2
	F	3340	536	2312	13.5	2.4	26.7	1.4	1.2	1.6	2.0	2.7	3.9	4.3
Hodgkin's disease	M	177	45	101	0.9	0.2	1.3	-	0.0	0.1	0.2	0.3	0.5	0.4
	F	133	34	63	0.5	0.2	0.7	-	-	0.0	0.1	0.3	0.4	0.3
Myeloma and non-Hodgkin lymphomas	M	1017	257	636	4.7	1.1	8.3	0.7	0.7	1.0	1.0	1.1	1.1	2.4
	F	728	192	397	2.7	0.9	4.4	0.4	0.6	0.4	0.8	1.2	1.0	1.8
Leukaemia	M	1194	625	475	4.3	2.6	6.0	2.7	3.0	2.8	2.7	2.1	2.2	2.4
	F	1035	449	466	3.4	1.9	4.9	2.3	2.1	1.2	2.0	1.3	2.0	2.6
Diabetes	M	4099	209	2817	23.9	1.0	42.8	0.0	0.1	0.3	0.7	1.2	2.0	2.8
	F	5900	255	3259	25.6	1.2	44.5	0.1	0.2	0.7	1.1	1.7	2.2	2.3
ALL VASCULAR DISEASE	M	146342	4257	75182	1013.0	21.7	1142.3	9.0	2.3	2.7	8.1	19.0	38.4	72.4
	F	167001	2498	47895	742.8	12.2	649.3	8.2	2.2	2.2	5.0	12.1	21.8	33.7
Rheumatic heart disease and fever	M	1589	410	1050	6.9	2.1	11.8	0.2	0.2	0.4	1.4	1.7	4.3	6.2
	F	2020	411	1358	7.9	2.0	14.2	0.1	0.2	0.4	1.2	2.2	4.6	5.5
Hypertensive disease	M	10431	193	6077	69.6	1.0	94.9	0.8	0.2	0.2	0.3	0.8	1.6	2.8
	F	12708	189	5554	56.8	0.9	75.0	0.9	0.2	0.1	0.2	0.7	1.6	2.8
Ischaemic heart disease	M	83824	1351	42269	593.1	7.4	646.5	0.1	0.1	0.0	1.3	4.0	12.6	33.7
	F	88095	458	21888	393.7	2.4	304.4	-	0.1	0.0	0.6	2.0	4.3	9.8
Pulmonary embolism and other venous	M	694	53	381	4.4	0.3	5.4	0.0	0.0	0.0	0.1	0.4	0.5	0.8
	F	984	60	359	4.2	0.3	4.3	0.0	-	0.1	0.2	0.5	0.5	0.9
Cerebrovascular disease	M	34119	505	17107	241.2	2.6	269.1	0.4	0.1	0.2	1.0	2.0	5.3	9.3
	F	47901	300	14150	214.0	1.5	193.1	0.4	0.1	0.1	0.4	1.7	2.8	5.1
Other vascular disease	M	15685	1745	8298	97.9	8.4	114.8	7.5	1.7	1.8	4.1	10.1	14.0	19.6
	F	15293	1080	4586	66.1	5.0	58.4	6.7	1.7	1.5	2.4	5.1	8.0	9.6
Chronic obstructive pulmonary disease	M	11410	493	5668	76.1	2.4	90.2	2.0	0.4	0.6	1.2	2.1	4.5	6.0
	F	8590	359	2902	37.6	1.7	39.0	1.5	0.3	0.4	1.2	2.3	2.8	3.4
Other respiratory disease	M	19453	12824	4255	70.9	51.6	58.4	301.4	13.2	7.8	7.7	8.0	11.1	12.2
	F	15638	10585	2336	46.4	44.2	27.9	262.4	12.7	6.7	4.9	7.9	7.8	7.3
Peptic ulcer	M	1942	189	1346	10.5	1.0	17.7	0.1	0.1	0.0	0.6	1.3	2.0	2.6
	F	729	79	360	3.0	0.4	4.4	0.1	0.0	0.1	0.2	0.6	0.8	0.8
Liver cirrhosis (incl. some other digestive)	M	10694	1300	7342	56.6	6.2	98.5	1.2	1.0	2.2	6.3	8.0	9.8	14.9
	F	8774	861	4882	37.3	4.1	59.7	0.7	0.9	1.3	2.9	6.2	6.6	10.4
Renal disease	M	4592	1237	2438	22.7	5.8	30.7	3.0	2.0	1.9	4.8	7.3	9.9	11.8
	F	3926	1062	2029	14.7	5.0	22.1	3.1	1.5	2.1	2.5	7.2	8.0	10.6
Pregnancy, birth	F	536	407	127	1.4	2.0	0.7	-	-	0.0	1.2	4.1	3.8	5.0
Congenital and perinatal causes	M	7472	7395	61	16.9	29.5	0.7	199.3	1.7	1.0	1.3	1.0	1.2	1.1
	F	5232	5149	66	12.3	21.5	0.6	145.1	1.4	1.1	0.5	1.2	0.5	0.6
Ill-defined causes	M	9121	1889	3639	61.3	8.8	43.8	12.2	1.9	2.1	4.4	10.0	14.2	17.0
	F	9959	901	1247	43.7	4.0	14.6	10.2	1.5	1.7	1.9	3.1	4.3	5.2
Other medical causes	M	10794	4468	5027	44.6	19.5	59.5	38.9	9.8	9.0	14.0	17.1	21.9	25.7
	F	8553	3584	3360	28.8	15.8	34.8	33.4	8.2	7.2	10.5	15.2	16.7	19.2
ALL NON-MEDICAL CAUSES	M	38826	18393	18621	140.3	86.7	188.5	59.9	24.2	23.0	62.0	120.9	148.8	167.7
	F	12261	5923	4824	39.7	26.3	47.5	46.6	11.8	10.9	22.4	29.2	30.2	32.7
Road traffic accidents	M	5619	2600	2770	19.6	12.3	26.7	3.2	6.6	4.4	6.4	16.3	22.3	27.3
	F	1584	662	700	5.3	2.9	7.1	2.2	2.7	1.7	2.5	3.6	3.1	4.7
Fire	M	1095	565	451	4.0	2.5	5.0	6.3	0.9	0.4	1.4	2.1	3.1	3.4
	F	871	504	256	2.6	2.3	2.4	3.9	0.7	0.9	1.8	2.4	2.7	3.4
Suicide	M	7049	3142	3607	25.7	15.3	36.4	-	0.0	3.7	15.6	25.4	32.1	30.0
	F	1764	881	687	5.6	4.1	6.5							

2000: CENTRAL ASIA (8 countries)

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
507.0	729.3	1053.1	1713.8	2323.0	3474.0	5340.6	7168.6	10332.9	20128.2	M	ALL CAUSES	001-999/A00-Y89
211.8	307.2	445.6	806.2	1179.9	1918.0	3305.3	4946.2	8147.9	17610.6	F		
54.7	61.4	69.2	72.6	73.2	68.9	61.6	52.8	41.3	68.0	M	Tuberculosis	010-018, 137/A15-A19, B90
14.7	16.3	13.7	17.8	17.8	16.0	19.8	19.0	15.8	21.0	F		
1.6	1.3	1.0	0.7	0.3	0.1	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
0.1	0.0	-	-	-	-	-	-	-	-	F		
5.5	6.3	7.1	7.1	8.4	10.6	13.1	15.5	15.3	36.9	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33, A34
3.4	3.7	4.0	4.5	5.6	6.6	8.9	9.0	12.7	22.9	F		
32.2	63.7	122.6	247.9	376.0	576.8	784.9	892.6	994.4	803.8	M	ALL CANCER	140-208/C00-C97
43.6	73.5	116.4	189.7	230.8	328.1	423.8	511.1	630.7	486.9	F		
0.7	2.8	5.5	12.0	15.8	21.2	24.5	26.4	28.3	23.3	M	Mouth and pharynx cancer	140-149/C00-C14
0.6	1.4	1.8	2.2	2.6	4.5	5.6	7.3	11.3	13.1	F		
0.9	2.7	7.6	14.5	28.6	45.9	68.2	79.8	100.1	83.5	M	Oesophagus cancer	150/C15
1.1	1.8	4.0	7.9	14.6	24.3	34.1	41.1	57.5	54.7	F		
4.7	10.9	21.7	37.5	64.5	97.9	139.8	175.9	172.9	163.9	M	Stomach cancer	151/C16
3.7	6.6	10.2	15.9	25.3	45.2	63.4	79.8	100.6	78.8	F		
1.8	2.8	6.5	11.9	18.9	31.7	53.2	57.4	79.7	64.8	M	Colorectal cancer	153, 154/C18-C21
2.8	4.4	8.2	13.2	16.0	25.5	39.3	47.7	58.6	35.3	F		
1.1	2.3	5.7	10.6	18.8	29.2	52.7	59.0	60.7	60.2	M	Liver cancer	155.0/C22 excl C221
0.3	1.0	1.8	3.1	6.0	8.6	18.6	21.1	29.3	29.1	F		
1.1	2.6	5.6	10.5	18.8	29.4	40.1	52.1	67.7	84.8	M	Pancreas cancer	157/C25
0.5	1.2	3.2	5.6	11.4	16.7	24.2	37.9	48.6	71.2	F		
0.9	1.9	3.0	9.5	13.8	23.5	25.5	28.5	20.4	22.0	M	Larynx cancer	161/C32
0.2	0.4	0.7	0.4	1.4	2.2	3.3	3.2	4.2	2.6	F		
4.2	12.5	30.6	72.0	100.3	166.8	209.9	211.2	213.7	108.2	M	Lung cancer	162/C33, C34
2.7	3.6	7.0	12.1	17.2	23.8	36.6	41.8	56.9	36.3	F		
1.1	1.5	2.2	3.5	4.7	5.1	7.2	9.8	12.5	28.5	M	Malignant melanoma	172/C43
0.7	1.0	1.4	2.4	2.6	3.7	4.5	6.6	11.3	17.0	F		
9.2	19.3	30.7	47.7	48.2	55.4	56.9	63.8	78.6	60.6	F	Female breast cancer	174/C50
4.9	7.6	10.4	12.1	11.8	15.1	21.8	26.2	31.3	20.8	F	Cervix cancer	180/C53
2.6	4.8	6.7	11.8	12.5	17.2	21.0	25.2	26.0	21.7	F	Other uterine cancer	179, 182/C54, C55
1.6	3.5	7.0	10.6	15.9	20.2	24.9	29.6	34.9	39.6	F	Ovarian cancer	183/C56, C570-C574
0.3	0.4	0.9	2.6	6.7	15.5	25.8	47.2	68.6	77.7	M	Prostate cancer	185/C61
0.6	1.5	3.1	7.7	12.1	24.2	32.4	53.5	76.0	103.0	M	Bladder cancer	188/C67
0.3	0.4	1.0	2.6	2.3	7.2	7.6	11.0	16.7	25.5	F		
8.9	13.8	20.9	40.8	55.8	64.2	74.0	66.6	62.1	...	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
7.9	10.6	15.3	31.4	32.3	43.3	46.1	52.2	42.0	...	F		
0.6	0.4	1.0	0.9	1.3	2.4	2.5	2.6	4.2	4.5	M	Hodgkin's disease	201/C81
0.4	0.3	0.3	0.7	0.6	1.6	0.8	1.7	2.7	2.4	F		
2.5	4.2	5.0	8.1	10.2	12.0	16.2	12.4	15.8	11.7	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
1.5	2.4	3.3	4.8	4.4	7.1	7.0	7.4	11.5	6.0	F	Leukaemia	204-208/C91-C95
2.7	3.5	3.4	5.9	5.5	7.7	13.0	10.2	11.6	6.5	M		
2.7	3.1	3.3	5.1	5.7	6.5	8.2	7.6	8.7	4.1	F		
4.1	7.2	15.6	31.7	51.4	78.7	110.8	114.5	114.0	105.6	M	Diabetes	250/E10-E14
2.4	4.0	10.4	23.5	44.8	84.5	141.7	157.3	148.8	95.3	F		
117.0	236.0	424.4	779.5	1192.5	1942.7	3304.4	4778.6	7373.2	15082.9	M	ALL VASCULAR DISEASE	390-459/I00-199
47.0	88.1	158.7	353.9	605.2	1121.1	2171.2	3537.3	6231.4	14072.1	F		
6.8	8.9	11.9	12.9	16.3	13.2	12.5	14.5	10.7	14.2	M	Rheumatic heart disease and fever	390-398/I00-109
6.8	10.3	12.5	14.9	20.1	17.0	17.4	11.6	16.0	19.6	F		
5.8	14.8	31.9	66.0	109.9	161.2	274.3	332.1	471.5	788.9	M	Hypertensive disease	401-405/I10-I15
4.1	10.0	22.9	48.8	86.0	124.5	228.5	279.0	421.3	652.3	F		
59.9	129.1	236.8	426.2	661.8	1100.9	1910.4	2814.6	4427.9	9281.7	M	Ischaemic heart disease	410-414/I20-I25
15.3	28.9	52.4	136.3	257.9	538.6	1101.2	1898.1	3476.8	8166.7	F		
1.2	1.9	2.7	3.6	5.4	8.6	14.3	18.6	30.1	56.3	M	Pulmonary embolism and other venous	415.1, 451-453/I26, I80-I82
1.0	1.8	2.4	2.9	4.4	6.5	10.9	17.6	30.0	67.6	F		
15.8	39.3	80.6	175.2	276.2	482.8	813.6	1204.9	1840.1	3595.2	M	Cerebrovascular disease	430-438/I60-I69
7.9	22.5	47.4	112.6	178.1	346.7	636.3	1061.8	1797.0	3932.7	F		
27.5	41.9	60.5	95.5	123.0	176.0	279.2	393.9	593.0	1346.5	M	Other vascular disease	Rest of 390-459/rest of I00-199
11.9	14.6	21.0	38.2	58.7	87.7	176.9	269.2	490.3	1233.3	F		
8.2	12.8	19.6	46.6	83.3	163.4	297.7	432.5	595.7	943.0	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
4.2	5.9	10.5	20.4	41.4	62.6	128.3	186.5	304.9	571.9	F		
16.9	19.9	31.5	45.8	65.7	90.3	138.6	180.0	256.8	502.6	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
9.0	12.2	11.8	16.3	28.1	40.5	77.2	88.3	145.7	315.7	F		
4.8	8.6	11.1	16.3	23.1	26.2	33.7	38.5	50.1	49.2	M	Peptic ulcer	531-533/K25-K27
1.1	1.0	2.4	3.4	4.8	7.6	10.3	15.9	15.8	20.5	F		
24.8	38.8	60.6	94.9	113.1	155.8	201.5	206.2	221.1	245.5	M	Liver cirrhosis (incl. some other digestive)	571/K70, K74
12.3	20.1	26.7	51.9	74.5	95.8	136.6	146.2	181.2	236.6	F		
11.8	17.9	19.2	32.7	33.8	40.6	59.4	72.8	113.1	162.6	M	Renal disease	580-590/N00-N19
10.6	12.8	14.3	22.6	22.8	29.3	42.4	39.3	54.0	62.8	F		
3.0	1.6	0.3	0.3	-	-	-	-	-	0.5	F	Pregnancy, birth	630-676/A34, O00-O99
0.4	0.6	0.7	0.5	0.8	0.7	1.0	1.2	2.8	1.9	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.8	0.6	0.6	0.7	0.6	0.4	0.2	0.5	0.9	2.1	F	Ill-defined causes	780-799/R00-R99
20.8	25.1	35.9	45.1	49.3	61.7	68.8	120.0	249.4	1527.8	M		
5.2	5.8	7.4	14.3	17.4	19.7	32.7	88.9	234.5	1435.3	F		
31.2	40.5	46.4	62.1	61.2	72.8	101.9	110.9	145.1	222.2	M	Other medical causes	Rest of 001-799/rest of A00-R99
21.0	23.6	26.2	33.2	33.8	47.9	57.7	77.5	92.2	130.1	F		
173.1	189.1	188.4	230.3	190.9	184.8	163.1	152.6	160.4	376.3	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
33.4	38.2	42.2	53.8	52.5	57.8	54.5	69.6	79.5	136.8	F		
29.7	31.2	26.4	28.6	24.4	23.0	23.4	25.7	24.1	31.1	M	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
4.2	5.7	5.4	7.9	8.2	9.9	8.2	13.6	12.2	12.7	F		
3.2	3.6	4.9	5.4	5.8	7.0	5.0	7.2	7.4	13.6	M	Fire	E890-E899/X00-X09
1.9	2.6	1.9	1.7	2.6	3.7	2.7	4.5	5.8	11.2	F		
33.2	37.7	35.4	47.4	37.5	34.7	29.0	30.4	20.9	51.2	M	Suicide	E950-E959/X60-X84
6.2	5.2	5.5	7.7	5.8	8.0	6.9	8.1	12.7	17.0	F		
21.9	22.7	20.4	21.8	16.4	15.9	16.5	13.5	19.9	46.0	M	Homicide	E960-E969/X85-X99, Y00-Y09
4.8	5.5	6.1	7.5	7.7	8.2	8.9	8.2	11.1	11.9	F		
2570	2212	1658	1028	761	1050	679	580	216	154	M	POPULATION	
2736	2343	1812	1138	862	1258	844	837	450	419	F	(1000s; UN, 2004 revision)	

CROATIA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	25477	973	11817	1181.3	96.4	1342.2	171.0	24.5	26.1	80.3	116.2	121.0	135.9
	F	24769	422	5852	720.7	45.9	568.9	152.2	12.8	13.2	22.5	29.4	42.6	48.4
Tuberculosis	M	123	3	80	5.5	0.3	8.4	-	-	-	-	-	1.3	0.7
	F	46	2	16	1.4	0.2	1.5	-	-	-	-	-	0.7	0.7
HIV	M	8	-	7	0.3	-	0.6	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	161	11	90	7.6	1.2	9.9	5.0	0.8	1.4	-	-	-	1.3
	F	180	4	60	5.3	0.5	5.8	2.6	-	-	-	-	-	0.7
ALL CANCER	M	6832	76	3936	298.7	7.3	451.5	1.7	4.6	4.9	6.3	5.7	15.3	12.6
	F	4851	68	2137	148.2	6.8	208.2	5.3	4.8	3.7	4.0	3.9	9.5	16.6
Mouth and pharynx cancer	M	345	2	268	15.1	0.2	29.5	-	-	-	-	-	-	1.3
	F	45	1	25	1.5	0.1	2.4	-	-	-	0.7	-	-	-
Oesophagus cancer	M	177	-	130	7.8	-	14.7	-	-	-	-	-	-	-
	F	36	-	15	1.1	-	1.5	-	-	-	-	-	-	-
Stomach cancer	M	610	4	337	27.2	0.4	39.5	-	-	-	-	0.6	-	2.0
	F	359	3	126	10.4	0.3	12.3	-	-	-	-	-	0.7	1.3
Colorectal cancer	M	841	-	414	37.1	-	48.3	-	-	-	-	-	-	-
	F	668	1	250	19.6	0.1	24.5	-	-	-	-	-	-	0.7
Liver cancer	M	206	2	122	8.9	0.2	14.1	-	-	-	1.3	-	-	-
	F	165	1	66	4.7	0.1	6.4	-	-	-	-	-	0.7	-
Pancreas cancer	M	264	-	152	11.8	-	17.4	-	-	-	-	-	-	-
	F	249	1	90	7.1	0.1	8.9	-	-	-	-	-	-	0.7
Larynx cancer	M	257	-	174	10.8	-	19.9	-	-	-	-	-	-	-
	F	21	-	7	0.6	-	0.7	-	-	-	-	-	-	-
Lung cancer	M	2000	5	1322	84.3	0.5	151.7	-	-	-	-	-	0.7	2.7
	F	478	2	263	15.0	0.2	25.6	-	0.8	-	-	-	-	0.7
Malignant melanoma	M	91	6	58	4.0	0.6	6.4	-	-	-	0.6	0.6	2.7	-
	F	65	3	35	2.1	0.3	3.3	-	-	-	0.7	-	0.7	0.7
Female breast cancer	F	843	5	442	27.1	0.5	43.3	-	-	-	-	-	1.4	2.0
Cervix cancer	F	91	4	52	3.1	0.4	4.9	-	-	-	-	-	2.0	0.7
Other uterine cancer	F	248	2	112	7.4	0.2	10.9	-	-	-	-	-	-	1.3
Ovarian cancer	F	267	5	149	8.5	0.5	14.3	-	-	-	0.7	0.7	-	2.0
Prostate cancer	M	466	-	124	22.3	-	15.1	-	-	-	-	-	-	-
Bladder cancer	M	223	-	79	10.2	-	9.4	-	-	-	-	-	-	-
	F	90	-	17	2.5	-	1.7	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	975	37	571	42.8	3.6	64.1	0.8	3.8	3.5	3.2	2.5	7.3	4.0
	F	906	26	353	27.5	2.8	34.5	5.3	3.2	2.9	1.3	2.6	2.0	2.0
Hodgkin's disease	M	16	1	10	0.7	0.1	1.1	-	-	-	-	-	0.7	-
	F	4	3	1	0.2	0.3	0.1	-	-	-	-	-	0.7	1.3
Myeloma and non- Hodgkin lymphomas	M	191	7	106	8.3	0.7	12.3	0.8	-	0.7	-	0.6	2.0	0.7
	F	165	2	68	5.0	0.2	6.6	-	-	-	-	0.7	0.7	-
Leukaemia	M	170	12	69	7.5	1.1	7.8	-	0.8	0.7	1.3	1.3	2.0	2.0
	F	151	9	66	4.8	0.9	6.5	-	0.8	0.7	0.7	-	0.7	3.3
Diabetes	M	400	3	182	17.6	0.3	21.7	-	-	-	-	-	-	1.3
	F	505	1	149	13.9	0.1	14.6	-	-	-	-	-	-	0.7
ALL VASCULAR DISEASE	M	11758	58	4531	561.1	5.5	526.9	0.8	0.8	1.4	4.4	5.0	9.3	16.6
	F	14954	34	2383	418.0	3.3	232.2	2.6	-	0.7	2.0	3.3	8.1	6.6
Rheumatic heart disease and fever	M	70	3	31	3.0	0.3	3.5	-	-	-	1.3	0.6	-	-
	F	107	-	33	2.8	-	3.1	-	-	-	-	-	-	-
Hypertensive disease	M	316	1	115	15.2	0.1	13.7	-	-	-	-	-	0.7	-
	F	621	-	106	17.1	-	10.3	-	-	-	-	-	-	-
Ischaemic heart disease	M	4557	13	2003	213.7	1.2	231.4	-	-	-	-	0.6	2.7	5.3
	F	4784	5	774	134.6	0.5	75.7	-	-	-	-	0.7	2.0	0.7
Pulmonary embolism and other venous	M	270	7	130	12.1	0.7	14.8	-	-	-	-	-	1.3	3.3
	F	374	1	108	10.6	0.1	10.6	-	-	-	-	-	0.7	-
Cerebrovascular disease	M	3548	8	1294	167.1	0.8	152.2	-	0.8	-	0.6	1.3	0.7	2.0
	F	4835	8	861	133.2	0.8	83.8	-	-	-	-	0.7	1.4	3.3
Other vascular disease	M	2997	26	958	149.9	2.5	111.2	0.8	-	1.4	2.5	2.5	4.0	6.0
	F	4233	20	501	119.7	2.0	48.7	2.6	-	0.7	2.0	2.0	4.1	2.7
Chronic obstructive pulmonary disease	M	660	5	198	31.3	0.5	23.6	-	-	0.7	-	-	2.0	0.7
	F	363	1	61	10.0	0.1	5.9	-	-	-	-	0.7	-	-
Other respiratory disease	M	528	14	200	25.7	1.5	23.2	5.0	-	-	1.3	1.3	0.7	2.0
	F	492	6	77	14.1	0.7	7.5	3.5	-	-	-	-	-	1.3
Peptic ulcer	M	140	2	70	6.5	0.2	7.8	-	-	-	-	-	0.7	0.7
	F	92	1	16	2.6	0.1	1.6	-	-	-	-	-	-	0.7
Liver cirrhosis	M	990	10	758	42.6	0.9	83.3	-	-	0.7	0.6	0.6	1.3	3.3
	F	436	5	288	14.4	0.5	28.1	-	-	-	-	-	-	3.3
Renal disease	M	231	4	87	11.1	0.4	9.9	-	-	-	0.6	-	-	2.0
	F	251	2	67	7.0	0.2	6.5	-	-	-	-	-	0.7	0.7
Pregnancy, birth Congenital and perinatal causes	F	3	2	1	0.1	0.2	0.1	-	-	-	-	-	0.7	0.7
	M	165	158	4	10.7	18.7	0.4	125.1	3.8	-	0.6	0.6	0.7	-
	F	144	139	4	9.9	17.4	0.4	118.7	1.6	0.7	-	-	0.7	-
Ill-defined causes	M	339	15	96	18.6	1.6	10.6	6.7	-	-	0.6	0.6	1.3	2.0
	F	501	17	32	15.3	2.0	3.1	10.6	0.8	-	0.7	0.7	-	1.3
Other medical causes	M	1105	65	521	51.4	6.3	56.9	6.7	-	2.1	4.4	10.1	7.3	13.3
	F	1083	26	274	31.5	2.6	26.4	1.8	-	2.2	2.0	4.6	4.7	2.7
ALL NON- MEDICAL CAUSES	M	2037	549	1057	92.6	51.9	107.6	20.0	14.5	14.8	61.4	92.3	79.8	80.2
	F	868	114	287	29.1	11.3	27.1	7.0	5.6	5.9	13.9	16.3	16.9	13.3
Road traffic accidents	M	444	206	192	19.8	19.2	18.8	4.2	4.6	4.9	25.3	44.6	24.6	26.5
	F	110	42	43	4.3	4.2	4.0	2.6	3.2	1.5	6.6	5.2	6.1	4.0
Fire	M	37	8	15	1.9	0.8	1.7	2.5	0.8	0.7	1.9	-	-	-
	F	27	2	7	0.8	0.2	0.7	-	-	-	0.7	-	-	-
Suicide	M	692	137	425	30.6	12.7	43.3	-	-	2.1	13.9	22.0	25.9	25.2
	F	234	21	133	8.1	2.0	12.6	-	-	-	2.0	3.9	5.4	2.7
Homicide	M	77	20	53	3.4	1.9	5.0	0.8	0.8	-	2.5	0.6	3.3	5.3
	F	36	9	23	1.5	0.9	2.1	0.9	-	0.7	1.3	-	2.0	1.3
POPULATION: (1000s; UN, 2004 revision)			M=male		2169.6	1010.9	1004.2	119.9	130.7	141.7	158.1	159.2	150.4	150.9
			F=female		2335.9	977.6	1075.2	113.7	124.7	135.9	151.1	153.3	148.0	150.9

2000: CROATIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
202.0	332.4	606.5	870.1	1541.9	2217.5	3624.9	5296.2	8448.4	15764.9	M	ALL CAUSES	001-999/A00-Y89
75.0	140.4	234.8	334.2	622.7	916.4	1658.8	2898.4	5627.5	14639.5	F		
2.4	4.7	8.7	6.7	10.2	17.3	8.8	20.8	28.2	36.4	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	1.2	0.6	2.0	0.8	2.7	3.4	4.8	13.1	15.1	F		
0.6	1.2	1.2	0.7	-	-	0.9	1.2	-	-	M	HIV	279.5, 279.6/B20-B24
-	-	-	-	-	-	-	-	-	-	F		
1.8	7.0	4.1	7.4	15.8	15.8	17.7	23.3	35.2	86.1	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.6	3.5	1.8	3.3	5.8	9.4	16.2	23.2	50.1	61.8	F		
31.1	82.1	184.6	304.2	544.7	790.4	1223.3	1575.3	2061.0	2168.9	M	ALL CANCER	140-208/C00-C97
28.7	67.0	110.6	143.9	278.6	332.9	495.6	682.4	965.1	1368.0	F		
0.6	11.1	19.7	33.0	46.6	47.3	48.5	51.4	44.6	46.4	M	Mouth and pharynx cancer	140-149/C00-C14
-	0.6	2.4	3.3	1.7	4.0	4.7	0.8	5.4	19.6	F		
1.2	3.5	8.1	12.8	24.2	19.7	33.5	28.2	25.8	43.0	M	Oesophagus cancer	150/C15
-	0.6	0.6	0.7	1.7	2.7	4.0	4.8	4.4	16.6	F		
3.1	4.1	11.6	19.5	53.1	69.3	115.6	133.4	187.8	264.9	M	Stomach cancer	151/C16
2.4	3.5	3.0	5.2	13.3	28.1	30.3	58.4	77.3	129.7	F		
0.6	6.4	12.8	32.3	60.5	83.5	142.1	237.5	309.9	334.4	M	Colorectal cancer	153, 154/C18-C21
3.1	6.4	10.1	17.0	33.2	42.1	59.3	97.6	163.4	218.7	F		
-	2.9	4.6	9.4	15.8	22.1	44.1	44.1	70.4	53.0	M	Liver cancer	155.0/C22 excl C221
1.2	1.7	3.0	1.3	5.8	12.0	19.6	24.0	44.7	40.7	F		
1.2	4.1	4.6	11.4	23.3	38.6	38.8	60.0	63.4	119.2	M	Pancreas cancer	157/C25
-	0.6	3.0	4.6	11.6	12.0	30.3	36.8	71.9	69.4	F		
0.6	3.5	9.9	13.5	26.1	33.1	53.0	57.5	65.7	26.5	M	Larynx cancer	161/C32
-	0.6	-	-	0.8	-	3.4	4.0	6.5	4.5	F		
7.9	21.5	71.4	89.5	172.3	283.7	415.7	455.3	493.0	301.3	M	Lung cancer	162/C33, C34
0.6	6.4	14.9	23.5	33.2	38.1	62.7	72.8	66.4	92.0	F		
0.6	1.7	4.1	6.7	7.4	10.2	14.1	14.7	23.5	16.6	M	Malignant melanoma	172/C43
-	2.9	3.0	2.0	3.3	2.7	9.4	4.0	12.0	16.6	F		
6.1	18.6	27.9	36.0	74.6	60.8	78.9	105.6	142.7	200.6	F	Female breast cancer	174/C50
0.6	2.9	7.7	4.6	5.0	7.4	6.1	8.8	10.9	21.1	F	Cervix cancer	180/C53
0.6	2.3	3.6	5.9	11.6	24.7	27.6	34.4	47.9	70.9	F	Other uterine cancer	179, 182/C54, C55
1.2	6.4	10.7	13.1	14.9	22.1	31.7	39.2	37.0	45.2	F	Ovarian cancer	183/C56, C570-C574
-	1.7	-	1.3	9.3	23.6	69.7	117.5	274.6	427.2	M	Prostate cancer	185/C61
0.6	-	1.2	3.4	8.4	20.5	31.8	63.6	119.7	135.8	M	Bladder cancer	188/C67
-	0.6	0.6	-	2.5	3.3	4.7	10.4	27.2	52.8	F		
11.0	18.6	27.3	57.9	73.6	104.0	156.2	211.8	253.5	284.8	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
8.5	8.7	14.3	17.0	48.1	54.1	91.0	134.4	183.0	288.1	F	Hodgkin's disease	201/C81
0.6	0.6	-	1.3	1.9	2.4	0.9	3.7	2.3	3.3	M		
-	-	-	-	-	0.7	-	-	-	-	F		
0.6	2.3	4.1	7.4	14.0	18.9	38.8	42.8	63.4	53.0	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
3.1	1.7	4.2	5.2	8.3	8.7	14.8	28.0	37.0	39.2	F	Leukaemia	204-208/C91-C95
2.4	-	5.2	4.7	8.4	13.4	20.3	53.9	63.4	59.6	M		
1.2	2.3	1.8	4.6	9.1	9.4	16.9	18.4	27.2	42.2	F		
0.6	2.3	5.8	7.4	27.9	30.7	76.8	110.2	183.1	155.6	M	Diabetes	250/E10-E14
-	1.7	0.6	3.3	12.4	29.4	54.6	83.2	136.2	190.0	F		
38.4	80.9	163.1	293.4	585.7	884.2	1642.5	2619.3	4697.2	10026.5	M	ALL VASCULAR DISEASE	390-459/I00-199
13.4	29.1	63.6	91.6	210.6	380.3	836.8	1652.8	3650.3	10739.1	F		
0.6	1.2	0.6	2.0	2.8	8.7	8.8	23.3	23.5	23.2	M	Rheumatic heart disease and fever	390-398/I00-I09
-	1.2	1.8	-	0.8	2.7	15.5	24.0	31.6	22.6	F		
1.2	-	1.2	7.4	22.3	26.0	38.0	74.7	133.8	271.5	M	Hypertensive disease	401-405/I10-I15
-	1.7	1.2	4.6	7.5	18.7	38.4	72.0	172.1	402.7	F		
17.1	38.4	81.3	153.4	271.9	372.7	684.9	1000.0	1669.0	3354.3	M	Ischaemic heart disease	410-414/I20-I25
6.7	5.8	18.4	30.1	75.5	128.3	265.0	492.8	1105.7	3580.7	F		
0.6	1.2	7.5	12.8	15.8	24.4	41.5	67.3	91.5	129.1	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.6	1.7	6.5	2.6	14.9	19.4	28.3	64.8	92.6	149.3	F		
6.7	21.5	37.7	61.9	166.7	269.5	501.3	883.7	1610.3	2774.8	M	Cerebrovascular disease	430-438/I60-I69
3.1	11.6	26.8	32.7	73.0	129.0	310.2	622.4	1355.1	2932.1	F		
12.2	18.6	34.8	55.9	106.1	182.8	368.0	570.4	1169.0	3473.5	M	Other vascular disease	Rest of 390-459/ rest of I00-199
3.1	7.0	8.9	21.6	39.0	82.2	179.4	376.8	893.2	3651.6	F	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	-	3.5	8.7	14.9	48.9	89.1	181.2	321.6	569.5	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
0.6	1.7	1.2	4.6	4.1	9.4	19.6	64.0	95.9	200.6	F		
1.2	3.5	6.4	15.5	24.2	42.6	68.8	105.3	190.1	486.8	M		
1.2	0.6	1.8	6.5	7.5	12.7	22.3	46.4	118.7	365.0	F		
1.2	1.2	5.2	6.1	10.2	14.2	16.8	33.0	35.2	86.1	M	Peptic ulcer	531-533/K25-K27
0.6	-	-	0.7	4.1	1.3	4.7	15.2	21.8	54.3	F		
11.0	30.3	55.1	82.1	109.9	142.6	151.8	148.1	154.9	115.9	M	Liver cirrhosis	571/K70, K74
4.9	5.2	14.9	27.5	36.5	52.1	55.3	56.0	52.3	37.7	F		
1.2	2.3	4.1	6.1	11.2	20.5	23.8	50.2	93.9	195.4	M	Renal disease	580-590/N00-N19
-	1.2	2.4	0.7	6.6	15.4	19.6	44.0	62.1	105.6	F		
-	-	0.6	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
3.7	5.8	4.6	7.4	12.1	15.0	25.6	33.0	65.7	572.8	M	Ill-defined causes	780-799/R00-R99
0.6	0.6	-	4.6	1.7	3.3	10.8	20.0	52.3	571.6	F		
20.7	22.7	40.6	40.4	60.5	82.0	131.5	210.5	333.3	678.8	M	Other medical causes	Rest of 001-799/ rest of A00-R99
7.3	11.1	13.1	18.3	26.5	30.7	77.5	135.2	272.3	549.0	F		
86.6	87.9	119.6	83.4	114.5	113.5	147.4	182.4	246.5	586.1	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
17.1	17.5	23.8	26.2	27.4	36.8	41.1	71.2	137.3	380.1	F	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
19.5	21.0	24.4	16.2	17.7	12.6	20.3	29.4	16.4	49.7	M		
1.8	5.2	2.4	4.6	2.5	6.0	5.4	5.6	13.1	9.0	F	Fire	E890-E899/X00-X09
0.6	0.6	0.6	1.3	2.8	1.6	4.4	3.7	4.7	29.8	M		
-	-	0.6	0.7	-	2.7	0.7	0.8	4.4	19.6	F		
36.6	35.5	49.3	28.9	46.6	44.9	60.9	64.9	84.5	135.8	M	Suicide	E950-E959/X60-X84
5.5	8.2	11.9	13.7	14.9	15.4	18.9	24.0	31.6	31.7	F		
3.7	9.3	8.1	1.3	4.7	6.3	1.8	2.4	2.3	3.3	M	Homicide	E960-E969/ X85-X99, Y00-Y09
3.7	0.6	3.0	1.3	2.5	2.7	1.3	1.6	1.1	1.5	F		
163.9	171.8	172.3	148.6	107.4	126.9	113.3	81.7	42.6	30.2	M	POPULATION (1000s; UN, 2004 revision)	
163.9	171.7	168.2	152.9	120.6	149.6	148.3	125.0	91.8	66.3	F		

CZECH REPUBLIC: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	54882	1971	23232	1162.6	79.5	1282.2	117.6	20.9	22.0	68.6	101.9	100.5	124.9
	F	54119	830	11544	706.3	37.9	564.9	91.7	13.3	17.4	31.3	34.0	32.7	44.6
Tuberculosis	M	91	1	59	1.9	0.0	2.8	-	-	-	-	-	-	0.3
	F	34	1	8	0.4	0.0	0.4	-	-	-	-	-	0.2	-
HIV	M	1	1	-	0.0	0.0	-	-	-	-	-	-	-	0.3
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	58	7	26	1.2	0.3	1.3	1.3	-	-	0.3	0.2	0.2	0.3
	F	84	6	27	1.2	0.3	1.3	0.9	-	0.6	0.3	0.2	-	-
ALL CANCER	M	15878	185	8308	325.7	7.3	468.1	4.8	5.0	3.9	5.9	5.4	10.7	15.8
	F	12661	145	5202	178.7	6.1	249.8	5.9	2.4	5.4	3.5	5.9	7.5	11.9
Mouth and pharynx cancer	M	477	2	389	9.4	0.1	18.9	-	-	-	-	0.2	0.2	-
	F	113	-	55	1.6	-	2.6	-	-	-	-	-	-	-
Oesophagus cancer	M	343	2	244	6.8	0.1	12.3	-	-	-	-	-	0.2	0.3
	F	64	-	27	0.9	-	1.2	-	-	-	-	-	-	-
Stomach cancer	M	905	10	412	18.7	0.4	23.5	-	-	-	-	-	0.9	1.7
	F	660	7	216	9.0	0.3	10.4	-	-	-	-	0.2	-	1.8
Colorectal cancer	M	2517	9	1171	52.2	0.4	68.1	-	-	-	0.3	-	0.2	2.0
	F	1885	4	640	25.6	0.2	31.4	-	-	-	-	-	0.5	0.6
Liver cancer	M	525	2	296	10.8	0.1	16.7	0.4	-	-	-	0.2	-	-
	F	350	1	112	4.7	0.0	5.6	-	-	-	-	-	0.2	-
Pancreas cancer	M	777	4	445	15.7	0.2	24.9	-	-	-	-	0.2	-	0.9
	F	789	-	276	10.7	-	13.7	-	-	-	-	-	-	-
Larynx cancer	M	254	-	182	5.1	-	9.8	-	-	-	-	-	-	-
	F	23	-	9	0.3	-	0.4	-	-	-	-	-	-	-
Lung cancer	M	4480	6	2772	90.2	0.2	157.1	-	-	0.3	-	-	0.5	0.9
	F	1246	3	632	18.2	0.1	30.6	-	-	-	-	-	-	0.9
Malignant melanoma	M	171	4	100	3.5	0.1	5.3	-	-	-	-	0.2	0.5	0.3
	F	144	2	69	2.1	0.1	3.1	-	-	-	-	0.5	-	-
Female breast cancer	F	1939	5	929	28.0	0.2	43.3	-	-	-	-	-	-	1.5
Cervix cancer	F	363	10	235	5.8	0.4	10.5	-	-	-	-	-	1.2	1.5
Other uterine cancer	F	581	2	226	8.0	0.1	11.1	-	-	-	-	-	0.2	0.3
Ovarian cancer	F	729	7	381	10.8	0.3	17.9	-	-	-	0.3	0.2	0.2	1.2
Prostate cancer	M	1327	-	287	29.0	-	18.7	-	-	-	-	-	-	-
Bladder cancer	M	541	-	195	11.4	-	12.0	-	-	-	-	-	-	-
	F	207	-	54	2.7	-	2.6	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	2548	106	1334	52.1	4.3	73.5	3.5	3.6	2.1	3.7	2.9	6.0	8.0
	F	2665	59	1004	37.3	2.5	48.8	2.3	1.4	3.8	1.5	2.8	2.9	2.7
Hodgkin's disease	M	53	11	27	1.0	0.4	1.4	-	-	-	0.6	0.7	0.7	0.9
	F	48	8	21	0.8	0.3	1.0	0.5	-	0.3	-	0.5	0.2	0.9
Myeloma and non-Hodgkin lymphomas	M	455	7	229	9.3	0.2	13.2	-	-	0.3	-	0.2	0.9	0.3
	F	444	10	166	6.2	0.4	8.2	0.5	0.3	-	0.6	0.7	0.7	-
Leukaemia	M	505	22	225	10.5	0.9	12.8	0.9	1.3	1.2	1.4	0.7	0.5	0.6
	F	411	27	150	6.0	1.2	7.4	2.7	0.7	1.3	1.2	0.9	1.2	0.6
Diabetes	M	601	5	235	12.5	0.2	13.6	-	-	-	-	0.2	0.2	0.9
	F	813	4	160	10.2	0.2	8.2	-	-	-	-	0.2	0.2	0.6
ALL VASCULAR DISEASE	M	26468	107	8751	577.2	4.0	506.9	1.3	-	1.5	2.3	4.5	7.0	11.7
	F	31724	51	3817	391.1	2.0	196.7	0.9	0.3	0.3	1.2	2.1	4.4	4.8
Rheumatic heart disease and fever	M	128	4	72	2.5	0.1	4.0	-	-	-	-	-	0.5	0.6
	F	185	1	61	2.5	0.0	3.0	-	-	-	-	-	0.2	-
Hypertensive disease	M	563	1	242	11.9	0.0	14.4	-	-	-	-	-	-	0.3
	F	649	-	138	8.2	-	7.1	-	-	-	-	-	-	-
Ischaemic heart disease	M	12034	18	4739	256.2	0.7	272.3	-	-	-	-	0.4	1.2	3.2
	F	11350	6	1644	140.7	0.2	85.5	-	-	-	-	0.5	0.5	0.6
Pulmonary embolism and other venous	M	818	14	363	17.2	0.5	20.7	-	-	-	-	0.4	0.7	2.6
	F	1185	10	265	15.3	0.4	13.2	-	-	-	0.3	-	1.0	1.5
Cerebrovascular disease	M	6991	22	1653	156.7	0.8	99.7	0.4	-	0.3	0.6	1.1	1.9	1.4
	F	10352	13	992	126.1	0.5	51.4	0.5	-	-	-	0.7	1.0	1.5
Other vascular disease	M	5934	48	1682	132.7	1.8	95.9	0.9	-	1.2	1.7	2.5	2.8	3.7
	F	8003	21	717	98.2	0.8	36.6	0.5	0.3	0.3	0.9	0.9	1.7	1.2
Chronic obstructive pulmonary disease	M	1174	8	437	24.8	0.3	26.2	-	-	-	0.6	0.2	0.2	1.1
	F	702	4	166	9.1	0.2	8.4	-	-	0.3	-	-	0.2	0.6
Other respiratory disease	M	1463	49	510	32.2	2.2	27.3	5.6	1.0	0.6	1.7	2.0	2.1	2.0
	F	1620	30	258	20.8	1.4	12.6	3.6	0.3	0.6	0.6	1.4	1.0	2.1
Peptic ulcer	M	307	4	157	6.3	0.2	8.2	-	-	-	0.3	0.2	-	0.6
	F	301	1	66	3.9	0.0	3.2	-	-	-	-	0.2	-	-
Liver cirrhosis	M	1223	23	1019	23.9	0.9	48.8	0.4	-	-	-	-	0.9	5.2
	F	523	7	374	8.5	0.3	16.8	-	-	-	-	-	0.2	1.8
Renal disease	M	529	2	204	11.4	0.1	11.5	0.4	-	-	-	-	-	0.3
	F	744	8	180	9.6	0.3	8.9	-	-	-	0.9	0.2	0.5	0.6
Pregnancy, birth	F	5	5	-	0.1	0.2	-	-	-	-	0.3	0.2	0.5	0.3
Congenital and perinatal causes	M	182	179	3	6.2	10.9	0.1	73.8	1.0	0.9	0.6	-	-	0.3
	F	149	148	1	5.2	9.4	0.0	61.6	2.1	0.6	1.2	0.2	-	-
Ill-defined causes	M	286	21	137	6.2	0.9	7.0	3.0	-	-	0.8	1.1	0.7	0.9
	F	287	7	42	3.8	0.4	2.0	1.8	-	-	-	0.2	-	0.6
Other medical causes	M	1927	142	919	40.1	5.9	47.2	10.4	2.3	3.9	4.8	6.1	6.5	7.4
	F	2096	100	573	28.9	4.4	27.0	6.8	4.2	1.6	5.3	3.7	4.1	5.1
ALL NON-MEDICAL CAUSES	M	4694	1237	2467	93.0	46.0	113.2	16.5	11.6	11.2	51.4	81.9	71.9	77.9
	F	2376	313	670	34.8	12.7	29.6	10.0	3.8	7.9	18.0	19.2	13.8	16.4
Road traffic accidents	M	802	369	353	15.1	13.5	15.9	1.3	4.3	3.6	18.4	27.2	20.5	19.2
	F	284	108	112	5.0	4.3	4.9	4.1	1.0	2.2	5.9	8.4	5.6	3.0
Fire	M	47	6	29	1.0	0.3	1.3	0.4	0.3	-	-	0.2	0.2	0.6
	F	17	1	3	0.2	0.0	0.1	-	-	-	-	0.2	-	-
Suicide	M	1298	321	769	24.9	11.5	34.6	-	-	2.4	9.0	24.1	20.7	24.3
	F	351	55	193	5.8	2.1	8.3	-	-	1.3	3.0	3.5	2.7	4.5
Homicide	M	104	35	64	2.1	1.5	2.6	2.6	-	-	0.8	1.1	1.9	3.7
	F	50	16	29	1.0	0.7	1.3	0.9	-	0.6	1.2	0.5	0.5	1.2
POPULATION:			M=male		4996.2	2441.7	2202.9	230.4	302.1	331.2	354.2	444.6	430.0	349.2
(1000s; UN, 2004 revision)			F=female		5271.3	2335.9	2317.5	219.3	286.4	316.1	338.3	426.7	413.0	336.1

2000: CZECH REPUBLIC

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK		
178.2	326.9	557.4	909.1	1401.8	2207.4	3394.5	5091.0	7931.3	17143.7	M	ALL CAUSES 001-999/A00-Y89
73.1	137.4	246.6	384.5	588.4	916.8	1607.7	2796.7	5117.2	14809.9	F	
0.3	0.9	2.8	3.8	3.6	6.0	2.5	7.3	6.9	15.6	M	Tuberculosis 010-018, 137/ A15-A19, B90
-	0.3	0.5	0.5	-	0.8	0.4	2.4	3.8	6.7	F	
-	-	-	-	-	-	-	-	-	-	M	HIV 279.5, 279.6/B20-B24
-	-	-	-	-	-	-	-	-	-	F	
-	0.3	0.8	2.3	1.7	1.9	2.0	3.6	6.9	15.6	M	Other infective and parasitic Rest of 001-139/rest of A00-B99 excl A33,A34
-	0.3	0.5	1.7	1.5	1.6	3.2	4.5	11.0	10.4	F	
23.8	69.6	163.8	327.9	548.9	873.5	1269.4	1648.3	2173.5	3039.8	M	ALL CANCER 140-208/C00-C97
31.7	61.3	119.8	202.3	301.7	422.6	609.3	837.5	1159.1	1735.1	F	
0.9	9.4	14.8	24.3	28.1	28.4	26.4	25.5	18.9	31.3	M	Mouth and pharynx cancer 140-149/C00-C14
-	1.4	2.0	2.0	2.1	3.6	7.1	4.5	10.0	15.9	F	
1.2	2.9	9.5	13.7	17.5	17.2	24.4	30.9	23.2	27.0	M	Oesophagus cancer 150/C15
0.3	0.6	0.7	1.2	2.1	2.8	0.8	2.9	7.1	9.2	F	
2.3	5.1	8.0	15.4	22.2	39.1	72.2	91.6	153.8	217.6	M	Stomach cancer 151/C16
1.8	3.8	5.5	7.8	9.8	14.8	29.4	45.7	60.0	122.0	F	
2.3	8.0	18.8	39.3	75.1	125.6	207.4	272.9	402.1	596.0	M	Colorectal cancer 153, 154/C18-C21
2.7	6.4	10.5	22.3	37.6	59.6	80.9	120.5	188.7	337.2	F	
0.3	1.1	4.8	12.7	21.2	36.3	40.7	52.8	64.4	92.5	M	Liver cancer 155.0/C22 excl C221
0.9	0.6	2.0	3.7	5.8	12.0	13.9	29.4	34.8	56.4	F	
1.2	3.4	9.5	17.5	30.1	53.0	59.5	82.5	101.4	105.3	M	Pancreas cancer 157/C25
0.3	1.7	4.5	10.1	15.0	26.0	38.1	60.8	85.3	113.4	F	
0.6	1.7	5.3	8.6	12.6	16.7	22.9	23.0	18.0	18.5	M	Larynx cancer 161/C32
-	-	0.2	-	1.2	-	1.6	2.4	1.0	3.7	F	
2.6	14.0	48.5	109.4	200.7	307.9	416.9	470.6	508.6	475.1	M	Lung cancer 162/C33, C34
3.0	3.8	14.4	24.0	37.6	57.2	74.2	92.7	101.0	105.5	F	
1.2	1.1	2.5	5.3	6.3	8.4	12.2	17.6	15.5	28.4	M	Malignant melanoma 172/C43
0.6	0.9	2.0	4.9	3.1	5.2	5.2	10.6	10.0	15.9	F	
4.8	11.0	27.2	42.4	60.9	66.0	90.8	105.8	164.4	245.9	F	Female breast cancer 174/C50
6.6	6.7	8.0	11.3	12.2	12.4	16.3	18.0	18.6	21.5	F	Cervix cancer 180/C53
0.9	2.6	3.7	7.1	13.2	16.4	34.1	46.1	61.9	67.4	F	Other uterine cancer 179, 182/C54, C55
1.2	4.1	11.0	16.9	25.1	30.4	36.5	49.0	58.1	60.7	F	Ovarian cancer 183/C56, C570-C574
-	0.9	1.0	4.1	11.2	34.0	79.8	163.7	289.5	615.9	M	Prostate cancer 185/C61
0.3	0.6	1.8	5.3	8.6	26.0	41.7	54.0	118.6	169.3	M	Bladder cancer 188/C67
0.3	0.3	1.2	1.5	4.0	4.4	6.7	14.7	24.3	40.5	F	
5.2	16.0	29.4	57.7	86.6	135.3	184.0	242.0	330.8	460.9	M	Other and ill-defined cancer sites Rest of 140-199/ rest of C00-C80, C97
5.1	13.3	20.4	37.0	54.5	83.2	127.7	176.0	243.9	404.0	F	
0.3	1.1	0.8	1.0	2.3	0.5	3.6	3.0	6.9	2.8	M	Hodgkin's disease 201/C81
0.3	0.6	0.5	1.0	0.3	1.2	3.2	2.0	3.3	4.3	F	
2.9	1.4	4.3	7.1	12.6	25.6	38.6	53.4	61.9	83.9	M	Myeloma and non-Hodgkin lymphomas 200, 202-203/ C82-C90, C96
0.6	2.0	2.7	5.4	9.8	14.4	22.2	33.9	49.5	49.7	F	
2.6	2.9	4.8	6.6	13.9	19.5	39.1	64.9	60.1	115.2	M	Leukaemia 204-208/C91-C95
2.4	1.7	3.2	3.7	7.3	12.8	20.6	22.5	37.2	61.9	F	
0.6	2.0	4.5	7.3	14.6	27.9	38.1	75.8	107.4	157.9	M	Diabetes 250/E10-E14
-	0.9	1.5	2.9	10.1	13.6	28.6	63.3	102.0	171.7	F	
30.1	75.9	158.5	296.3	509.9	900.0	1577.5	2650.1	4491.4	11396.9	M	ALL VASCULAR DISEASE 390-459/I00-I99
7.8	20.5	50.6	83.6	162.2	328.1	724.3	1499.8	3126.7	10803.2	F	
0.9	0.9	1.3	3.8	3.3	4.7	13.2	13.3	16.3	15.6	M	Rheumatic heart disease and fever 390-398/I00-I09
-	0.9	1.0	1.7	3.4	4.4	9.9	16.7	19.5	25.1	F	
0.6	1.4	3.3	9.6	10.3	26.0	49.3	60.0	87.6	169.3	M	Hypertensive disease 401-405/I10-I15
0.6	0.9	3.2	3.2	3.4	9.6	28.6	38.8	68.6	166.8	F	
12.2	43.4	89.4	166.4	287.0	503.7	803.8	1279.6	1975.1	4079.7	M	Ischaemic heart disease 410-414/I20-I25
1.5	5.8	17.9	33.1	71.9	147.7	320.5	624.7	1210.6	3451.3	F	
2.3	5.1	7.3	12.4	19.2	39.1	59.5	81.9	124.6	229.0	M	Pulmonary embolism and other venous 415.1, 451-453/ I26, I80-I82
1.5	2.3	5.7	5.1	17.4	22.4	37.7	79.6	124.8	277.7	F	
4.9	8.0	20.1	45.6	93.6	169.8	355.9	682.8	1314.4	3783.8	M	Cerebrovascular disease 430-438/I60-I69
1.5	5.5	12.7	22.3	35.2	81.2	201.5	448.3	1037.6	3722.3	F	
9.3	17.1	37.2	58.5	96.6	156.7	295.9	532.4	973.4	3119.5	M	Other vascular disease Rest of 390-459/ rest of I00-I99
2.7	5.2	10.0	18.1	30.9	62.8	126.1	291.5	665.6	3160.0	F	
1.2	2.3	5.0	13.2	24.5	50.2	86.9	129.8	219.1	369.8	M	Chronic obstructive pulmonary disease 490-496/ J40-J47, J67
0.3	0.3	2.7	5.1	7.3	12.8	30.1	39.6	72.9	172.9	F	
4.3	8.6	14.3	19.0	37.4	43.7	64.1	117.6	221.6	643.0	M	Other respiratory disease Rest of 460-519/ rest of J00-J98
2.1	4.6	6.2	8.6	10.1	18.0	38.5	59.6	136.7	551.2	F	
0.3	3.1	4.8	8.9	9.3	13.5	17.3	27.9	41.2	74.0	M	Peptic ulcer 531-533/K25-K27
0.3	0.6	1.5	3.4	2.1	4.0	10.3	13.5	31.4	82.8	F	
7.8	22.2	43.2	62.5	73.1	67.4	65.6	60.0	43.8	44.1	M	Liver cirrhosis 571/K70, K74
4.8	7.5	13.2	18.9	24.8	23.2	25.0	20.0	21.4	29.4	F	
1.2	3.4	3.8	7.9	11.9	17.2	35.1	44.9	90.2	204.8	M	Renal disease 580-590/N00-N19
0.9	1.2	3.7	6.1	8.6	11.6	30.1	41.2	87.2	166.8	F	
-	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth 630-676/A34,000-099
0.3	-	-	0.5	-	-	-	-	-	-	M	Congenital and perinatal causes 740-779/A33, P00-P96, Q00-Q99
-	-	0.2	-	-	-	-	-	-	-	F	
2.0	3.1	4.8	5.6	10.9	6.5	15.8	18.2	26.6	95.3	M	Ill-defined causes 780-799/R00-R99
1.2	0.3	1.2	1.5	1.5	5.2	3.2	11.4	16.7	107.3	F	
11.6	22.2	31.4	43.3	51.6	77.7	92.5	145.5	252.6	472.3	M	Other medical causes Rest of 001-799/ rest of A00-R99
6.0	10.4	19.4	20.6	28.5	43.2	61.1	123.7	187.7	445.1	F	
94.7	113.2	119.8	110.7	104.5	121.9	127.6	161.9	250.0	614.5	M	ALL NON-MEDICAL CAUSES E800-E999/V01-Y89
18.0	29.2	25.4	29.2	30.0	32.0	43.6	80.0	160.6	527.3	F	
16.5	16.8	17.6	16.5	12.2	17.7	13.7	18.2	27.5	25.6	M	Road traffic accidents E810-E819, E826-E829/ part of V01-V99, Y850
4.8	3.5	4.5	5.6	4.9	6.8	4.0	9.8	12.4	8.6	F	
1.2	2.3	1.3	0.3	2.6	0.9	0.5	1.8	4.3	5.7	M	Fire E890-E899/X00-X09
-	-	0.2	0.2	-	0.4	-	1.2	1.4	4.3	F	
32.2	41.4	40.9	32.2	28.4	27.9	39.1	43.1	63.6	89.6	M	Suicide E950-E959/X60-X84
4.8	9.0	10.0	8.1	9.5	9.2	7.5	16.3	12.4	22.7	F	
4.1	3.4	5.0	1.8	2.3	1.4	0.5	1.8	0.9	1.4	M	Homicide E960-E969/ X85-X99, Y00-Y09
0.6	3.5	0.5	1.0	0.9	0.8	1.6	1.2	0.5	0.6	F	
345.2	350.6	398.1	394.9	302.4	215.0	196.7	164.9	116.4	70.3	M	POPULATION
333.9	345.6	401.4	407.8	326.8	249.9	252.1	244.9	209.9	163.1	F	(1000s; UN, 2004 revision)

DENMARK: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	27761	838	8759	900.2	67.0	897.9	127.1	12.9	16.1	60.7	84.0	75.1	93.0
	F	29283	431	6089	624.6	36.2	608.7	99.6	5.3	10.9	30.5	26.8	37.3	42.7
Tuberculosis	M	23	-	7	0.8	-	0.6	-	-	-	-	-	-	-
	F	15	-	4	0.3	-	0.4	-	-	-	-	-	-	-
HIV	M	24	2	22	0.9	0.2	1.7	-	-	-	0.7	-	0.5	-
	F	5	2	3	0.2	0.2	0.2	-	0.6	-	-	-	-	0.5
Other infective and parasitic	M	129	9	38	4.2	0.8	3.6	2.9	-	0.6	0.7	0.6	-	0.5
	F	178	5	37	3.8	0.4	3.8	1.2	-	-	-	0.6	1.0	-
ALL CANCER	M	7832	83	3118	259.4	6.7	329.0	2.3	3.9	3.9	9.1	7.1	9.3	11.0
	F	7646	68	3007	197.8	5.4	298.4	1.2	0.6	3.4	2.9	4.9	9.4	15.1
Mouth and pharynx cancer	M	215	2	149	7.5	0.2	14.4	-	-	-	-	0.6	-	0.5
	F	93	-	38	2.4	-	3.7	-	-	-	-	-	-	-
Oesophagus cancer	M	280	3	153	9.6	0.2	15.6	-	-	-	-	-	0.5	1.0
	F	132	1	52	3.4	0.1	5.3	-	-	-	-	-	-	0.5
Stomach cancer	M	235	2	105	7.9	0.1	11.1	-	-	-	-	-	-	1.0
	F	133	1	40	3.2	0.1	4.1	-	-	-	-	-	-	0.5
Colorectal cancer	M	983	3	345	32.0	0.2	36.4	-	-	-	-	0.6	-	1.0
	F	1081	5	296	25.1	0.4	30.1	-	-	-	-	-	0.5	2.0
Liver cancer	M	119	1	68	4.1	0.1	7.1	-	-	-	-	-	-	0.5
	F	82	2	32	2.2	0.2	3.2	-	-	0.7	-	0.6	-	-
Pancreas cancer	M	387	1	185	13.0	0.1	19.0	-	-	-	-	-	0.5	-
	F	408	-	149	10.3	-	15.2	-	-	-	-	-	-	-
Larynx cancer	M	102	-	54	3.5	-	5.5	-	-	-	-	-	-	-
	F	24	-	8	0.7	-	0.7	-	-	-	-	-	-	-
Lung cancer	M	1997	3	892	67.4	0.2	96.8	-	-	-	-	-	-	1.4
	F	1433	3	677	40.1	0.2	68.8	-	-	-	-	-	0.5	1.0
Malignant melanoma	M	108	2	57	3.7	0.1	5.9	-	-	-	-	-	-	1.0
	F	108	3	53	3.0	0.2	4.8	-	-	-	-	0.6	0.5	0.5
Female breast cancer	F	1329	5	666	36.6	0.4	63.9	-	-	-	-	-	1.6	1.0
Cervix cancer	F	142	10	66	4.1	0.8	6.1	-	-	-	-	1.2	2.6	1.5
Other uterine cancer	F	180	1	67	4.6	0.1	6.5	-	-	-	-	-	0.5	-
Ovarian cancer	F	465	2	252	13.6	0.2	24.7	-	-	-	0.7	-	0.5	-
Prostate cancer	M	1084	-	200	33.9	-	24.2	-	-	-	-	-	-	-
Bladder cancer	M	419	-	116	13.5	-	13.8	-	-	-	-	-	-	-
	F	185	-	43	4.2	-	4.5	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	1336	39	561	44.5	3.2	55.7	2.3	3.4	2.6	3.5	3.0	6.2	1.4
	F	1347	21	401	32.0	1.7	39.8	0.6	0.6	1.4	2.2	1.8	1.0	4.5
Hodgkin's disease	M	10	1	6	0.3	0.1	0.6	-	-	-	-	-	-	0.5
	F	13	4	5	0.4	0.3	0.4	-	-	-	-	-	0.5	1.5
Myeloma and non-Hodgkin lymphomas	M	316	9	142	10.5	0.7	14.4	-	-	-	0.7	1.2	-	2.9
	F	279	3	102	6.9	0.2	10.5	-	-	-	-	-	0.5	1.0
Leukaemia	M	241	17	85	8.1	1.5	8.6	-	0.6	1.3	4.9	1.8	2.1	-
	F	212	7	60	5.1	0.6	6.1	0.6	-	1.4	-	0.6	0.5	1.0
Diabetes	M	758	4	272	24.8	0.3	28.5	-	-	-	-	-	-	1.9
	F	675	4	141	14.4	0.3	14.1	-	-	-	-	-	1.0	1.0
ALL VASCULAR DISEASE	M	9754	37	2289	307.0	2.8	246.8	0.6	-	-	2.1	3.0	4.6	9.1
	F	10777	25	1035	195.5	2.0	108.5	2.4	0.6	1.4	1.5	1.2	4.2	3.0
Rheumatic heart disease and fever	M	12	1	2	0.4	0.1	0.2	-	-	-	-	-	0.5	-
	F	11	-	2	0.2	-	0.2	-	-	-	-	-	-	-
Hypertensive disease	M	229	3	92	7.5	0.2	9.8	-	-	-	-	0.6	-	1.0
	F	272	-	27	5.2	-	2.9	-	-	-	-	-	-	-
Ischaemic heart disease	M	4743	5	1197	150.0	0.4	129.1	-	-	-	-	0.6	1.0	1.0
	F	4368	2	403	78.5	0.1	43.1	-	-	-	-	-	0.5	0.5
Pulmonary embolism and other venous	M	138	3	48	4.5	0.2	5.0	-	-	-	0.7	-	-	1.0
	F	195	3	41	4.3	0.3	3.9	-	-	-	1.5	-	-	0.5
Cerebrovascular disease	M	2032	10	416	63.4	0.7	44.9	-	-	-	-	0.6	1.0	3.4
	F	2962	4	314	54.4	0.3	32.2	-	-	-	-	-	1.6	0.5
Other vascular disease	M	2600	15	534	81.2	1.2	57.8	0.6	-	-	1.4	1.2	2.1	2.9
	F	2969	16	248	52.9	1.3	26.2	2.4	0.6	1.4	-	1.2	2.1	1.5
Chronic obstructive pulmonary disease	M	1752	2	341	55.1	0.2	40.3	0.6	-	-	-	0.6	-	-
	F	1913	2	484	45.5	0.2	53.1	-	-	-	-	0.6	-	0.5
Other respiratory disease	M	675	6	85	20.4	0.5	8.8	0.6	-	0.6	-	0.6	0.5	1.0
	F	882	4	52	15.0	0.3	5.2	1.8	-	-	-	-	0.5	-
Peptic ulcer	M	228	1	43	7.1	0.1	5.0	-	-	-	-	-	0.5	-
	F	339	1	31	6.2	0.1	3.2	-	-	-	-	-	-	0.5
Liver cirrhosis	M	574	8	489	20.6	0.5	44.4	-	-	-	-	-	-	3.8
	F	227	2	180	7.6	0.1	15.8	-	-	-	-	-	-	1.0
Renal disease	M	224	2	40	6.9	0.2	4.4	-	-	-	0.7	-	0.5	-
	F	202	-	40	4.2	-	4.0	-	-	-	-	-	-	-
Pregnancy, birth	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital and perinatal causes	M	210	179	27	9.2	14.7	2.2	96.0	-	1.3	1.4	1.2	1.5	1.4
	F	173	134	29	7.7	11.6	2.5	74.7	1.8	1.4	1.5	0.6	-	1.5
Ill-defined causes	M	1020	28	297	32.7	2.2	30.2	5.8	-	-	1.4	1.2	1.5	5.3
	F	1534	15	152	27.5	1.3	15.7	4.9	-	-	0.7	1.2	0.5	1.5
Other medical causes	M	2668	68	904	86.1	5.4	87.1	10.4	3.4	2.6	3.5	6.5	4.1	7.7
	F	3251	47	550	65.4	4.0	53.6	6.1	-	2.0	4.4	5.5	4.7	5.0
ALL NON-MEDICAL CAUSES	M	1890	409	787	65.0	32.6	65.3	8.1	5.6	7.1	41.2	63.3	51.9	51.3
	F	1466	122	344	33.6	10.3	30.1	7.3	1.8	2.7	19.6	12.2	15.7	13.1
Road traffic accidents	M	315	149	108	11.8	12.5	9.2	2.9	2.8	5.2	22.3	29.6	14.9	9.6
	F	148	46	54	4.9	4.1	4.7	0.6	1.2	2.0	11.6	5.5	4.2	3.5
Fire	M	40	8	17	1.4	0.6	1.2	-	0.6	-	0.7	0.6	2.1	0.5
	F	26	-	10	0.6	-	0.9	-	-	-	-	-	-	-
Suicide	M	533	101	321	18.9	7.9	27.0	-	-	0.6	8.4	16.0	13.9	16.3
	F	194	25	114	6.2	2.1	9.6	-	-	-	5.1	1.2	4.2	4.0
Homicide	M	35	10	21	1.3	0.8	1.6	1.2	-	-	0.7	-	1.5	1.9
	F	32	17	12	1.2	1.4	1.0	1.8	0.6	0.7	1.5	1.8	2.6	1.0
POPULATION:			M=male											
(1000s; UN, 2004 revision)			F=female											
				2639.2	1221.9	1191.0		173.9	177.7	154.9	143.3	169.0	194.5	208.6
				2700.3	1171.8	1182.0		164.7	169.0	146.5	137.8	164.1	190.5	199.2

2000: DENMARK

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
137.2	245.4	390.2	545.5	960.2	1459.0	2547.8	4069.8	6840.1	14124.1	M	ALL CAUSES	001-999/A00-Y89
78.3	132.2	250.7	389.3	614.9	1033.6	1762.2	2734.5	4139.2	11124.7	F		
-	1.0	-	-	1.2	2.3	-	6.9	7.3	7.1	M	Tuberculosis	010-018, 137/ A15-A19, B90
3.8	1.0	2.2	2.5	0.6	0.8	1.0	-	-	-	F		
0.5	0.5	-	0.5	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
1.0	2.1	2.2	4.0	2.3	7.7	5.8	13.7	36.3	64.2	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
-	1.1	2.2	2.6	2.9	3.7	13.9	13.2	18.3	73.3	F		
20.6	46.7	107.4	178.8	372.0	584.2	993.2	1433.6	2036.3	2820.3	M	ALL CANCER	140-208/C00-C97
25.6	57.4	111.5	212.2	342.1	532.8	807.3	1012.2	1242.9	1601.8	F		
1.4	2.6	10.3	12.5	22.5	18.5	32.9	28.6	29.1	27.1	M	Mouth and pharynx cancer	140-149/C00-C14
0.5	-	3.3	2.6	2.9	9.0	7.8	9.4	16.3	20.4	F		
-	1.6	8.1	13.0	17.3	27.8	41.5	46.9	53.8	65.6	M	Oesophagus cancer	150/C15
-	-	1.7	3.1	7.0	9.0	16.5	17.9	21.3	27.5	F		
0.5	2.6	3.8	7.5	9.2	19.3	34.8	40.0	45.1	88.4	M	Stomach cancer	151/C16
1.0	-	0.6	2.0	4.7	9.0	11.3	19.8	30.5	28.9	F		
1.9	4.2	11.3	18.5	43.3	70.3	105.3	169.3	268.9	430.8	M	Colorectal cancer	153, 154/C18-C21
2.0	3.8	9.9	14.8	37.2	51.5	91.1	143.1	193.1	308.7	F		
-	1.0	2.7	4.0	8.7	14.7	18.4	18.3	29.1	20.0	M	Liver cancer	155.0/C22 excl C221
1.0	-	1.7	3.1	-	9.0	7.8	10.4	14.2	16.2	F		
0.5	3.1	6.5	16.5	21.3	30.1	55.1	66.4	106.1	99.9	M	Pancreas cancer	157/C25
0.5	1.1	3.9	8.7	18.6	26.1	47.7	53.7	78.3	88.1	F		
0.5	1.6	2.7	3.0	6.9	10.0	13.5	18.3	18.9	27.1	M	Larynx cancer	161/C32
-	-	0.6	-	2.9	0.7	0.9	8.5	3.0	2.8	F		
1.0	8.9	22.7	44.0	105.5	181.6	314.0	455.4	565.4	449.4	M	Lung cancer	162/C33, C34
2.0	10.3	16.6	42.3	78.0	127.6	204.9	235.4	256.1	176.9	F		
1.0	1.0	2.7	3.5	7.5	7.0	18.4	16.0	11.6	38.5	M	Malignant melanoma	172/C43
1.5	3.8	3.9	4.6	4.1	8.2	7.8	13.2	10.2	19.7	F		
4.5	21.7	36.4	53.6	80.3	100.0	151.0	150.7	150.4	246.7	F	Female breast cancer	174/C50
4.5	4.9	3.9	4.6	4.1	6.7	13.9	16.9	18.3	21.1	F	Cervix cancer	180/C53
-	0.5	1.1	7.7	8.7	12.7	14.8	29.2	28.5	37.4	F	Other uterine cancer	179, 182/C54, C55
3.0	3.8	11.6	22.4	22.7	48.5	60.8	73.4	62.0	50.7	F	Ovarian cancer	183/C56, C570-C574
-	-	0.5	2.5	16.1	41.7	108.2	194.5	345.9	679.0	M	Prostate cancer	185/C61
0.5	1.0	2.7	3.0	6.3	19.3	63.8	70.9	126.5	219.7	M	Bladder cancer	188/C67
-	0.5	-	0.5	6.4	11.2	13.0	26.4	37.6	54.3	F		
10.6	12.1	26.4	34.5	79.0	99.7	127.5	227.7	296.5	475.0	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
1.5	7.0	11.6	32.7	48.9	65.7	111.1	154.4	236.8	372.1	F		
-	-	-	-	1.7	2.3	-	1.1	1.5	1.4	M	Hodgkin's disease	201/C81
0.5	-	-	1.0	-	1.5	-	-	2.0	1.4	F		
1.0	3.7	3.8	10.0	17.9	30.9	33.8	38.9	78.5	109.8	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
2.0	-	3.9	4.6	9.3	22.4	31.3	28.2	43.7	71.2	F		
1.9	3.1	3.2	6.5	8.7	10.8	26.1	41.2	59.6	88.4	M	Leukaemia	204-208/C91-C95
1.0	-	1.1	4.1	6.4	14.2	15.6	21.7	40.7	57.8	F		
1.9	6.8	10.8	17.0	27.1	51.8	84.1	145.3	199.1	311.0	M	Diabetes	250/E10-E14
2.0	3.3	5.0	5.6	19.8	21.6	41.7	72.5	100.6	249.5	F		
12.9	33.6	71.2	116.9	253.2	423.5	816.4	1430.2	2686.0	6176.9	M	ALL VASCULAR DISEASE	390-459/I00-I99
8.5	18.4	30.9	50.0	72.1	205.2	374.1	759.9	1465.4	5262.9	F		
-	-	-	0.5	-	-	1.0	1.1	2.9	8.6	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	-	0.6	-	0.9	0.9	3.0	3.5	F		
-	1.0	3.2	4.5	11.0	20.9	28.0	30.9	55.2	98.4	M	Hypertensive disease	401-405/I10-I15
-	-	1.1	1.5	2.3	3.0	12.2	31.1	57.9	109.2	F		
6.2	13.1	32.9	62.9	138.4	229.5	420.3	714.0	1309.6	2875.9	M	Ischaemic heart disease	410-414/I20-I25
0.5	4.9	8.8	17.3	27.3	88.8	153.6	301.3	594.5	2155.0	F		
0.5	1.6	2.7	2.5	5.2	7.0	15.5	18.3	39.2	62.8	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.5	0.5	3.3	5.1	3.5	3.7	10.4	20.7	35.6	66.2	F		
1.0	9.4	12.4	21.0	45.0	75.0	150.7	294.1	606.1	1329.5	M	Cerebrovascular disease	430-438/I60-I69
5.5	8.1	11.0	16.3	22.1	56.7	105.9	208.1	417.7	1417.9	F		
5.3	8.4	20.0	25.5	53.6	91.2	201.0	371.9	673.0	1801.7	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
2.0	4.9	6.6	9.7	16.3	53.0	91.1	197.7	356.7	1510.9	F		
1.9	1.0	5.4	12.5	21.3	55.6	184.5	327.2	623.5	990.0	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
1.0	2.2	6.1	11.2	39.0	97.8	214.4	362.5	428.9	436.9	F		
1.0	2.6	3.8	5.5	8.1	14.7	26.1	65.2	146.8	607.7	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.5	1.1	3.3	2.0	5.8	3.7	19.1	55.6	76.2	487.7	F		
-	0.5	2.2	1.5	2.3	7.0	21.3	27.5	62.5	166.9	M	Peptic ulcer	531-533/K25-K27
0.5	0.5	1.1	2.0	2.3	3.7	12.2	27.3	52.8	159.3	F		
6.2	25.2	38.9	46.0	65.2	64.9	64.7	53.8	32.0	11.4	M	Liver cirrhosis	571/K70, K74
5.5	4.3	20.4	16.8	23.9	22.4	17.4	15.1	17.3	8.5	F		
1.0	1.6	1.1	1.5	2.3	7.0	16.4	21.7	50.9	182.6	M	Renal disease	580-590/N00-N19
0.5	1.6	2.2	1.5	4.1	5.2	13.0	17.9	32.5	78.2	F		
-	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
2.9	0.5	1.1	2.5	5.8	1.5	1.0	-	5.8	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
1.5	0.5	1.7	3.1	4.1	5.2	1.7	4.7	2.0	2.1	F		
7.2	9.4	14.0	15.5	32.9	49.5	83.1	128.1	175.9	659.1	M	Ill-defined causes	780-799/R00-R99
0.5	3.8	5.5	10.2	11.6	22.4	55.6	77.2	153.5	799.2	F		
13.9	39.9	53.4	78.4	102.1	127.5	194.2	296.3	558.1	1502.1	M	Other medical causes	Rest of 001-799/ rest of A00-R99
9.5	13.5	26.5	41.8	59.9	79.9	144.1	248.6	406.5	1402.4	F		
62.8	73.4	76.6	62.9	64.0	61.1	56.0	120.1	219.5	624.8	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
21.1	23.8	33.7	29.6	27.3	29.1	46.0	65.9	139.2	558.8	F		
7.7	8.4	6.5	9.5	13.3	7.7	11.6	19.5	33.4	25.7	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
3.0	4.3	7.2	1.5	5.8	6.0	5.2	8.5	13.2	18.3	F		
2.9	0.5	1.6	3.0	0.6	-	-	5.7	4.4	10.0	M	Fire	E890-E899/X00-X09
-	-	0.6	2.6	-	2.2	0.9	0.9	3.0	8.5	F		
23.5	28.8	31.8	27.5	21.9	29.4	26.1	44.6	33.4	69.9	M	Suicide	E950-E959/X60-X84
8.0	7.0	9.9	13.8	9.3	9.0	10.4	12.2	9.1	23.3	F		
1.9	3.1	1.6	2.0	1.7	0.8	-	1.1	2.9	1.4	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.0	1.1	1.7	1.5	0.6	-	0.9	-	1.0	1.4	F		
208.5	190.7	185.3	200.2	173.4	129.4	103.5	87.4	68.8	70.1	M	POPULATION	
199.2	184.6	181.1	196.0	171.9	134.0	115.2	106.2	98.4	141.9	F	(1000s; UN, 2004 revision)	

ESTONIA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	9265	546	4963	1596.3	179.7	2050.0	266.0	42.3	34.5	90.6	237.0	251.6	335.6
	F	9138	202	2315	790.8	72.5	734.3	193.9	31.5	17.2	41.2	49.7	65.5	108.4
Tuberculosis	M	84	9	70	13.5	2.9	25.7	-	-	-	-	4.2	-	16.1
	F	22	2	18	2.8	0.6	5.3	-	-	-	-	-	-	4.4
HIV	M	3	-	3	0.5	-	1.0	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	19	7	11	3.2	2.6	4.4	9.6	2.5	-	-	4.2	2.1	-
	F	19	3	9	2.2	1.3	2.9	6.8	-	-	-	2.2	-	-
ALL CANCER	M	1806	26	1025	298.4	8.5	451.5	9.6	5.0	3.6	1.9	14.6	6.3	18.4
	F	1559	22	737	151.1	7.2	232.9	6.8	2.6	-	2.0	4.3	8.5	26.5
Mouth and pharynx cancer	M	81	-	59	13.5	-	24.5	-	-	-	-	-	-	-
	F	18	-	9	1.7	-	2.9	-	-	-	-	-	-	-
Oesophagus cancer	M	38	-	25	6.4	-	10.3	-	-	-	-	-	-	-
	F	5	-	-	0.4	-	-	-	-	-	-	-	-	-
Stomach cancer	M	206	1	113	33.8	0.3	49.9	-	-	-	-	-	-	2.3
	F	161	1	58	14.2	0.3	18.3	-	-	-	-	-	2.1	-
Colorectal cancer	M	159	-	77	26.9	-	35.0	-	-	-	-	-	-	-
	F	204	-	74	17.7	-	23.8	-	-	-	-	-	-	-
Liver cancer	M	52	1	34	8.6	0.5	15.1	3.2	-	-	-	-	-	-
	F	41	-	19	3.9	-	6.2	-	-	-	-	-	-	-
Pancreas cancer	M	87	1	58	14.4	0.3	24.7	-	-	-	-	-	-	2.3
	F	83	-	39	7.7	-	12.6	-	-	-	-	-	-	-
Larynx cancer	M	32	-	21	5.2	-	9.2	-	-	-	-	-	-	-
	F	2	-	2	0.2	-	0.6	-	-	-	-	-	-	-
Lung cancer	M	566	1	362	89.8	0.3	162.3	-	-	-	-	-	2.1	-
	F	121	-	45	10.8	-	14.5	-	-	-	-	-	-	-
Malignant melanoma	M	16	1	7	2.6	0.3	3.1	-	-	-	-	-	-	2.3
	F	35	-	18	3.3	-	5.7	-	-	-	-	-	-	-
Female breast cancer	F	277	5	183	30.7	1.6	56.6	-	-	-	-	-	-	11.1
Cervix cancer	F	61	2	37	6.9	0.6	11.3	-	-	-	-	-	-	4.4
Other uterine cancer	F	70	-	33	6.6	-	10.3	-	-	-	-	-	-	-
Ovarian cancer	F	111	-	66	11.5	-	21.1	-	-	-	-	-	-	-
Prostate cancer	M	180	-	50	32.8	-	23.7	-	-	-	-	-	-	-
Bladder cancer	M	54	-	19	9.3	-	8.9	-	-	-	-	-	-	-
	F	28	-	5	2.3	-	1.6	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	243	14	152	40.2	4.6	63.8	6.4	2.5	1.8	-	10.4	4.2	6.9
	F	231	9	105	22.5	3.0	33.5	3.4	2.6	-	-	4.3	2.1	8.8
Hodgkin's disease	M	2	1	1	0.3	0.3	0.4	-	-	-	-	-	-	2.3
	F	3	1	1	0.3	0.3	0.3	-	-	-	-	-	2.1	-
Myeloma and non-Hodgkin lymphomas	M	45	-	28	7.2	-	12.1	-	-	-	-	-	-	-
	F	60	-	25	5.5	-	7.8	-	-	-	-	-	-	-
Leukaemia	M	45	6	19	7.5	1.8	8.4	-	2.5	1.8	1.9	4.2	-	2.3
	F	48	4	18	4.7	1.4	5.8	3.4	-	-	2.0	-	2.1	2.2
Diabetes	M	55	1	32	9.3	0.3	13.9	-	-	-	-	-	2.1	-
	F	71	4	30	6.5	1.3	9.5	-	-	-	-	-	-	8.8
ALL VASCULAR DISEASE	M	4296	24	1987	760.0	7.5	854.6	3.4	-	1.8	-	8.3	16.9	25.3
	F	5686	10	938	448.8	3.2	302.3	-	-	1.9	2.0	-	8.5	6.6
Rheumatic heart disease and fever	M	24	-	22	3.8	-	9.2	-	-	-	-	-	-	-
	F	40	2	21	3.9	0.6	6.7	-	-	-	-	-	2.1	2.2
Hypertensive disease	M	133	1	78	22.4	0.3	34.1	-	-	-	-	-	2.1	-
	F	199	-	53	16.4	-	17.3	-	-	-	-	-	-	-
Ischaemic heart disease	M	2576	7	1097	462.7	2.3	478.8	-	-	-	-	2.1	-	13.8
	F	3364	2	448	259.4	0.6	146.0	-	-	1.9	-	-	-	2.2
Pulmonary embolism and other venous	M	26	-	21	4.0	-	8.9	-	-	-	-	-	-	-
	F	42	-	12	3.7	-	3.7	-	-	-	-	-	-	-
Cerebrovascular disease	M	1112	6	460	196.5	1.9	201.2	-	-	-	-	-	6.3	6.9
	F	1792	2	287	141.0	0.8	92.3	3.4	-	-	2.0	-	-	-
Other vascular disease	M	425	10	309	70.6	3.0	122.3	-	-	1.8	-	6.2	8.5	4.6
	F	249	4	117	24.3	1.2	36.3	-	-	-	-	-	6.3	2.2
Chronic obstructive pulmonary disease	M	160	1	63	26.9	0.3	29.0	-	-	-	1.9	-	-	-
	F	69	1	18	5.8	0.3	5.8	-	-	-	-	-	2.1	-
Other respiratory disease	M	273	10	204	46.0	3.4	78.4	6.4	-	-	-	2.1	6.3	9.2
	F	107	9	43	11.3	3.7	13.5	17.0	2.6	-	-	2.2	2.1	2.2
Peptic ulcer	M	54	-	39	9.0	-	16.6	-	-	-	-	-	-	-
	F	28	-	9	2.5	-	2.8	-	-	-	-	-	-	-
Liver cirrhosis	M	171	8	145	27.7	2.6	55.2	-	-	-	-	2.1	2.1	13.8
	F	95	1	72	11.1	0.3	22.1	-	-	-	-	-	2.1	-
Renal disease	M	53	1	25	9.2	0.3	11.2	-	-	-	-	-	-	2.3
	F	91	1	27	7.6	0.4	8.7	-	2.6	-	-	-	-	-
Pregnancy, birth	F	5	3	2	0.7	0.9	0.6	-	-	-	2.0	2.2	-	2.2
Congenital and perinatal causes	M	59	55	4	14.1	24.3	1.7	160.3	2.5	3.6	1.9	-	2.1	-
	F	46	39	4	10.8	18.2	1.2	115.6	5.2	-	-	2.2	4.2	-
Ill-defined causes	M	288	13	114	56.4	4.1	44.1	3.2	-	1.8	1.9	10.4	2.1	9.2
	F	534	3	28	40.3	1.1	9.1	3.4	-	-	-	-	2.1	2.2
Other medical causes	M	335	24	191	56.9	8.1	75.0	16.0	5.0	3.6	1.9	6.2	14.8	9.2
	F	323	12	115	30.4	3.8	36.5	3.4	2.6	5.7	3.9	2.2	2.1	6.6
ALL NON-MEDICAL CAUSES	M	1609	367	1050	265.2	114.7	387.8	60.9	27.4	20.0	81.1	185.0	196.6	232.2
	F	483	92	265	59.0	30.2	81.0	37.4	15.7	9.5	31.4	34.6	33.8	48.7
Road traffic accidents	M	166	76	80	25.5	22.8	28.9	-	2.5	7.3	28.3	49.9	25.4	46.0
	F	58	22	25	7.4	6.6	7.8	-	-	3.8	9.8	13.0	6.3	13.3
Fire	M	104	14	71	17.6	4.9	27.7	9.6	7.5	1.8	-	4.2	2.1	9.2
	F	47	7	22	5.7	2.7	6.6	10.2	2.6	1.9	-	-	-	4.4
Suicide	M	289	68	194	46.1	20.5	69.6	-	-	-	24.5	35.3	46.5	36.8
	F	88	18	46	10.1	5.3	14.2	-	-	1.9	9.8	2.2	16.9	6.6
Homicide	M	156	51	92	25.3	15.9	33.5	3.2	5.0	-	11.3	14.6	38.1	39.1
	F	34	9	16	4.3	2.9	4.7	3.4	-	-	2.0	6.5	6.3	2.2
POPULATION:			M=male		630.3	318.4	271.6	31.2	40.2	55.1	53.0	48.1	47.3	43.5
(1000s; UN, 2004 revision)			F=female		736.7	309.7	330.3	29.4	38.1	52.4	51.0	46.3	47.3	45.2

2000: ESTONIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
480.7	909.1	1290.5	1677.7	2271.6	3297.7	4422.8	6328.6	8233.6	18397.6	M	ALL CAUSES	001-999/A00-Y89
165.3	240.8	429.1	560.8	902.4	1051.9	1790.0	3205.0	5288.7	13768.1	F		
21.5	25.4	29.3	30.7	27.8	23.1	22.1	14.1	-	24.1	M	Tuberculosis	010-018, 137/ A15-A19, B90
6.0	9.6	7.9	4.3	-	2.1	7.2	-	-	7.2	F		
2.1	-	2.3	-	-	2.9	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
-	-	-	-	-	-	-	-	-	-	F		
-	2.1	6.8	-	3.1	11.6	7.4	4.7	-	-	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
-	-	-	-	7.3	8.3	4.8	7.5	6.9	7.2	F		
34.3	59.2	139.6	266.0	527.8	861.3	1272.1	1732.4	1962.6	2120.5	M	ALL CANCER	140-208/C00-C97
42.3	82.9	131.9	230.3	319.5	348.5	474.9	705.0	838.5	992.8	F		
4.3	2.1	4.5	28.1	43.2	63.6	25.7	51.6	46.7	72.3	M	Mouth and pharynx cancer	140-149/C00-C14
-	-	-	4.3	4.9	6.2	4.8	7.5	6.9	14.5	F		
2.1	2.1	2.3	12.8	21.6	20.2	11.0	28.2	37.4	36.1	M	Oesophagus cancer	150/C15
-	-	-	-	-	-	-	7.5	-	7.2	F		
-	6.3	18.0	35.8	64.8	80.9	143.4	239.4	224.3	204.8	M	Stomach cancer	151/C16
4.0	11.6	9.8	8.5	14.6	29.0	50.1	87.5	113.4	123.2	F		
2.1	6.3	4.5	7.7	30.9	72.3	121.3	150.2	243.0	289.2	M	Colorectal cancer	153, 154/C18-C21
2.0	3.9	7.9	10.7	24.4	41.5	76.4	102.5	116.8	199.3	F		
-	-	4.5	2.6	21.6	40.5	36.8	28.2	74.8	36.1	M	Liver cancer	155.0, 155.1/C22
-	-	-	6.4	14.6	8.3	14.3	17.5	20.6	32.6	F		
2.1	2.1	15.8	23.0	18.5	49.1	62.5	51.6	84.1	96.4	M	Pancreas cancer	157/C25
-	-	5.9	10.7	14.6	18.7	38.2	35.0	51.5	54.3	F		
-	-	4.5	5.1	21.6	14.5	18.4	37.6	18.7	12.0	M	Larynx cancer	161/C32
-	-	2.0	-	-	-	2.4	-	-	-	F		
2.1	14.8	42.8	92.1	166.7	306.4	511.0	600.9	495.3	265.1	M	Lung cancer	162/C33, C34
2.0	5.8	2.0	12.8	22.0	16.6	40.6	77.5	110.0	47.1	F		
-	2.1	2.3	2.6	-	-	14.7	18.8	28.0	12.0	M	Malignant melanoma	172/C43
-	-	3.9	6.4	4.9	8.3	16.7	17.5	24.1	10.9	F		
12.1	30.8	61.0	72.5	80.5	74.7	64.4	90.0	79.0	108.7	F	Female breast cancer	174/C50
8.1	7.7	11.8	17.1	17.1	12.4	4.8	20.0	20.6	29.0	F	Cervix cancer	180/C53
4.0	3.9	3.9	10.7	9.8	20.7	19.1	35.0	34.4	47.1	F	Other uterine cancer	179, 182/C54, C55
2.0	13.5	3.9	17.1	48.8	29.0	33.4	27.5	58.4	61.6	F	Ovarian cancer	183.0/C56
-	-	-	2.6	18.5	49.1	95.6	197.2	327.1	638.6	M	Prostate cancer	185/C61
-	-	-	-	15.4	17.3	29.4	65.7	121.5	96.4	M	Bladder cancer	188/C67
-	1.9	-	-	4.9	2.1	2.4	7.5	24.1	47.1	F		
19.3	14.8	29.3	51.2	86.4	109.8	136.0	183.1	158.9	253.0	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
2.0	1.9	11.8	40.5	46.3	58.1	74.0	97.5	137.5	137.7	F	Hodgkin's disease	201/C81
-	-	-	-	3.1	-	-	-	-	-	M		
-	-	-	-	-	2.1	-	-	-	3.6	F		
-	6.3	4.5	2.6	15.4	23.1	33.1	46.9	46.7	24.1	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
4.0	1.9	5.9	4.3	7.3	16.6	14.3	42.5	17.2	47.1	F	Leukaemia	204-208/C91-C95
2.1	2.1	6.8	-	-	14.5	33.1	32.9	56.1	84.3	M		
2.0	-	2.0	8.5	4.9	4.1	19.1	32.5	24.1	21.7	F		
-	4.2	6.8	23.0	3.1	8.7	51.5	42.3	56.1	84.3	M	Diabetes	250/E10-E14
2.0	-	3.9	2.1	4.9	24.9	28.6	40.0	44.7	29.0	F		
81.5	217.8	409.9	570.3	975.3	1502.9	2224.3	3615.0	5074.8	11710.8	M	ALL VASCULAR DISEASE	390-459/I00-I99
26.2	55.9	104.3	159.9	309.8	462.7	997.6	2085.0	3817.9	10119.6	F		
2.1	6.3	2.3	2.6	18.5	14.5	18.4	9.4	-	-	M	Rheumatic heart disease and fever	390-398/I00-I09
2.0	-	2.0	4.3	7.3	12.4	19.1	20.0	10.3	21.7	F		
2.1	10.6	18.0	15.3	34.0	52.0	106.6	108.0	102.8	241.0	M	Hypertensive disease	401-405/I10-I15
-	1.9	2.0	6.4	24.4	29.0	57.3	82.5	175.3	224.6	F		
32.2	105.7	164.4	268.5	601.9	896.0	1283.1	2197.2	3186.9	7988.0	M	Ischaemic heart disease	410-414/I20-I25
6.0	13.5	33.5	57.6	139.0	213.7	558.5	1190.0	2147.8	6568.8	F		
-	4.2	9.0	5.1	3.1	11.6	29.4	18.8	-	12.0	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
2.0	1.9	7.9	4.3	2.4	-	7.2	30.0	30.9	32.6	F		
17.2	29.6	85.6	125.3	188.3	381.5	580.9	1084.5	1486.0	3084.3	M	Cerebrovascular disease	430-438/I60-I69
10.1	9.6	31.5	61.8	85.4	147.3	300.7	695.0	1340.2	3025.4	F		
27.9	61.3	130.6	153.5	129.6	147.4	205.9	197.2	299.1	385.5	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
6.0	28.9	27.6	25.6	51.2	60.2	54.9	67.5	113.4	246.4	F		
-	2.1	-	15.3	21.6	60.7	102.9	211.3	261.7	277.1	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
4.0	1.9	3.9	-	4.9	2.1	23.9	20.0	61.9	87.0	F		
25.8	63.4	85.6	94.6	77.2	95.4	106.6	84.5	121.5	337.3	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
4.0	7.7	7.9	12.8	19.5	16.6	26.3	27.5	51.5	105.1	F		
2.1	8.5	11.3	7.7	30.9	11.6	44.1	28.2	56.1	36.1	M	Peptic ulcer	531-533/K25-K27
-	3.9	2.0	4.3	-	-	9.5	7.5	10.3	47.1	F		
21.5	42.3	45.0	92.1	55.6	75.1	55.1	46.9	46.7	36.1	M	Liver cirrhosis	571/K70, K74
6.0	13.5	35.4	14.9	39.0	29.0	16.7	30.0	17.2	18.1	F		
2.1	-	4.5	10.2	6.2	11.6	44.1	51.6	37.4	144.6	M	Renal disease	580-590/N00-N19
2.0	1.9	2.0	2.1	4.9	12.4	35.8	25.0	61.9	126.8	F		
4.0	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
-	3.9	-	-	2.4	-	2.4	2.5	3.4	3.6	F	Ill-defined causes	780-799/R00-R99
17.2	29.6	49.5	48.6	30.9	66.5	66.2	84.5	102.8	1590.4	M		
2.0	1.9	5.9	-	17.1	10.4	26.3	37.5	85.9	1677.5	F		
36.5	50.7	67.6	71.6	61.7	101.2	136.0	220.7	252.3	554.2	M	Other medical causes	Rest of 001-799/ rest of A00-R99
10.1	3.9	33.5	34.1	63.4	43.6	66.8	127.5	202.7	311.6	F		
236.1	401.7	430.2	447.6	450.6	465.3	283.1	192.5	261.7	1481.9	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
56.5	53.9	90.6	95.9	109.8	91.3	69.2	90.0	85.9	235.5	F		
27.9	27.5	36.0	23.0	34.0	46.2	7.4	28.2	18.7	24.1	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
4.0	3.9	11.8	4.3	19.5	4.1	7.2	7.5	27.5	-	F		
12.9	23.3	22.5	30.7	18.5	34.7	51.5	23.5	18.7	144.6	M	Fire	E890-E899/X00-X09
2.0	3.9	9.8	12.8	7.3	8.3	2.4	12.5	10.3	36.2	F		
38.6	95.1	103.6	69.1	83.3	60.7	36.8	37.6	102.8	96.4	M	Suicide	E950-E959/X60-X84
10.1	11.6	11.8	10.7	14.6	14.5	26.3	35.0	10.3	25.4	F		
30.0	40.2	31.5	35.8	34.0	37.6	25.7	9.4	-	132.5	M	Homicide	E960-E969/ X85-X99, Y00-Y09
2.0	5.8	13.8	2.1	4.9	2.1	2.4	5.0	-	25.4	F		
46.6	47.3	44.4	39.1	32.4	34.6	27.2	21.3	10.7	8.3	M	POPULATION	
49.6	51.9	50.8	46.9	41.0	48.2	41.9	40.0	29.1	27.6	F	(1000s; UN, 2004 revision)	

FINLAND: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by –)						
		All ages	0–34	35–69	All ages	0–34	35–69	0–4	5–9	10–14	15–19	20–24	25–29	30–34
ALL CAUSES	M	24042	946	9122	921.1	81.6	922.8	97.0	11.4	13.6	71.3	117.6	115.5	145.1
	F	25274	418	4167	524.8	38.1	398.1	70.1	11.2	16.1	28.3	39.2	43.7	57.9
Tuberculosis	M	64	–	19	2.5	–	2.1	–	–	–	–	–	–	–
	F	65	–	7	1.3	–	0.7	–	–	–	–	–	–	–
HIV	M	8	–	8	0.3	–	0.6	–	–	–	–	–	–	–
	F	2	1	1	0.1	0.1	0.1	–	–	–	–	–	–	0.6
Other infective and parasitic	M	97	8	39	3.8	0.7	4.1	2.0	0.6	–	–	1.2	–	1.1
	F	157	9	26	3.5	0.9	2.4	3.5	1.2	–	–	1.2	–	–
ALL CANCER	M	5204	54	2130	196.8	4.6	231.1	2.7	2.4	1.9	4.7	5.4	7.1	8.3
	F	5030	57	1724	124.5	5.1	164.8	2.8	2.5	1.3	4.3	3.7	8.1	12.7
Mouth and pharynx cancer	M	90	–	60	3.4	–	6.1	–	–	–	–	–	–	–
	F	59	1	14	1.3	0.1	1.2	–	–	–	–	–	–	0.6
Oesophagus cancer	M	99	–	59	3.7	–	6.2	–	–	–	–	–	–	–
	F	77	–	13	1.6	–	1.4	–	–	–	–	–	–	–
Stomach cancer	M	317	2	127	12.1	0.2	13.6	–	–	–	–	–	–	1.1
	F	245	3	75	5.9	0.3	7.2	–	–	–	–	–	0.7	1.2
Colorectal cancer	M	462	2	198	17.6	0.2	22.1	–	–	–	–	–	0.6	0.6
	F	563	2	156	13.1	0.2	15.1	–	–	–	–	–	1.3	–
Liver cancer	M	127	1	49	4.8	0.1	5.6	–	–	–	–	–	–	0.6
	F	114	–	24	2.5	–	2.4	–	–	–	–	–	–	–
Pancreas cancer	M	327	–	167	12.4	–	18.3	–	–	–	–	–	–	–
	F	394	–	113	9.2	–	11.2	–	–	–	–	–	–	–
Larynx cancer	M	24	–	11	0.9	–	1.2	–	–	–	–	–	–	–
	F	10	–	5	0.3	–	0.5	–	–	–	–	–	–	–
Lung cancer	M	1392	1	588	52.0	0.1	65.9	–	–	–	–	–	–	0.6
	F	454	2	169	11.5	0.2	16.6	–	–	–	–	–	–	1.2
Malignant melanoma	M	80	–	47	3.0	–	4.7	–	–	–	–	–	–	–
	F	58	2	25	1.5	0.2	2.5	–	–	–	–	0.6	–	0.6
Female breast cancer	F	822	5	422	22.9	0.4	37.7	–	–	–	–	–	0.7	2.3
Cervix cancer	F	77	1	38	2.1	0.1	3.2	–	–	–	–	–	–	0.6
Other uterine cancer	F	160	–	48	3.9	–	4.8	–	–	–	–	–	–	–
Ovarian cancer	F	298	2	129	8.0	0.2	12.2	–	–	–	–	–	0.7	0.6
Prostate cancer	M	750	–	159	29.1	–	19.3	–	–	–	–	–	–	–
Bladder cancer	M	145	–	30	5.5	–	3.6	–	–	–	–	–	–	–
	F	62	–	11	1.3	–	1.1	–	–	–	–	–	–	–
Other and ill-defined cancer sites	M	880	24	431	33.1	2.1	44.2	2.7	0.6	1.2	2.9	1.8	3.2	2.2
	F	1090	30	319	26.4	2.7	31.2	2.8	1.2	0.6	3.1	1.9	4.0	5.2
Hodgkin's disease	M	13	2	5	0.5	0.2	0.5	–	–	–	–	0.6	–	0.6
	F	13	1	6	0.4	0.1	0.5	–	–	–	–	–	0.7	–
Myeloma and non- Hodgkin lymphomas	M	327	9	140	12.3	0.8	13.9	–	–	–	1.2	1.8	1.3	1.1
	F	371	2	104	8.6	0.2	10.5	–	–	–	0.6	0.6	–	–
Leukaemia	M	171	13	59	6.5	1.1	6.0	–	1.8	0.6	0.6	1.2	1.9	1.7
	F	163	6	53	4.0	0.5	5.5	–	1.2	0.6	0.6	0.6	–	0.6
Diabetes	M	224	9	103	8.4	0.8	9.8	–	–	–	–	2.4	1.3	1.7
	F	348	5	61	7.4	0.4	6.0	–	–	–	–	–	1.3	1.7
ALL VASCULAR DISEASE	M	9925	63	3345	380.6	5.4	356.6	1.3	–	0.6	4.7	8.4	10.9	11.7
	F	11474	29	1074	215.7	2.6	108.1	1.4	–	1.3	0.6	3.1	3.4	8.1
Rheumatic heart disease and fever	M	14	–	4	0.5	–	0.4	–	–	–	–	–	–	–
	F	55	1	5	1.1	0.1	0.5	–	–	–	–	0.6	–	–
Hypertensive disease	M	139	1	36	5.4	0.1	4.1	–	–	–	–	0.6	–	–
	F	295	–	11	5.2	–	1.2	–	–	–	–	–	–	–
Ischaemic heart disease	M	6512	9	2276	249.6	0.8	246.3	–	–	–	–	0.6	2.6	2.2
	F	6388	4	506	117.9	0.3	52.9	0.7	–	–	–	–	–	1.7
Pulmonary embolism and other venous	M	108	4	31	4.1	0.3	3.2	–	–	–	0.6	1.2	0.6	–
	F	203	6	53	4.6	0.5	5.2	–	–	–	0.6	–	1.3	1.7
Cerebrovascular disease	M	1858	18	477	71.8	1.5	51.4	–	–	–	1.2	2.4	3.2	3.9
	F	3162	9	341	60.3	0.8	33.0	–	–	0.6	–	0.6	1.3	2.9
Other vascular disease	M	1294	31	521	49.2	2.6	51.3	1.3	–	0.6	2.9	3.6	4.5	5.6
	F	1371	9	158	26.5	0.8	15.4	0.7	–	0.6	–	1.9	0.7	1.7
Chronic obstructive pulmonary disease	M	843	2	183	32.1	0.2	21.6	–	0.6	–	–	–	–	0.6
	F	363	1	71	7.9	0.1	7.2	–	–	–	–	–	0.7	–
Other respiratory disease	M	1453	14	262	57.4	1.2	27.2	2.0	1.2	–	0.6	1.2	1.9	1.7
	F	1634	7	97	29.2	0.6	9.5	–	0.6	0.6	2.5	0.6	–	–
Peptic ulcer	M	140	1	69	5.3	0.1	6.9	–	–	–	–	–	–	0.6
	F	129	1	22	2.7	0.1	2.2	–	–	–	–	–	–	0.6
Liver cirrhosis	M	454	8	390	16.7	0.6	34.5	–	–	–	–	–	–	4.4
	F	208	1	129	6.2	0.1	11.2	–	–	–	–	–	–	0.6
Renal disease	M	96	1	20	3.8	0.1	2.4	0.7	–	–	–	–	–	–
	F	228	–	12	4.0	–	1.3	–	–	–	–	–	–	–
Pregnancy, birth Congenital and perinatal causes	F	3	3	–	0.1	0.3	–	–	–	–	–	1.2	–	0.6
	M	154	118	29	7.4	11.0	2.4	66.4	0.6	0.6	4.1	1.8	1.3	2.2
	F	121	83	26	5.6	8.1	2.1	50.7	1.2	1.3	–	0.6	1.3	1.7
Ill-defined causes	M	100	29	58	4.0	2.6	5.2	9.3	–	–	0.6	1.2	1.9	5.0
	F	78	10	32	2.3	0.9	3.0	3.5	–	–	0.6	1.2	0.7	0.6
Other medical causes	M	2427	87	721	94.3	7.5	69.0	4.7	1.2	3.1	4.7	11.3	15.4	12.2
	F	4159	47	376	78.3	4.3	36.1	4.9	2.5	4.5	1.8	5.0	6.0	5.2
ALL NON- MEDICAL CAUSES	M	2853	552	1746	107.7	46.9	149.2	8.0	4.8	7.4	51.8	84.8	75.7	95.6
	F	1275	164	509	36.0	14.6	43.3	3.5	3.1	7.1	18.5	22.4	22.2	25.5
Road traffic accidents	M	267	78	134	10.3	6.7	11.7	0.7	1.8	3.1	14.7	11.3	8.3	6.7
	F	133	44	47	4.5	4.0	4.2	2.1	1.9	2.6	5.5	5.0	7.4	3.5
Fire	M	61	14	40	2.3	1.1	3.3	–	–	0.6	0.6	1.8	–	5.0
	F	14	5	5	0.5	0.4	0.4	–	0.6	0.6	–	0.6	–	1.2
Suicide	M	873	261	540	33.0	22.1	44.2	–	–	–	20.6	41.8	40.4	51.7
	F	290	68	191	10.5	6.0	16.0	–	–	1.3	6.8	9.3	9.4	15.0
Homicide	M	94	36	53	3.6	3.0	4.1	0.7	0.6	0.6	3.5	6.0	1.9	7.8
	F	42	18	21	1.6	1.6	1.7	0.7	–	2.6	2.5	3.1	0.7	1.7
POPULATION:			M=male											
(1000s; UN, 2004 revision)			F=female											
					2526.0	1152.2	1181.7	150.5	166.6	162.1	169.8	167.5	155.8	179.9
					2650.5	1104.3	1192.1	144.0	160.7	155.0	162.3	160.6	148.9	172.8

2000: FINLAND

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
195.6	314.7	459.2	713.4	959.3	1461.6	2356.2	3861.0	6397.5	14684.3	M	ALL CAUSES	001-999/A00-Y89
82.2	134.8	209.8	294.9	409.1	645.1	1010.6	1851.6	3594.1	11512.6	F		
-	0.5	0.5	0.9	2.0	4.0	6.8	12.5	15.8	53.0	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.5	1.5	1.0	0.5	-	0.8	-	11.5	11.5	25.1	F	HIV	279.5, 279.6/B20-B24
1.0	0.5	2.0	1.9	6.1	5.7	11.6	8.0	17.5	69.9	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.1	0.5	2.0	0.9	4.7	3.0	4.9	13.1	26.7	61.2	F		
18.1	25.6	60.5	146.6	251.7	401.0	714.3	1124.1	1574.4	2402.5	M	ALL CANCER	140-208/C00-C97
25.3	46.5	81.0	129.9	191.2	287.2	392.3	618.9	841.5	1266.1	F		
-	2.1	2.0	5.1	10.2	10.5	12.5	9.1	15.8	27.5	M	Mouth and pharynx cancer	140-149/C00-C14
-	-	1.5	1.9	1.3	1.5	2.4	3.3	10.5	22.8	F	Oesophagus cancer	150/C15
-	1.0	3.0	5.1	7.5	7.3	19.3	14.8	26.3	25.4	M		
-	-	0.5	0.5	1.3	0.7	6.5	10.7	17.2	25.9	F		
1.5	1.5	3.9	8.8	15.6	25.9	37.6	62.6	80.6	184.3	M	Stomach cancer	151/C16
2.7	3.2	4.5	3.3	6.7	11.2	18.8	25.4	48.7	66.7	F		
2.1	2.6	4.9	9.8	25.8	30.7	79.2	78.6	155.9	220.3	M	Colorectal cancer	153, 154/C18-C21
1.6	2.1	5.0	15.2	12.7	30.5	38.3	73.0	92.6	171.9	F		
-	-	1.0	3.3	4.1	9.7	21.2	31.9	38.5	57.2	M	Liver cancer	155.0/C22 excl C221
0.5	-	1.5	0.9	2.0	5.2	6.5	10.7	25.8	39.2	F		
-	2.1	6.4	9.3	23.1	28.3	58.9	69.5	70.1	125.0	M	Pancreas cancer	157/C25
-	1.6	5.0	6.6	11.3	23.1	31.0	52.5	70.7	112.2	F		
-	-	-	0.9	1.4	1.6	4.8	2.3	12.3	8.5	M	Larynx cancer	161/C32
-	-	-	0.5	0.7	-	2.4	-	1.9	2.4	F		
1.5	1.0	10.8	38.6	65.1	127.7	216.2	372.4	478.1	430.1	M	Lung cancer	162/C33, C34
0.5	3.2	2.5	15.6	18.7	27.5	48.1	70.5	76.4	91.8	F		
1.0	2.1	2.5	2.8	8.8	4.9	10.6	15.9	19.3	16.9	M	Malignant melanoma	172/C43
-	1.1	-	1.9	2.0	5.2	7.3	3.3	6.7	15.7	F		
9.7	14.3	26.7	45.0	54.0	66.2	48.1	85.2	125.1	125.6	F	Female breast cancer	174/C50
2.1	3.2	3.5	3.8	2.7	3.0	4.1	5.7	15.3	11.8	F	Cervix cancer	180/C53
-	-	1.5	3.3	5.3	11.9	11.4	29.5	22.9	40.8	F	Other uterine cancer	179, 182/C54, C55
2.7	5.3	7.5	6.2	20.7	20.1	22.8	41.0	44.9	54.9	F	Ovarian cancer	183/C56, C570-C574
-	-	3.0	2.8	9.5	43.7	76.3	141.2	280.2	650.4	M	Prostate cancer	185/C61
-	0.5	-	0.5	4.1	7.3	12.5	36.4	66.5	95.3	M	Bladder cancer	188/C67
-	-	-	1.4	0.7	2.2	3.3	9.0	12.4	21.2	F		
7.7	7.2	18.2	38.2	48.8	75.2	113.9	185.6	206.7	305.1	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
4.3	7.9	16.1	16.1	37.3	52.8	84.0	130.3	194.8	296.7	F	Hodgkin's disease	201/C81
0.5	0.5	-	-	0.7	0.8	1.0	2.3	1.8	6.4	M		
-	1.1	-	0.9	-	0.7	0.8	1.6	1.0	2.4	F		
2.1	2.6	3.4	16.3	21.0	19.4	32.8	69.5	77.1	154.7	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.1	1.6	3.0	5.7	10.7	14.9	36.7	47.5	57.3	115.4	F	Leukaemia	204-208/C91-C95
1.5	2.6	1.5	5.1	6.1	8.1	17.4	31.9	45.5	95.3	M		
-	2.1	2.0	0.9	3.3	10.4	19.6	19.7	17.2	48.7	F		
6.2	5.1	6.9	6.5	10.9	12.1	21.2	41.0	52.5	97.5	M	Diabetes	250/E10-E14
1.6	2.6	2.5	3.3	2.0	8.2	22.0	35.2	60.2	138.1	F		
32.5	55.4	124.0	241.5	378.6	601.5	1062.7	1752.8	2996.5	6921.6	M	ALL VASCULAR DISEASE	390-459/I00-I99
14.5	19.6	34.7	60.7	81.3	182.3	363.8	740.2	1673.4	6056.5	F		
-	0.5	0.5	-	-	0.8	1.0	2.3	8.8	6.4	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	0.5	1.3	0.7	0.8	6.6	17.2	18.1	F	Hypertensive disease	401-405/I10-I15
-	1.0	0.5	1.9	4.7	4.9	15.4	21.6	36.8	131.4	M		
-	-	-	0.5	1.3	2.2	4.1	16.4	35.3	178.2	F		
11.4	28.7	71.4	155.9	276.8	436.5	743.2	1162.9	2001.8	4370.8	M	Ischaemic heart disease	410-414/I20-I25
3.8	6.3	12.1	19.4	28.0	93.8	207.2	415.6	954.2	3431.7	F		
-	1.0	2.0	2.8	2.0	5.7	8.7	23.9	43.8	57.2	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.5	2.1	1.0	4.3	3.3	12.6	12.2	13.1	27.7	77.7	F		
6.2	8.7	18.7	31.6	51.6	70.3	172.8	334.9	570.9	1574.2	M	Cerebrovascular disease	430-438/I60-I69
4.8	8.5	15.1	26.6	31.3	49.9	94.6	197.5	458.5	1641.3	F		
15.0	15.4	31.0	49.3	43.4	83.3	121.6	207.3	334.5	781.8	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
5.4	2.6	6.5	9.5	16.0	23.1	44.9	91.0	180.5	709.6	F	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.5	1.0	1.0	5.1	24.4	36.4	83.0	198.2	369.5	578.4	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
0.5	1.1	1.0	3.8	7.3	16.4	20.4	38.5	85.0	121.7	F		
3.1	6.2	13.8	21.4	23.1	44.5	78.2	139.0	471.1	1665.3	M		
2.7	1.6	3.0	6.6	9.3	14.1	29.4	72.1	186.2	978.8	F		
0.5	2.1	3.9	6.0	8.8	10.5	16.4	22.8	29.8	69.9	M	Peptic ulcer	531-533/K25-K27
-	-	1.5	0.5	4.0	4.5	4.9	9.0	22.0	56.5	F		
6.2	23.1	37.9	40.9	44.1	51.7	37.6	35.3	19.3	29.7	M	Liver cirrhosis	571/K70, K74
2.1	7.4	11.6	13.8	13.3	19.3	10.6	22.1	24.8	19.6	F		
-	-	2.0	-	-	2.4	12.5	13.7	26.3	101.7	M	Renal disease	580-590/N00-N19
-	-	0.5	-	0.7	3.0	4.9	9.8	28.7	136.6	F		
-	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
6.2	2.1	4.9	3.7	4.7	8.9	5.8	5.7	5.3	10.6	M	Ill-defined causes	780-799/R00-R99
0.5	2.6	1.5	1.4	4.0	5.2	5.7	3.3	2.9	22.8	F		
21.2	33.8	50.2	63.8	65.8	104.3	143.8	315.5	597.2	2120.8	M	Other medical causes	Rest of 001-799/ rest of A00-R99
5.9	16.4	17.1	24.7	38.6	52.8	97.1	204.9	534.9	2296.7	F		
99.1	155.3	148.1	170.8	136.4	174.6	160.2	192.5	217.2	555.1	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
27.9	35.9	50.8	43.1	48.6	46.9	49.8	69.7	92.6	329.7	F	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
8.8	10.3	10.8	11.6	8.8	20.2	11.6	26.2	12.3	53.0	M		
4.3	3.7	4.0	1.4	3.3	4.5	8.2	12.3	8.6	14.1	F	Fire	E890-E899/X00-X09
3.6	4.1	1.5	4.2	4.1	4.9	1.0	1.1	8.8	2.1	M		
-	1.1	1.0	0.5	-	-	-	0.8	1.9	0.8	F	Suicide	E950-E959/X60-X84
43.3	57.4	51.7	47.0	40.0	34.0	35.7	31.9	35.0	50.8	M		
15.0	12.2	20.1	14.7	22.7	12.6	14.7	11.5	7.6	7.1	F	Homicide	E960-E969/ X85-X99, Y00-Y09
5.2	7.7	4.9	3.7	3.4	4.0	-	2.3	1.8	4.2	M		
3.2	3.7	0.5	1.4	1.3	1.5	-	0.8	1.0	0.8	F		
193.8	195.1	203.2	214.9	147.4	123.7	103.6	87.8	57.1	47.2	M	POPULATION (1000s; UN, 2004 revision)	
186.1	189.2	198.8	210.9	150.1	134.4	122.6	122.0	104.7	127.4	F		

FRANCE: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	272040	11341	91484	806.0	81.4	865.7	127.7	14.5	19.1	67.7	100.6	111.2	129.2
	F	258810	5259	40871	450.1	39.4	359.3	97.2	11.0	12.9	29.5	33.6	34.6	57.0
Tuberculosis	M	610	5	157	1.7	0.0	1.5	-	-	-	-	0.1	0.2	-
	F	480	2	42	0.8	0.0	0.4	-	-	-	0.1	-	-	0.0
HIV	M	800	133	641	2.7	0.9	4.7	0.1	0.1	-	0.1	0.3	1.1	4.9
	F	212	59	144	0.7	0.4	1.0	0.1	-	-	-	0.1	0.4	2.2
Other infective and parasitic	M	4029	160	1186	11.8	1.2	11.3	5.3	0.1	0.4	0.3	0.3	1.1	0.9
	F	4484	109	601	7.7	0.8	5.4	3.2	0.3	0.4	0.4	0.3	0.4	0.8
ALL CANCER	M	86738	803	38447	263.2	5.7	374.5	3.1	3.1	2.1	5.4	5.7	8.3	12.4
	F	56908	665	19617	123.3	4.8	173.4	3.1	2.1	2.1	3.2	3.5	6.5	13.1
Mouth and pharynx cancer	M	3911	13	2734	12.9	0.1	25.0	0.1	-	-	0.1	0.2	0.1	0.2
	F	732	5	374	1.8	0.0	3.1	-	-	-	0.1	-	0.0	0.1
Oesophagus cancer	M	3477	1	2054	11.0	0.0	19.6	-	-	-	-	-	-	0.0
	F	695	2	269	1.6	0.0	2.4	-	-	-	0.1	-	-	0.0
Stomach cancer	M	3157	16	1195	9.3	0.1	11.8	-	-	-	0.1	-	0.1	0.6
	F	2011	15	483	3.8	0.1	4.3	-	-	-	-	0.1	0.2	0.5
Colorectal cancer	M	8345	29	2783	24.3	0.2	28.3	0.1	-	-	0.1	0.1	0.2	1.0
	F	7605	21	1825	14.6	0.1	16.7	-	-	-	-	0.2	0.2	0.7
Liver cancer	M	4608	12	2071	14.0	0.1	21.3	-	0.1	0.1	0.1	0.1	0.2	0.1
	F	1233	8	312	2.4	0.1	2.9	0.1	-	-	-	0.2	0.0	0.1
Pancreas cancer	M	3631	10	1686	11.1	0.1	16.7	-	-	-	0.1	-	0.2	0.2
	F	3205	4	885	6.5	0.0	8.2	-	-	-	-	0.1	0.0	0.1
Larynx cancer	M	1702	2	1105	5.5	0.0	10.3	-	-	-	-	-	-	0.1
	F	149	-	74	0.4	-	0.6	-	-	-	-	-	-	-
Lung cancer	M	20585	33	11476	64.7	0.2	111.2	0.1	-	-	0.1	0.1	0.3	1.1
	F	4246	23	2030	10.4	0.2	17.6	0.1	-	-	0.1	0.1	0.2	0.8
Malignant melanoma	M	706	37	390	2.2	0.3	3.5	-	-	-	0.1	0.2	0.3	1.1
	F	643	26	287	1.6	0.2	2.4	0.1	-	-	-	0.2	0.7	0.4
Female breast cancer	F	10950	82	5289	26.8	0.6	45.3	-	-	-	-	0.1	0.5	3.3
Cervix cancer	F	689	27	412	1.9	0.2	3.3	-	-	-	-	0.1	0.3	0.9
Other uterine cancer	F	2134	8	708	4.6	0.1	6.3	-	-	-	-	-	0.0	0.3
Ovarian cancer	F	3235	19	1376	7.6	0.1	12.4	-	-	-	-	0.3	0.4	0.3
Prostate cancer	M	9080	-	1397	24.9	-	15.1	-	-	-	-	-	-	-
Bladder cancer	M	3250	3	990	9.4	0.0	10.1	-	-	-	-	-	0.0	0.1
	F	1007	-	155	1.7	-	1.4	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	17791	424	8320	54.6	3.0	79.6	2.1	2.0	1.3	2.9	3.3	4.3	5.3
	F	12411	255	3658	25.8	1.9	32.8	1.8	1.3	1.6	1.8	1.4	2.2	3.1
Hodgkin's disease	M	168	25	82	0.5	0.2	0.7	-	-	0.1	0.2	0.3	0.2	0.5
	F	117	23	35	0.3	0.2	0.3	-	0.1	-	0.2	0.2	0.3	0.4
Myeloma and non- Hodgkin lymphomas	M	3633	63	1308	10.7	0.4	13.0	0.1	0.2	0.2	0.3	0.5	1.1	0.9
	F	3494	33	887	7.0	0.2	8.1	0.2	-	0.1	0.2	0.3	0.3	0.6
Leukaemia	M	2694	135	856	7.9	1.0	8.4	0.8	0.9	0.5	1.5	1.0	1.2	0.9
	F	2352	114	558	4.8	0.8	5.0	0.9	0.7	0.5	1.0	0.5	0.9	1.3
Diabetes	M	4951	23	1369	14.2	0.2	13.8	-	-	0.1	0.1	0.2	0.4	0.5
	F	5865	10	754	9.7	0.1	7.1	-	-	-	0.1	0.2	0.0	0.2
ALL VASCULAR DISEASE	M	75140	455	17694	212.9	3.2	173.8	3.6	0.5	0.8	2.0	3.4	4.7	7.5
	F	86773	303	6026	129.6	2.2	54.9	3.1	0.3	1.0	1.2	1.6	2.5	5.6
Rheumatic heart disease and fever	M	622	3	183	1.8	0.0	1.8	-	-	-	-	0.1	-	0.0
	F	1164	8	171	2.0	0.1	1.6	0.1	-	0.1	0.1	-	-	0.1
Hypertensive disease	M	2735	3	659	7.8	0.0	6.6	-	-	-	-	0.1	-	0.1
	F	4891	3	302	7.2	0.0	2.8	-	-	0.1	-	-	-	0.0
Ischaemic heart disease	M	25339	63	7470	73.0	0.4	72.7	0.3	-	-	0.2	0.3	0.6	1.7
	F	19991	18	1514	30.3	0.1	14.0	-	-	0.1	0.1	-	0.2	0.5
Pulmonary embolism and other venous	M	2319	20	584	6.6	0.1	5.7	-	-	-	0.1	0.1	0.2	0.6
	F	4118	33	486	6.7	0.2	4.4	-	0.1	-	0.3	0.6	0.4	0.3
Cerebrovascular disease	M	15940	112	3065	44.5	0.8	30.5	0.9	0.2	0.3	0.4	1.0	1.3	1.5
	F	22464	103	1687	34.1	0.7	15.1	1.0	0.1	0.3	0.2	0.3	0.9	2.4
Other vascular disease	M	28185	254	5733	79.3	1.8	56.5	2.5	0.4	0.5	1.4	1.8	2.6	3.5
	F	34145	138	1866	49.4	1.0	16.9	2.1	0.1	0.5	0.5	0.6	1.0	2.3
Chronic obstructive pulmonary disease	M	5862	44	1247	16.5	0.3	12.8	0.3	0.2	0.3	0.3	0.3	0.4	0.5
	F	3661	27	526	6.2	0.2	4.7	0.1	-	0.2	0.3	0.2	0.2	0.5
Other respiratory disease	M	12451	101	1897	34.5	0.7	19.2	1.6	0.1	0.3	0.6	0.8	0.7	1.2
	F	13692	80	746	19.8	0.6	6.8	1.3	0.1	0.2	0.4	0.7	0.7	0.8
Peptic ulcer	M	503	9	121	1.4	0.1	1.2	-	-	-	0.1	-	0.1	0.2
	F	522	2	48	0.8	0.0	0.4	-	-	-	-	-	-	0.0
Liver cirrhosis	M	5975	40	4390	19.8	0.3	40.1	0.1	-	-	-	-	0.3	1.5
	F	2544	31	1773	7.4	0.2	15.1	0.1	-	0.1	0.1	0.1	0.1	1.1
Renal disease	M	2663	24	433	7.4	0.2	4.4	0.5	-	0.1	-	0.1	0.3	0.2
	F	2684	12	244	4.2	0.1	2.2	0.1	-	-	0.1	0.1	0.1	0.3
Pregnancy, birth Congenital and perinatal causes	F	50	32	18	0.2	0.2	0.1	-	-	-	-	0.2	0.5	0.9
	M	1760	1442	206	7.1	11.0	1.7	69.7	1.1	1.3	1.2	1.0	1.3	1.1
	F	1370	1055	171	5.5	8.4	1.4	53.9	1.1	0.9	0.8	0.9	0.5	1.0
Ill-defined causes	M	14087	1225	4706	42.5	8.8	41.9	19.1	0.9	0.7	4.0	9.2	12.5	15.3
	F	18432	571	1762	29.4	4.3	15.0	13.4	0.7	0.4	1.9	4.3	3.5	5.8
Other medical causes	M	31718	991	8418	91.6	7.1	78.1	13.0	2.4	3.1	4.8	6.2	7.7	12.7
	F	44450	600	4427	70.4	4.5	39.2	10.6	2.8	2.4	2.8	3.4	3.7	5.9
ALL NON- MEDICAL CAUSES	M	24753	5886	10572	78.8	41.7	86.6	11.3	6.2	10.0	49.0	73.1	72.1	70.2
	F	16683	1701	3972	34.6	12.5	32.0	8.2	3.6	5.1	18.3	18.3	15.3	18.7
Road traffic accidents	M	5423	2762	2007	18.3	19.7	16.1	3.0	2.9	5.1	30.6	41.9	32.2	22.1
	F	1906	769	707	5.9	5.7	5.6	1.7	1.5	2.6	11.3	10.2	7.1	5.4
Fire	M	278	54	159	0.9	0.4	1.3	0.9	0.4	0.2	0.3	0.5	0.3	0.3
	F	165	33	64	0.4	0.3	0.5	0.8	0.1	0.3	-	0.3	0.1	0.2
Suicide	M	7973	1594	4551	25.9	11.1	36.2	-	0.1	1.7	7.5	16.5	22.5	29.6
	F	2864	435	1716	8.4	3.1	13.4	-	-	0.4	3.4	3.9	5.3	8.6
Homicide	M	311	136	152	1.1	1.0	1.1	1.3	0.6	0.4	0.7	1.2	1.3	1.5
	F	192	70	95	0.6	0.5	0.7	0.8	0.4	0.4	0.3	0.7	0.5	0.6
POPULATION:			M=male											
(1000s; UN, 2004 revision)			F=female											
					28847	13754	12406	1868	1834	1952	1980	1946	2079	2095
					30431	13312	12843	1778	1753	1865				

2000: FRANCE

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
182.4	301.7	470.3	646.9	922.1	1389.8	2146.6	3215.2	5116.4	12166.1	M	ALL CAUSES	001-999/A00-Y89
87.8	135.8	210.5	271.3	381.8	559.5	868.2	1432.2	2617.0	9976.1	F		
0.3	0.5	0.7	0.7	2.1	2.2	4.2	6.1	16.0	32.9	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.0	0.2	0.2	0.1	0.4	0.6	1.2	4.6	7.9	16.9	F		
9.0	8.6	4.8	2.9	3.2	2.9	1.9	1.5	0.6	0.7	M	HIV	279.5, 279.6/B20-B24
2.7	1.1	1.2	0.5	0.6	0.9	0.3	0.2	0.2	0.3	F		
3.0	3.8	5.2	8.2	10.5	18.4	30.1	48.5	76.9	201.3	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.1	1.5	2.7	3.1	5.5	9.2	14.8	26.7	48.2	174.5	F		
26.4	75.7	169.9	281.7	433.4	663.1	971.3	1290.7	1711.3	2530.7	M	ALL CANCER	140-208/C00-C97
31.3	58.8	99.2	139.0	208.7	282.5	394.3	537.3	726.5	1241.9	F		
1.4	7.3	18.2	29.4	34.7	42.5	41.2	44.8	42.8	41.8	M	Mouth and pharynx cancer	140-149/C00-C14
0.4	1.5	3.5	3.2	4.3	4.8	4.4	5.4	6.0	12.6	F		
1.1	4.1	11.0	17.5	25.1	34.4	43.8	50.5	56.5	52.4	M	Oesophagus cancer	150/C15
0.1	0.6	1.3	1.8	3.2	4.3	5.7	6.6	7.7	14.6	F		
1.1	2.5	4.5	8.0	11.7	21.7	32.9	46.5	68.6	114.8	M	Stomach cancer	151/C16
1.2	1.6	1.9	2.8	3.6	6.0	13.0	15.7	25.2	60.9	F		
1.6	3.8	8.1	14.9	30.1	49.8	89.7	134.2	202.0	315.6	M	Colorectal cancer	153, 154/C18-C21
1.1	2.9	7.4	10.6	17.3	30.6	47.3	71.0	103.7	215.6	F		
0.8	2.2	5.0	10.3	21.3	40.4	69.1	90.2	97.1	96.0	M	Liver cancer	155.0/C22 excl C221
0.4	0.5	0.9	1.0	3.6	4.5	9.6	14.5	19.0	29.3	F		
0.9	3.0	5.7	11.1	21.7	32.9	41.6	57.7	71.5	93.6	M	Pancreas cancer	157/C25
0.5	1.1	2.6	5.1	10.0	15.5	22.7	34.0	50.1	75.2	F		
0.3	2.7	6.3	11.1	14.6	16.0	20.9	22.5	21.6	22.3	M	Larynx cancer	161/C32
-	0.1	0.8	0.5	0.8	0.8	1.4	1.5	1.2	2.4	F		
5.2	22.5	52.4	90.1	136.7	201.8	269.6	322.6	355.6	339.9	M	Lung cancer	162/C33, C34
2.2	8.7	12.0	15.9	22.9	26.0	35.6	43.3	52.6	57.3	F		
1.2	1.7	2.5	3.3	3.7	4.6	7.7	8.5	10.3	13.2	M	Malignant melanoma	172/C43
1.3	1.5	1.9	2.5	2.8	3.2	3.4	5.4	6.1	11.1	F		
11.5	19.9	31.8	45.6	60.9	67.1	80.6	95.7	113.3	174.8	F	Female breast cancer	174/C50
2.7	3.1	2.7	3.7	3.5	3.3	3.8	4.8	5.7	6.9	F	Cervix cancer	180/C53
1.5	1.8	3.0	4.8	6.6	11.2	15.3	23.2	29.3	45.0	F	Other uterine cancer	179, 182/C54, C55
1.2	3.2	6.0	9.3	15.9	22.8	28.4	34.8	42.2	50.9	F	Ovarian cancer	183/C56, C570-C574
0.0	0.2	1.3	3.7	9.0	28.8	62.9	115.2	231.4	598.5	M	Prostate cancer	185/C61
0.3	0.9	2.5	5.8	8.8	18.8	34.1	49.9	75.3	144.0	M	Bladder cancer	188/C67
-	0.0	0.9	0.8	1.5	3.1	3.7	8.6	13.5	35.1	F		
8.7	19.3	43.2	64.4	92.7	133.8	194.9	250.7	325.6	475.5	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
5.2	9.1	17.2	23.1	37.3	54.8	82.8	112.8	161.7	304.0	F		
0.4	0.5	0.6	0.5	0.7	1.1	1.2	1.3	2.1	3.9	M	Hodgkin's disease	201/C81
0.2	0.2	0.1	0.1	0.5	0.4	0.6	0.8	1.7	1.7	F		
1.8	2.6	4.8	7.0	14.3	22.4	38.0	55.9	86.3	123.1	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.0	1.7	2.8	5.0	8.9	14.5	23.1	38.1	56.0	83.1	F	Leukaemia	204-208/C91-C95
1.7	2.3	3.8	4.7	8.5	14.1	23.6	40.2	64.4	96.3	M		
1.1	1.2	2.2	3.3	5.1	9.5	13.0	21.0	31.9	61.3	F		
1.2	2.0	4.3	7.8	13.3	21.0	47.2	72.5	117.1	237.9	M	Diabetes	250/E10-E14
0.6	0.5	1.6	3.0	5.3	12.3	26.7	46.8	81.5	213.3	F		
18.5	42.7	73.1	110.8	171.0	290.9	509.7	905.4	1652.6	4438.0	M	ALL VASCULAR DISEASE	390-459/I00-I99
7.5	13.2	22.9	31.0	47.3	86.0	176.8	382.4	858.8	4018.3	F		
-	0.4	0.8	0.9	1.9	3.3	5.6	8.1	15.0	29.5	M	Rheumatic heart disease and fever	390-398/I00-I09
0.1	0.2	0.2	0.5	1.6	3.4	5.4	10.1	18.5	38.0	F		
0.3	1.4	2.2	3.8	6.6	11.5	20.5	28.9	56.1	171.9	M	Hypertensive disease	401-405/I10-I15
0.1	0.4	0.5	1.6	2.9	4.8	9.6	22.0	47.9	229.8	F		
7.4	18.2	32.6	51.9	73.9	123.0	202.1	341.0	568.0	1242.5	M	Ischaemic heart disease	410-414/I20-I25
1.1	2.5	5.2	7.0	11.7	20.0	50.5	105.7	231.5	878.7	F		
0.7	1.8	2.7	3.2	5.7	8.7	17.2	29.1	49.9	130.7	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.6	1.3	2.1	2.7	3.8	7.3	12.9	21.7	44.2	171.1	F		
3.5	6.8	12.5	16.4	27.9	50.3	95.8	187.7	376.8	1008.2	M	Cerebrovascular disease	430-438/I60-I69
3.2	4.6	7.7	8.6	13.7	22.3	46.0	106.5	245.7	1005.5	F		
6.5	14.2	22.4	34.6	54.9	94.1	168.5	310.6	586.7	1855.2	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
2.3	4.3	7.2	10.5	13.7	28.2	52.4	116.3	271.1	1695.1	F		
0.8	1.4	3.3	6.7	10.0	21.3	45.8	79.8	129.6	348.9	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.8	1.1	2.2	3.1	4.1	7.4	14.4	25.1	41.0	139.9	F	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.3	3.4	5.9	9.9	18.0	31.0	64.9	128.8	244.2	935.9	M		
1.3	2.1	2.6	3.7	4.6	11.5	21.5	44.0	107.9	681.3	F		
0.1	0.3	0.6	0.8	1.3	2.1	3.1	5.3	11.4	29.3	M	Peptic ulcer	531-533/K25-K27
-	0.1	0.3	0.3	0.4	0.7	1.2	3.2	6.1	21.9	F		
6.6	16.2	28.8	39.4	48.9	64.5	76.4	67.4	56.1	44.6	M	Liver cirrhosis	571/K70, K74
2.9	7.5	11.9	16.3	19.2	24.3	23.4	20.9	19.6	12.3	F		
0.3	0.5	1.4	2.1	4.3	7.7	14.6	27.6	51.8	196.6	M	Renal disease	580-590/N00-N19
0.2	0.8	0.8	0.9	2.1	3.3	7.6	13.8	28.6	117.1	F		
0.5	0.3	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
1.1	1.4	1.6	1.7	2.2	2.1	2.1	3.2	3.2	6.7	M	Ill-defined causes	780-799/R00-R99
0.8	1.0	0.9	1.8	1.9	2.0	1.4	2.4	2.1	5.2	F		
18.3	24.4	31.1	36.2	46.9	56.7	79.5	110.8	188.3	717.7	M		
6.7	7.7	11.5	11.2	14.5	21.3	32.0	55.8	119.4	864.2	F		
19.8	34.5	51.9	59.3	78.3	117.5	185.0	321.7	615.4	1821.1	M	Other medical causes	Rest of 001-799/ rest of A00-R99
9.1	15.1	21.0	27.3	35.5	60.4	105.6	198.1	444.8	1940.7	F		
75.7	86.2	87.5	78.8	78.8	88.5	110.8	145.9	241.9	623.7	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
22.2	25.0	31.4	29.8	31.5	37.2	47.1	70.9	124.2	528.3	F		
17.3	17.5	17.7	13.3	15.5	14.7	16.6	17.5	27.6	30.6	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
5.3	4.6	5.8	5.0	5.4	6.4	6.7	9.2	12.0	9.3	F		
1.2	1.3	1.7	0.9	1.2	1.5	1.4	1.0	2.3	4.6	M	Fire	E890-E899/X00-X09
0.3	0.4	0.8	0.5	0.6	0.3	0.5	0.7	1.4	2.5	F		
37.4	42.7	39.7	33.2	29.2	32.9	38.5	46.0	65.9	102.7	M	Suicide	E950-E959/X60-X84
10.6	12.9	15.3	13.7	13.6	13.7	14.4	15.8	16.9	17.2	F		
1.9	1.3	1.6	1.1	0.9	0.8	0.5	0.6	0.8	1.2	M	Homicide	E960-E969/ X85-X99, Y00-Y09
0.8	0.8	0.8	0.8	0.5	1.0	0.3	0.6	0.8	0.6	F		
2162	2113	2079	2105	1404	1293	1251	1090	851	745	M	POPULATION	
2188	2156	2121	2114	1424	1384	1456	1409	1271	1596	F	(1000s; UN, 2004 revision)	

GERMANY: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by –)						
		All ages	0–34	35–69	All ages	0–34	35–69	0–4	5–9	10–14	15–19	20–24	25–29	30–34
ALL CAUSES	M	388981	12100	149421	893.4	68.0	885.1	116.8	12.9	14.7	60.9	92.8	83.2	94.4
	F	449816	5813	75056	545.6	35.6	426.3	92.8	9.6	11.1	27.3	32.2	32.1	43.8
Tuberculosis	M	396	11	157	0.9	0.1	0.9	0.0	–	–	0.0	0.1	0.1	0.1
	F	211	1	60	0.3	0.0	0.3	–	–	–	–	–	–	0.0
HIV	M	477	72	398	1.0	0.3	1.9	0.0	–	–	0.0	0.0	0.5	1.6
	F	103	22	74	0.2	0.1	0.3	0.1	–	–	–	0.0	0.3	0.4
Other infective and parasitic	M	4198	146	1697	9.5	0.9	10.0	2.6	0.2	0.4	0.5	0.7	0.6	1.0
	F	4744	100	1016	6.2	0.6	5.8	1.9	0.2	0.4	0.4	0.5	0.3	0.6
ALL CANCER	M	109625	959	52102	242.7	5.0	313.3	3.0	2.8	2.8	3.8	4.5	7.4	10.7
	F	101113	900	34951	144.9	4.8	197.2	2.3	2.4	2.4	2.2	4.1	6.4	13.5
Mouth and pharynx cancer	M	3576	12	2834	8.0	0.1	16.2	–	–	–	0.0	–	0.1	0.3
	F	1069	9	563	1.8	0.0	3.1	0.1	0.0	–	–	0.0	0.1	0.1
Oesophagus cancer	M	3188	4	2242	7.0	0.0	13.1	–	–	–	–	–	0.1	0.1
	F	937	3	369	1.4	0.0	2.1	–	–	–	–	0.0	–	0.1
Stomach cancer	M	6909	31	2993	15.4	0.1	18.1	–	–	–	–	0.0	0.3	0.6
	F	6223	43	1649	8.2	0.2	9.3	–	–	–	0.0	0.2	0.4	0.9
Colorectal cancer	M	13658	40	5871	30.2	0.2	35.8	–	–	–	0.1	0.1	0.3	0.7
	F	15329	35	3610	19.5	0.2	20.7	–	–	–	0.0	0.0	0.4	0.7
Liver cancer	M	3110	15	1546	6.7	0.1	9.4	0.1	0.0	–	0.0	0.1	0.2	0.1
	F	1605	10	424	2.2	0.1	2.5	0.1	–	–	0.0	0.0	0.0	0.1
Pancreas cancer	M	5750	17	2991	12.6	0.1	17.9	–	–	–	–	0.0	0.0	0.4
	F	6366	4	1832	8.6	0.0	10.5	–	–	–	–	0.0	–	0.1
Larynx cancer	M	1382	2	899	3.0	0.0	5.3	–	–	–	–	–	–	0.1
	F	181	1	102	0.3	0.0	0.6	–	–	–	–	–	–	0.0
Lung cancer	M	29144	32	16009	63.0	0.1	97.0	–	0.0	0.0	–	0.1	0.2	0.6
	F	9846	29	4548	15.6	0.1	25.7	–	–	0.0	–	0.0	0.4	0.5
Malignant melanoma	M	1161	42	681	2.6	0.2	3.9	0.0	–	–	0.2	0.1	0.6	0.5
	F	1017	25	452	1.6	0.1	2.5	–	–	–	0.0	0.2	0.2	0.4
Female breast cancer	F	17814	135	8480	28.4	0.6	47.0	–	–	–	–	0.1	0.4	3.7
Cervix cancer	F	1882	46	1057	3.3	0.2	5.6	–	–	–	–	0.1	0.4	1.0
Other uterine cancer	F	2720	4	816	3.7	0.0	4.7	–	–	0.0	–	–	–	0.1
Ovarian cancer	F	6113	41	2524	9.2	0.2	14.3	–	–	0.1	0.1	0.3	0.4	0.6
Prostate cancer	M	11107	1	2404	25.7	0.0	15.3	–	–	–	–	–	–	0.0
Bladder cancer	M	3804	6	1013	8.7	0.0	6.3	0.0	0.0	–	–	0.0	0.0	0.1
	F	2173	3	351	2.6	0.0	2.0	–	–	–	–	–	–	0.1
Other and ill-defined cancer sites	M	18703	470	9051	41.6	2.5	53.6	1.4	1.9	1.4	1.7	2.1	3.9	4.9
	F	19785	299	5836	27.2	1.7	33.3	1.0	1.5	1.2	1.1	1.5	2.2	3.3
Hodgkin's disease	M	230	21	120	0.5	0.1	0.7	–	–	–	0.1	0.1	0.2	0.3
	F	214	19	74	0.3	0.1	0.4	0.1	–	–	0.0	0.2	0.2	0.2
Myeloma and non-Hodgkin lymphomas	M	4395	70	2026	9.7	0.4	12.1	0.3	0.2	0.1	0.2	0.6	0.5	0.6
	F	4498	36	1336	6.2	0.2	7.7	0.1	0.1	0.1	0.0	0.3	0.4	0.4
Leukaemia	M	3508	196	1422	7.9	1.1	8.5	1.0	0.6	1.3	1.4	1.1	0.9	1.4
	F	3341	158	928	4.8	0.9	5.2	1.0	0.7	1.0	0.7	0.9	1.0	1.2
Diabetes	M	7648	44	2678	17.4	0.2	16.4	–	–	–	0.1	0.3	0.3	0.8
	F	13532	21	1413	15.0	0.1	8.4	–	–	0.1	–	0.1	0.1	0.4
ALL VASCULAR DISEASE	M	161360	735	47331	374.8	3.7	288.3	2.6	0.7	1.3	2.3	4.3	5.6	9.5
	F	233683	432	18596	250.7	2.4	108.9	2.4	0.3	0.8	1.5	2.2	3.6	5.7
Rheumatic heart disease and fever	M	684	12	228	1.5	0.1	1.4	0.1	–	0.0	0.1	–	0.1	0.1
	F	1581	6	239	1.9	0.0	1.4	0.1	–	0.1	0.0	0.1	–	–
Hypertensive disease	M	5711	20	1508	13.5	0.1	9.2	0.1	–	–	0.1	0.1	0.2	0.3
	F	13064	12	915	13.8	0.1	5.4	0.1	–	–	–	0.0	0.1	0.2
Ischaemic heart disease	M	78879	150	25788	180.7	0.7	157.8	–	–	–	0.2	0.5	1.1	3.0
	F	88802	43	7789	96.1	0.2	46.1	–	–	–	0.1	0.1	0.4	0.8
Pulmonary embolism and other venous	M	4369	47	1841	9.9	0.2	10.9	0.0	0.0	0.0	0.2	0.3	0.4	0.6
	F	6856	74	1337	8.5	0.4	7.6	0.1	–	0.1	0.2	0.6	0.6	1.2
Cerebrovascular disease	M	29179	127	6680	68.5	0.6	41.2	0.3	0.1	0.2	0.3	0.7	1.1	1.7
	F	51607	116	3801	55.1	0.6	22.1	0.3	0.1	0.1	0.3	0.5	1.1	1.9
Other vascular disease	M	42538	379	11286	100.7	2.0	67.8	2.0	0.6	1.0	1.4	2.7	2.8	3.8
	F	71773	181	4515	75.3	1.1	26.3	1.9	0.2	0.5	0.9	0.9	1.4	1.6
Chronic obstructive pulmonary disease	M	15434	62	4150	35.1	0.3	26.2	0.9	0.1	0.4	0.3	0.4	0.4	0.5
	F	10410	43	1690	12.5	0.2	9.9	0.2	0.1	0.3	0.3	0.4	0.2	0.4
Other respiratory disease	M	11681	123	2475	28.0	0.7	15.0	1.4	0.0	0.5	0.5	0.6	0.8	1.0
	F	14281	79	1133	15.4	0.5	6.6	0.9	0.1	0.0	0.5	0.6	0.7	0.5
Peptic ulcer	M	1376	10	526	3.2	0.0	3.1	–	–	–	–	–	0.1	0.2
	F	1843	5	228	2.1	0.0	1.3	0.1	0.0	–	–	0.0	–	0.0
Liver cirrhosis	M	11608	182	9040	25.5	0.8	50.7	–	0.0	0.0	–	0.2	1.0	4.2
	F	5657	83	3555	10.3	0.4	19.4	0.1	0.0	0.0	–	0.2	0.3	2.0
Renal disease	M	3589	26	916	8.4	0.1	5.6	0.1	–	–	0.1	0.1	0.4	0.2
	F	4666	15	550	5.3	0.1	3.2	0.2	0.1	0.0	0.0	0.0	0.1	0.1
Pregnancy, birth	F	43	29	14	0.1	0.2	0.1	–	–	–	0.1	0.2	0.5	0.2
Congenital and perinatal causes	M	1674	1519	131	6.2	10.6	0.7	70.0	0.8	0.5	0.8	0.9	0.8	0.5
	F	1443	1238	145	5.4	9.1	0.8	58.4	0.8	1.0	1.1	0.6	0.6	0.8
Ill-defined causes	M	11349	1018	5820	26.8	6.0	32.5	19.8	0.7	0.8	2.2	5.0	6.2	7.1
	F	12440	527	2257	16.2	3.4	12.5	14.3	0.7	0.4	1.1	2.0	2.3	3.1
Other medical causes	M	26846	1492	11065	62.2	8.0	63.0	8.1	2.7	2.2	5.1	11.2	12.5	14.4
	F	32844	651	5659	40.6	3.9	31.8	5.8	2.0	1.8	3.7	4.5	4.4	5.0
ALL NON-MEDICAL CAUSES	M	21720	5701	10935	51.6	31.1	57.3	8.7	4.8	5.7	45.1	64.5	46.5	42.5
	F	12803	1667	3715	20.5	9.8	19.8	6.2	2.7	3.7	16.3	16.7	12.1	11.1
Road traffic accidents	M	5206	2603	2066	13.0	14.6	10.6	1.5	1.6	2.7	29.3	35.5	18.2	13.6
	F	2026	825	714	4.5	4.9	3.8	1.5	1.2	2.3	11.0	9.3	5.5	3.8
Fire	M	256	55	145	0.6	0.3	0.7	0.2	0.4	0.2	0.2	0.3	0.4	0.5
	F	219	18	70	0.4	0.1	0.4	0.4	0.1	0.0	0.1	0.0	0.1	0.1
Suicide	M	8131	1602	4939	18.7	8.3	25.8	–	–	1.0	8.6	16.1	15.8	16.6
	F	2934	385	1610	5.6	2.1	8.5	–	–	0.3	2.9	3.2	3.8	4.4
Homicide	M	321	124	177	0.8	0.7	0.9	1.0	0.4	0.2	0.5	0.9	0.9	0.9
	F	281	113	127	0.7	0.7	0.6	1.2	0.3	0.3	0.5	1.3	0.7	0.7
POPULATION:			M=male		40159	17449	19478	2016	2159	2422	2403	2287	2592	3569
(1000s; UN, 2004 revision)														

2000: GERMANY

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
140.8	248.1	391.4	610.0	922.2	1441.6	2441.3	3804.6	5863.4	15258.5	M	ALL CAUSES	001-999/A00-Y89
72.8	127.3	201.0	317.5	442.6	668.8	1153.7	1967.3	3371.4	12219.0	F		
0.2	0.4	0.6	0.9	0.9	1.2	2.2	3.9	8.2	12.1	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.0	0.1	0.3	0.3	0.3	0.4	1.0	1.2	2.3	3.7	F		
2.7	2.8	2.1	2.0	1.5	1.5	0.9	0.2	0.3	0.1	M	HIV	279.5, 279.6/B20-B24
0.9	0.7	0.3	0.1	0.2	0.1	0.0	0.2	0.1	-	F		
2.1	2.6	5.0	7.1	10.8	15.2	27.4	47.7	68.7	130.3	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.4	2.2	2.2	2.9	5.0	8.9	17.9	30.0	43.9	99.4	F		
20.6	47.7	105.1	212.2	356.1	556.6	894.7	1282.1	1672.6	2816.2	M	ALL CANCER	140-208/C00-C97
28.1	54.3	96.3	161.6	237.8	325.5	476.6	659.1	868.4	1596.3	F		
1.1	4.7	11.7	18.8	25.2	24.6	27.2	24.0	19.4	23.9	M	Mouth and pharynx cancer	140-149/C00-C14
0.3	1.1	2.1	3.9	5.1	4.2	5.3	5.3	6.0	12.5	F		
0.8	2.2	6.1	12.6	17.6	24.5	27.7	27.3	27.0	35.9	M	Oesophagus cancer	150/C15
0.1	0.4	0.9	1.8	3.2	3.7	4.5	6.6	7.0	13.4	F		
1.6	2.9	5.9	12.0	17.7	32.2	54.3	81.5	113.7	208.4	M	Stomach cancer	151/C16
2.0	2.3	4.6	6.6	9.9	15.1	24.7	38.6	53.9	124.0	F		
1.7	3.8	8.1	20.7	39.0	65.6	111.9	169.8	226.3	401.4	M	Colorectal cancer	153, 154/C18-C21
1.7	2.9	6.9	12.2	24.0	37.2	59.7	92.2	140.0	325.9	F		
0.3	1.0	2.5	5.1	9.0	18.0	30.1	40.5	49.3	61.4	M	Liver cancer	155.0/C22 excl C221
0.2	0.5	0.9	1.6	2.4	4.0	7.6	13.6	16.9	25.7	F		
0.8	2.1	5.4	12.4	22.6	33.8	48.1	67.9	83.7	121.2	M	Pancreas cancer	157/C25
0.3	1.3	4.1	6.9	11.6	20.2	28.9	47.2	63.8	106.0	F		
0.3	1.0	2.8	4.8	7.8	8.2	12.2	14.4	14.8	16.0	M	Larynx cancer	161/C32
0.1	0.1	0.4	0.8	0.8	0.7	1.2	1.2	0.7	1.8	F		
2.8	11.1	27.9	63.4	113.0	174.8	286.0	374.7	424.7	442.5	M	Lung cancer	162/C33, C34
2.1	7.2	14.2	24.6	33.3	40.0	58.6	77.2	81.4	94.6	F		
0.9	1.4	2.6	3.5	4.6	6.1	8.2	10.5	11.8	22.1	M	Malignant melanoma	172/C43
0.9	1.2	1.7	1.9	2.7	3.6	5.6	6.3	7.5	12.0	F		
8.5	16.7	29.9	48.2	64.5	74.3	87.1	101.5	120.4	218.6	F	Female breast cancer	174/C50
3.0	4.7	5.8	5.5	5.7	6.4	8.2	9.2	11.1	17.1	F	Cervix cancer	180/C53
0.3	0.9	1.2	2.8	4.9	8.9	13.7	19.5	25.4	46.1	F	Other uterine cancer	179, 182/C54, C55
1.5	3.3	6.0	10.4	18.7	24.7	35.3	43.4	54.7	72.1	F	Ovarian cancer	183/C56, C570-C574
0.1	0.1	0.9	4.1	10.9	29.2	62.2	120.7	228.5	629.5	M	Prostate cancer	185/C61
0.2	0.5	1.4	3.4	4.9	10.8	23.1	48.1	77.6	176.1	M	Bladder cancer	188/C67
0.2	0.4	0.7	1.1	1.5	3.5	6.9	12.2	19.0	55.5	F		
6.6	12.5	22.5	37.7	60.9	91.9	143.3	206.1	265.4	469.4	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
4.8	7.9	11.5	23.6	35.6	57.3	92.1	127.1	180.7	345.3	F		
0.4	0.2	0.3	0.7	0.6	1.0	1.5	1.9	3.2	3.9	M	Hodgkin's disease	201/C81
0.2	0.2	0.1	0.6	0.3	0.5	1.0	1.2	2.0	2.7	F		
1.6	2.1	4.3	8.4	13.4	21.5	33.3	54.5	72.3	103.9	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
0.8	1.6	2.3	5.5	8.5	12.4	22.9	36.0	46.8	67.1	F		
1.3	2.0	2.6	4.7	9.1	14.4	25.5	40.3	55.0	100.5	M	Leukaemia	204-208/C91-C95
1.1	1.6	3.0	3.7	5.1	8.8	13.3	20.8	31.2	55.9	F		
1.7	3.1	5.7	8.7	14.3	26.3	54.9	79.4	133.0	328.8	M	Diabetes	250/E10-E14
0.7	1.2	2.2	3.1	5.8	12.8	32.6	63.6	120.2	392.3	F		
22.7	53.1	97.9	166.5	270.4	481.6	925.9	1599.0	2739.2	8451.6	M	ALL VASCULAR DISEASE	390-459/I00-I99
9.0	20.3	33.2	54.9	79.0	174.5	391.8	821.0	1669.7	7705.3	F		
0.2	0.2	0.4	0.5	1.2	2.6	4.6	8.4	13.6	24.9	M	Rheumatic heart disease and fever	390-398/I00-I09
0.1	0.1	0.3	0.4	1.1	2.2	5.9	10.4	16.6	36.7	F		
0.5	1.4	3.0	5.3	10.0	14.8	29.5	49.1	98.0	336.6	M	Hypertensive disease	401-405/I10-I15
0.3	0.8	1.4	2.8	4.6	8.8	18.9	39.4	86.0	450.6	F		
8.4	24.7	51.5	88.8	151.1	265.9	514.2	848.4	1366.8	3625.2	M	Ischaemic heart disease	410-414/I20-I25
1.8	5.7	10.4	18.2	31.2	76.0	179.6	360.6	691.4	2797.6	F		
1.5	4.0	4.7	7.6	11.0	17.1	30.6	43.4	71.6	152.3	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
1.3	2.5	3.8	5.2	6.4	11.7	22.3	39.7	59.0	161.0	F		
3.5	7.2	11.9	20.4	34.7	66.9	143.7	280.4	550.6	1729.0	M	Cerebrovascular disease	430-438/I60-I69
2.7	5.7	8.7	12.4	15.5	33.3	76.7	175.8	387.0	1702.9	F		
8.7	15.6	26.4	43.8	62.4	114.3	203.2	369.3	638.5	2583.6	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
2.7	5.5	8.6	15.9	20.2	42.5	88.4	195.0	429.7	2556.4	F		
1.2	2.0	4.5	10.2	21.3	42.9	101.0	198.8	314.7	696.2	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.8	1.3	2.8	5.8	10.4	14.9	33.2	65.5	98.8	249.8	F		
1.9	3.2	4.7	8.2	12.8	25.5	48.9	96.9	189.3	782.4	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.0	1.5	2.3	3.9	6.4	9.7	21.1	41.5	83.1	495.3	F		
0.3	1.1	1.7	2.3	3.1	4.6	8.6	11.5	18.3	66.0	M	Peptic ulcer	531-533/K25-K27
0.1	0.5	0.8	0.6	1.1	2.2	3.7	7.1	14.5	55.0	F		
11.5	25.2	40.2	48.9	62.8	78.8	87.2	77.8	68.4	72.7	M	Liver cirrhosis	571/K70, K74
5.3	10.4	15.5	22.7	24.9	27.9	29.2	31.9	30.3	34.9	F		
0.3	1.1	1.9	3.3	5.2	8.9	18.6	34.4	66.8	199.7	M	Renal disease	580-590/N00-N19
0.3	0.4	0.9	1.4	2.6	5.4	11.4	21.0	38.8	135.3	F		
0.4	0.0	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
0.6	0.4	0.7	0.8	0.9	0.8	0.7	0.4	1.1	1.0	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.6	0.4	0.6	0.8	1.4	0.8	0.7	0.9	0.5	1.5	F		
10.4	18.0	24.1	31.6	38.2	46.8	58.7	73.7	94.5	335.1	M	Ill-defined causes	780-799/R00-R99
3.6	6.0	8.9	12.1	13.7	16.4	27.0	39.2	62.1	357.0	F		
19.9	32.2	40.5	50.7	65.3	90.8	141.7	212.6	370.3	1010.5	M	Other medical causes	Rest of 001-799/ rest of A00-R99
8.1	12.1	18.1	27.8	32.4	46.2	77.9	142.3	269.9	851.6	F		
44.9	55.2	56.7	56.5	58.6	60.0	69.6	86.1	118.1	355.9	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
12.5	15.9	16.6	19.4	21.7	23.0	29.6	42.9	68.7	241.7	F		
10.9	12.0	11.3	10.8	8.8	9.0	11.1	12.3	15.5	26.9	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
3.1	4.2	3.0	3.8	3.3	3.5	5.5	6.4	7.4	9.5	F		
0.5	0.8	1.0	0.4	1.0	0.9	0.6	0.9	0.8	4.8	M	Fire	E890-E899/X00-X09
0.3	0.3	0.3	0.4	0.5	0.3	0.4	1.1	1.6	3.5	F		
20.0	25.5	26.2	26.2	26.9	26.5	29.6	34.4	41.4	90.1	M	Suicide	E950-E959/X60-X84
5.2	6.9	8.1	9.0	9.9	10.0	10.8	11.7	12.7	20.7	F		
0.7	1.4	1.2	0.9	0.8	0.9	0.3	0.5	0.5	1.0	M	Homicide	E960-E969/ X85-X99, Y00-Y09
0.9	0.8	0.6	0.6	0.5	0.5	0.4	0.6	0.5	0.8	F		
3726	3210	2895	2343	2631	2777	1896	1518	979	736	M	POPULATION	
3514	3060	2858	2309	2647	2894	2119	2067	2044	2123	F	(1000s; UN, 2004 revision)	

GREECE: 2000

		No. of deaths			Standardised rates			Annual death rates / 100,000						
		(Source: WHO)			(defined overleaf)			(zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	55455	2231	16538	825.1	83.3	776.6	148.8	12.9	16.7	68.8	111.6	111.9	112.1
	F	49764	861	7927	543.0	37.4	339.1	111.9	12.5	9.7	27.6	31.6	31.5	37.3
Tuberculosis	M	62	3	26	1.0	0.1	1.2	-	-	-	-	-	0.2	0.5
	F	21	-	11	0.3	-	0.5	-	-	-	-	-	-	-
HIV	M	23	3	20	0.4	0.1	0.9	-	-	-	-	-	0.2	0.5
	F	6	2	4	0.1	0.1	0.2	-	-	-	-	-	0.2	0.2
Other infective and parasitic	M	195	34	55	3.2	1.5	2.5	7.1	-	0.3	1.3	0.7	0.5	0.9
	F	215	11	35	2.5	0.6	1.5	3.1	0.4	0.3	-	-	0.2	-
ALL CANCER	M	14663	168	6013	220.0	6.0	286.0	1.9	3.9	4.2	4.4	6.8	8.0	13.0
	F	9100	135	3400	112.5	5.1	145.4	3.1	2.3	2.8	4.3	5.2	6.1	12.1
Mouth and pharynx cancer	M	172	4	96	2.8	0.1	4.5	-	-	-	-	0.2	0.2	0.5
	F	78	-	33	1.0	-	1.4	-	-	-	-	-	-	-
Oesophagus cancer	M	143	1	65	2.1	0.0	3.1	-	-	-	-	-	-	0.2
	F	43	-	10	0.5	-	0.4	-	-	-	-	-	-	-
Stomach cancer	M	836	4	340	12.4	0.1	16.2	-	-	-	-	-	0.2	0.7
	F	497	5	145	5.9	0.2	6.2	-	-	-	-	0.2	0.5	0.5
Colorectal cancer	M	952	4	312	13.8	0.1	14.8	-	-	-	-	-	0.5	0.5
	F	872	5	234	10.1	0.2	10.1	-	-	-	-	0.2	0.5	0.5
Liver cancer	M	139	2	77	2.2	0.1	3.7	0.4	-	-	-	0.2	-	-
	F	36	1	12	0.4	0.0	0.5	-	-	-	0.3	-	-	-
Pancreas cancer	M	629	2	282	9.5	0.1	13.5	-	-	-	-	-	-	0.5
	F	510	1	163	6.0	0.0	7.0	-	-	-	-	-	-	0.2
Larynx cancer	M	286	-	131	4.3	-	6.3	-	-	-	-	-	-	-
	F	27	-	11	0.3	-	0.5	-	-	-	-	-	-	-
Lung cancer	M	4725	11	2391	72.4	0.4	113.8	-	-	-	0.3	0.2	0.5	1.6
	F	870	5	372	11.0	0.2	16.0	0.4	-	-	-	-	0.5	0.5
Malignant melanoma	M	78	3	49	1.2	0.1	2.2	-	-	-	-	-	0.2	0.5
	F	53	3	24	0.7	0.1	1.0	-	-	-	0.3	-	0.2	0.2
Female breast cancer	F	1603	12	793	21.3	0.4	33.8	-	-	-	-	-	0.2	2.6
Cervix cancer	F	108	4	54	1.5	0.1	2.2	-	-	-	-	-	-	0.9
Other uterine cancer	F	263	3	106	3.3	0.1	4.5	-	-	-	-	-	0.2	0.5
Ovarian cancer	F	403	4	218	5.4	0.1	9.4	-	-	-	-	-	0.5	0.5
Prostate cancer	M	1253	-	161	17.5	-	7.9	-	-	-	-	-	-	-
Bladder cancer	M	737	1	198	10.6	0.0	9.7	-	-	-	-	-	-	0.2
	F	176	-	27	1.9	-	1.2	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	3678	80	1531	55.6	2.9	72.6	0.7	2.5	2.9	1.8	2.7	3.6	6.2
	F	2765	55	950	33.6	2.2	40.6	2.7	1.1	2.1	1.7	2.2	2.4	3.3
Hodgkin's disease	M	139	11	71	2.2	0.4	3.2	-	-	-	0.3	1.1	0.5	0.7
	F	107	13	37	1.4	0.5	1.6	-	-	-	0.6	0.7	0.7	1.2
Myeloma and non-Hodgkin lymphomas	M	308	10	127	4.6	0.3	6.0	-	-	-	0.8	0.7	0.5	0.5
	F	268	7	88	3.2	0.3	3.8	-	-	-	0.3	0.5	-	0.7
Leukaemia	M	588	35	182	8.8	1.3	8.7	0.7	1.4	1.3	1.3	1.6	1.8	1.1
	F	421	17	123	5.0	0.7	5.3	-	1.1	0.3	1.1	1.2	0.2	0.7
Diabetes	M	345	2	132	5.1	0.1	6.3	0.4	-	-	-	-	-	0.2
	F	494	2	119	5.5	0.1	5.1	-	-	-	-	-	-	0.5
ALL VASCULAR DISEASE	M	24885	148	6323	361.4	4.9	298.6	0.7	-	1.0	1.3	4.8	8.9	17.8
	F	27398	73	2543	280.1	2.6	109.6	0.4	0.8	0.3	0.9	4.2	5.6	6.1
Rheumatic heart disease and fever	M	7	-	3	0.1	-	0.1	-	-	-	-	-	-	-
	F	19	-	4	0.2	-	0.2	-	-	-	-	-	-	-
Hypertensive disease	M	463	2	94	6.6	0.1	4.5	-	-	-	-	-	0.2	0.2
	F	580	2	79	6.1	0.1	3.4	-	-	-	-	-	-	0.5
Ischaemic heart disease	M	7975	70	3417	121.4	2.3	160.2	-	-	-	-	2.5	3.4	10.0
	F	4935	12	902	53.4	0.4	38.9	-	-	-	-	1.0	1.7	0.2
Pulmonary embolism and other venous	M	281	8	94	4.2	0.3	4.3	0.4	-	-	-	0.2	0.9	0.5
	F	386	1	77	4.3	0.0	3.3	-	-	-	-	-	-	0.2
Cerebrovascular disease	M	7867	23	1351	111.8	0.8	64.3	-	-	0.3	0.8	0.9	1.6	1.8
	F	10886	26	818	110.3	1.0	35.2	-	0.8	0.3	0.6	1.2	1.9	1.9
Other vascular disease	M	8292	45	1364	117.4	1.5	65.1	0.4	-	0.6	0.5	1.1	2.7	5.2
	F	10592	32	663	106.0	1.1	28.6	0.4	-	-	0.3	2.0	1.9	3.3
Chronic obstructive pulmonary disease	M	989	2	179	13.9	0.1	8.6	-	-	-	0.3	-	-	0.2
	F	472	2	63	5.0	0.1	2.7	-	-	-	-	-	-	0.5
Other respiratory disease	M	3304	95	668	47.8	3.5	31.2	5.2	0.7	0.3	2.3	4.3	5.2	6.2
	F	3230	32	330	33.6	1.5	14.0	5.1	0.4	1.0	1.1	-	1.5	1.2
Peptic ulcer	M	168	1	44	2.5	0.0	2.0	-	-	-	0.3	-	-	-
	F	125	-	12	1.3	-	0.5	-	-	-	-	-	-	-
Liver cirrhosis	M	475	3	277	7.5	0.1	12.8	-	-	0.3	-	-	-	0.5
	F	225	2	76	2.7	0.1	3.3	-	-	-	-	-	-	0.5
Renal disease	M	799	7	175	11.4	0.3	8.3	0.7	-	0.3	-	0.2	0.2	0.5
	F	739	5	110	7.9	0.2	4.7	-	-	-	-	0.2	0.5	0.5
Pregnancy, birth	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital and perinatal causes	M	318	318	-	9.3	16.7	-	111.7	1.4	1.6	2.1	-	-	-
	F	242	242	-	7.5	13.5	-	89.5	2.7	1.4	0.9	-	-	-
Ill-defined causes	M	3918	64	574	55.8	2.3	27.2	4.1	-	0.3	1.6	2.5	3.2	4.8
	F	4516	28	336	45.7	1.1	14.4	2.7	0.4	-	0.6	1.0	1.7	1.6
Other medical causes	M	1930	103	594	28.9	3.9	27.7	6.3	0.7	1.6	3.1	4.5	5.5	5.2
	F	1865	57	421	21.5	2.3	17.9	3.5	0.4	1.4	2.3	3.0	3.4	2.1
ALL NON-MEDICAL CAUSES	M	3381	1280	1458	56.8	43.7	63.2	10.8	6.1	6.7	52.3	87.8	80.1	61.9
	F	1116	270	467	16.8	10.3	19.3	4.3	5.3	2.4	17.6	18.0	12.4	12.1
Road traffic accidents	M	1690	727	687	28.5	24.8	29.6	3.0	3.2	5.5	36.5	51.8	42.5	31.0
	F	490	155	218	7.7	5.8	9.0	2.0	2.3	0.7	10.2	13.3	6.1	6.3
Fire	M	72	13	24	1.2	0.5	1.0	1.1	-	-	0.3	0.9	0.5	0.7
	F	46	5	8	0.6	0.2	0.3	0.4	0.8	-	-	0.5	-	-
Suicide	M	298	90	156	5.0	3.0	6.7	-	-	0.6	3.1	4.3	7.5	5.5
	F	84	24	42	1.3	0.9	1.7	-	-	-	2.0	0.7	1.2	2.1
Homicide	M	85	31	49	1.5	1.0	2.1	-	-	-	0.3	1.6	3.6	1.6
	F	40	8	17	0.6	0.3	0.7	0.4	-	-	0.3	0.2	0.5	0.7
POPULATION:			M=male											
(1000s; UN, 2004 revision)			F=female											
				5422.8	2566.9	2325.5	269.4	280.0	311.7	386.5	441.7	439.5	438.1	
				5552.4	2405.5	2452.2	254.8	263.1	289.7	351.6	404.7	412.2	429.4	

2000: GREECE

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
149.3	216.5	332.6	549.5	827.3	1297.6	2063.2	3399.7	5756.9	14064.6	M	ALL CAUSES	001-999/A00-Y89
62.8	88.3	150.3	228.3	327.4	537.8	978.7	1894.6	4097.4	13099.5	F		
1.0	0.3	0.6	1.5	0.7	2.3	1.7	2.8	7.1	11.1	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.3	-	0.3	0.6	-	0.9	1.2	1.0	0.5	2.8	F		
0.5	0.8	1.7	0.9	0.7	1.0	0.3	-	-	-	M	HIV	279.5, 279.6/B20-B24
0.5	-	0.6	-	-	-	-	-	-	-	F		
1.0	0.8	1.7	1.2	0.7	3.7	8.6	7.7	16.4	44.5	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.5	0.5	0.3	1.1	1.0	2.9	4.0	9.4	17.4	51.4	F		
20.2	49.8	103.5	205.2	335.4	506.2	781.8	1162.9	1645.8	2300.2	M	ALL CANCER	140-208/C00-C97
21.6	44.3	78.6	122.0	164.1	241.5	345.5	515.1	799.2	1205.6	F		
0.5	1.0	4.2	4.4	7.1	7.0	6.9	13.4	7.1	20.2	M	Mouth and pharynx cancer	140-149/C00-C14
0.5	-	2.0	0.6	2.1	2.0	2.7	4.4	6.5	9.4	F		
0.3	0.3	1.1	2.4	3.0	5.0	9.7	11.4	10.0	24.3	M	Oesophagus cancer	150/C15
-	0.3	0.3	0.6	0.3	1.2	0.3	2.3	3.8	9.0	F		
1.8	2.3	5.6	10.1	15.6	26.7	51.1	71.1	92.7	130.0	M	Stomach cancer	151/C16
1.5	1.5	4.2	5.2	6.6	10.2	14.0	29.5	45.7	82.5	F		
1.0	3.7	3.6	8.0	10.8	28.4	48.3	75.5	119.7	196.0	M	Colorectal cancer	153, 154/C18-C21
0.8	2.3	3.3	8.9	11.8	16.6	26.8	46.5	86.0	158.4	F		
-	0.3	0.8	3.0	4.8	8.0	9.0	14.2	7.8	9.7	M	Liver cancer	155.0/C22 excl C221
-	0.3	-	0.3	0.3	0.9	1.8	2.3	5.4	2.8	F		
1.0	1.6	4.2	9.8	15.3	23.7	38.7	50.4	59.2	95.9	M	Pancreas cancer	157/C25
0.3	0.8	3.1	5.5	6.3	12.3	21.0	30.8	62.6	65.5	F		
-	0.8	1.4	5.6	8.6	9.3	18.3	25.2	33.5	32.0	M	Larynx cancer	161/C32
-	-	0.3	0.9	0.7	0.6	0.9	2.0	1.6	3.3	F		
4.9	17.0	43.2	89.9	140.0	210.2	291.4	398.1	493.9	451.7	M	Lung cancer	162/C33, C34
0.8	3.6	8.4	14.6	19.5	27.2	38.1	59.6	73.4	84.9	F		
0.8	1.3	2.0	0.9	1.9	5.0	3.8	5.3	2.1	6.9	M	Malignant melanoma	172/C43
0.3	0.5	0.6	1.4	1.0	0.9	2.4	3.0	2.2	6.1	F		
5.3	10.9	24.3	33.9	42.1	60.7	59.4	79.7	117.0	162.7	F	Female breast cancer	174/C50
1.3	2.5	2.5	2.9	2.1	2.3	1.8	5.7	7.1	9.4	F	Cervix cancer	180/C53
1.8	0.8	1.4	3.2	5.9	8.5	10.4	13.1	23.9	33.5	F	Other uterine cancer	179, 182/C54, C55
1.0	2.5	5.6	6.0	12.5	16.4	21.6	19.7	28.8	32.5	F	Ovarian cancer	183/C56, C570-C574
-	0.3	0.8	1.8	7.1	15.0	30.0	82.5	171.1	451.0	M	Prostate cancer	185/C61
-	0.8	1.1	3.6	13.8	17.7	30.7	60.5	96.9	175.8	M	Bladder cancer	188/C67
-	-	-	1.7	1.4	1.8	3.3	9.0	17.4	42.4	F		
7.2	14.1	27.8	56.6	86.7	120.8	194.8	277.4	426.9	545.5	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
6.9	13.2	18.1	31.6	41.0	65.1	108.1	161.0	241.0	394.2	F		
1.3	2.3	2.8	1.5	3.0	5.0	6.6	9.3	13.5	10.4	M	Hodgkin's disease	201/C81
0.5	1.3	1.1	1.1	1.4	1.5	4.0	5.7	8.2	11.8	F		
1.0	1.6	2.5	3.0	7.1	9.3	17.6	24.4	33.5	44.5	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	1.5	1.1	1.7	3.8	7.0	11.3	15.7	27.2	35.8	F	Leukaemia	204-208/C91-C95
0.5	2.6	2.2	4.7	10.8	15.0	24.9	44.3	77.7	106.3	M		
0.8	2.3	2.5	2.0	5.2	6.4	17.7	25.1	41.3	61.3	F		
-	2.9	-	3.0	7.1	10.7	20.7	25.6	38.5	65.3	M	Diabetes	250/E10-E14
-	0.3	1.7	2.6	4.2	9.3	18.0	29.8	56.6	84.9	F		
37.4	68.1	125.4	208.5	307.1	499.2	844.3	1465.5	2687.1	7669.2	M	ALL VASCULAR DISEASE	390-459/I00-199
11.7	16.3	28.7	49.4	91.8	169.3	400.0	915.0	2290.5	8410.2	F		
-	0.3	-	-	-	0.3	0.3	0.4	-	2.1	M	Rheumatic heart disease and fever	390-398/I00-109
-	-	-	-	-	0.3	0.9	1.0	3.3	2.8	F		
0.8	0.3	1.1	2.1	4.8	7.0	15.5	28.8	42.1	164.7	M	Hypertensive disease	401-405/I10-I15
0.3	0.3	2.2	0.9	2.1	5.0	13.1	24.4	53.9	154.2	F		
22.0	44.1	80.5	138.2	189.9	262.6	384.0	553.6	823.9	1368.3	M	Ischaemic heart disease	410-414/I20-I25
3.8	6.9	9.8	20.4	38.6	59.9	133.3	234.6	490.2	1140.5	F		
1.3	2.9	2.2	2.4	4.1	4.7	12.8	19.5	25.7	66.0	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-182
0.5	1.5	2.0	2.0	3.5	4.1	9.4	22.4	31.6	86.3	F		
7.2	12.0	20.2	35.3	58.1	116.1	201.0	441.1	943.0	2838.1	M	Cerebrovascular disease	430-438/I60-I69
3.3	5.6	9.8	14.9	27.8	56.4	128.8	338.0	940.2	3443.7	F		
6.1	8.6	21.3	30.5	50.3	108.4	230.7	422.0	852.5	3230.0	M	Other vascular disease	Rest of 390-459/ rest of I00-199
3.8	2.0	5.0	11.2	19.8	43.8	114.5	294.5	771.5	3582.7	F		
0.5	0.8	2.2	3.3	6.0	18.0	29.4	74.7	147.5	289.8	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.3	-	1.7	2.6	2.8	4.1	7.6	17.1	41.9	131.5	F		
9.0	11.2	9.8	18.1	27.9	56.1	86.7	166.5	343.5	1145.9	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
3.0	3.8	5.9	7.5	8.7	21.0	48.4	105.8	257.9	979.7	F		
0.3	0.8	1.1	2.1	2.6	3.7	3.8	7.7	19.2	53.5	M	Peptic ulcer	531-533/K25-K27
-	0.3	-	-	1.0	1.5	0.9	5.0	15.2	33.0	F		
1.3	4.7	8.4	12.8	11.5	23.4	27.6	34.1	38.5	39.6	M	Liver cirrhosis	571/K70, K74
0.3	1.0	1.7	1.7	4.2	5.5	8.5	13.7	20.1	32.5	F		
0.5	2.9	2.0	4.2	7.8	14.0	26.9	56.1	89.1	246.0	M	Renal disease	580-590/N00-N19
0.5	0.8	1.1	2.0	4.5	8.8	15.5	32.8	78.9	179.6	F		
-	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
-	-	-	-	-	-	-	-	-	-	M	Ill-defined causes	780-799/R00-R99
4.1	6.5	8.7	13.6	23.5	45.4	88.7	168.6	401.3	1599.7	M		
1.5	2.3	5.9	6.9	10.1	25.1	49.0	126.5	289.4	1528.5	F		
6.1	11.5	15.7	16.9	31.3	42.0	70.1	127.9	204.6	438.5	M	Other medical causes	Rest of 001-799/ rest of A00-R99
7.4	6.4	7.0	13.8	17.7	24.5	48.4	85.3	166.5	389.4	F		
67.4	55.6	51.9	58.4	64.8	72.1	72.5	99.5	118.3	161.2	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
15.2	12.5	17.0	18.1	17.4	23.4	31.7	38.2	63.1	70.2	F		
31.8	28.2	26.9	27.0	30.5	30.7	32.5	44.3	60.6	57.0	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
7.9	5.9	8.4	6.6	8.0	10.8	15.5	16.1	18.0	17.0	F		
1.0	1.3	1.4	0.3	0.4	2.0	0.7	2.4	7.1	13.2	M	Fire	E890-E899/X00-X09
0.3	-	-	0.3	0.7	0.6	0.6	1.7	6.0	8.0	F		
6.7	6.5	5.3	8.0	6.3	7.0	7.3	8.9	8.6	12.5	M	Suicide	E950-E959/X60-X84
1.3	1.3	0.6	3.7	0.7	3.2	1.2	2.0	3.8	2.4	F		
3.6	1.3	1.1	2.1	2.2	2.7	1.7	1.2	0.7	0.7	M	Homicide	E960-E969/ X85-X99, Y00-Y09
0.8	0.8	0.8	0.6	0.3	0.6	0.9	1.3	3.3	2.4	F		
390.4	383.4	356.6	337.2	268.6	299.7	289.6	246.2	140.3	143.9	M	POPULATION	
393.6	393.0	358.6	348.3	287.7	342.5	328.5	298.8	183.8	212.1	F	(1000s; UN, 2004 revision)	

HUNGARY: 2000

		No. of deaths			Standardised rates			Annual death rates / 100,000						
		(Source: WHO)			(defined overleaf)			(zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	70475	2489	34648	1471.5	104.8	1897.7	226.8	18.2	24.1	57.7	92.5	115.3	199.5
	F	65126	1159	17472	819.4	55.2	782.4	191.9	13.6	17.6	27.3	33.6	33.0	69.4
Tuberculosis	M	280	9	180	5.7	0.4	8.9	-	-	-	-	0.2	0.2	2.0
	F	111	3	47	1.6	0.1	2.1	-	-	-	-	-	0.8	-
HIV	M	11	4	7	0.2	0.2	0.3	-	-	-	-	-	-	1.1
	F	4	2	2	0.1	0.1	0.1	-	-	0.3	-	0.2	-	-
Other infective and parasitic	M	125	18	55	2.6	0.8	3.0	2.3	0.3	0.6	0.3	-	1.2	0.8
	F	128	14	36	1.8	0.7	1.6	2.8	0.7	0.3	0.6	0.5	-	-
ALL CANCER	M	18732	208	10646	384.9	8.4	593.9	6.2	4.2	4.1	11.0	5.3	11.3	17.0
	F	14548	159	6558	197.1	6.6	290.2	4.1	3.7	4.6	3.7	6.8	7.2	16.4
Mouth and pharynx cancer	M	1413	5	1225	28.8	0.2	60.4	-	-	0.3	-	-	-	1.1
	F	275	1	189	4.2	0.0	7.9	-	-	-	-	-	-	0.3
Oesophagus cancer	M	588	1	468	12.1	0.0	24.3	-	-	-	-	-	-	0.3
	F	134	-	82	1.9	-	3.5	-	-	-	-	-	-	-
Stomach cancer	M	1256	3	591	25.8	0.1	34.0	-	-	-	-	-	0.2	0.6
	F	911	3	300	11.5	0.1	13.3	-	-	-	-	-	0.3	0.6
Colorectal cancer	M	2514	8	1103	52.0	0.3	64.8	-	-	-	-	-	1.2	0.8
	F	2372	11	811	30.1	0.4	36.8	-	-	-	-	1.2	0.5	1.2
Liver cancer	M	546	3	269	11.0	0.1	15.1	-	0.3	-	-	-	-	0.6
	F	351	1	128	4.5	0.0	5.7	-	-	-	0.3	-	-	-
Pancreas cancer	M	789	3	446	16.1	0.1	25.0	-	-	-	-	0.2	0.2	0.3
	F	757	1	302	9.8	0.0	13.8	-	-	-	-	-	-	0.3
Larynx cancer	M	536	1	404	10.9	0.0	21.2	-	-	-	-	-	-	0.3
	F	50	-	39	0.8	-	1.6	-	-	-	-	-	-	-
Lung cancer	M	5727	5	3783	116.7	0.2	213.7	-	-	-	-	-	0.2	1.1
	F	2097	10	1236	30.4	0.4	54.0	-	-	-	0.3	0.7	1.0	0.6
Malignant melanoma	M	170	10	104	3.5	0.4	5.8	0.4	-	-	-	0.2	0.7	1.4
	F	144	5	66	2.0	0.2	2.9	-	-	-	-	0.2	0.8	0.3
Female breast cancer	F	2316	8	1284	33.0	0.3	56.1	-	-	-	-	-	0.3	2.1
Cervix cancer	F	481	12	299	7.3	0.5	12.4	-	-	-	-	0.2	0.5	2.6
Other uterine cancer	F	496	2	174	6.3	0.1	8.0	-	-	-	-	0.2	-	0.3
Ovarian cancer	F	656	5	346	9.1	0.2	15.4	-	-	-	-	0.5	-	0.9
Prostate cancer	M	1399	1	326	29.7	0.0	21.0	-	-	0.3	-	-	-	-
Bladder cancer	M	600	-	236	12.6	-	14.1	-	-	-	-	-	-	-
	F	215	1	64	2.7	0.0	2.9	-	-	-	-	-	-	0.3
Other and ill-defined cancer sites	M	2181	105	1210	44.7	4.3	67.0	3.1	2.3	2.5	6.8	2.8	4.7	7.9
	F	2357	59	867	30.8	2.6	39.4	3.3	2.4	2.6	1.2	1.9	2.3	4.4
Hodgkin's disease	M	57	11	33	1.2	0.4	1.6	-	-	-	0.3	0.5	1.7	0.3
	F	49	7	20	0.7	0.3	0.9	-	-	0.3	0.9	0.5	-	0.3
Myeloma and non-Hodgkin lymphomas	M	432	15	219	8.9	0.6	12.4	1.2	0.6	0.3	0.3	0.5	1.0	0.6
	F	463	10	178	6.1	0.4	8.0	0.4	0.3	-	0.3	0.5	0.5	0.9
Leukaemia	M	524	37	229	10.8	1.5	13.3	1.5	1.0	0.9	3.3	1.2	1.2	1.7
	F	424	23	173	5.8	1.0	7.8	0.4	1.0	1.6	0.6	0.7	1.0	1.5
Diabetes	M	873	11	387	17.9	0.4	22.5	-	-	-	-	-	0.5	2.5
	F	1407	9	397	17.2	0.4	18.6	0.4	-	-	0.6	-	0.3	1.5
ALL VASCULAR DISEASE	M	31827	211	12469	672.9	8.2	718.6	1.5	1.9	1.2	4.2	5.5	11.8	31.4
	F	37046	76	6137	432.4	3.1	283.4	1.2	-	1.0	1.6	2.2	4.1	11.7
Rheumatic heart disease and fever	M	139	3	64	2.9	0.1	3.8	-	-	-	-	0.2	0.5	-
	F	262	2	78	3.2	0.1	3.6	-	-	0.3	-	-	0.3	-
Hypertensive disease	M	1758	7	625	37.2	0.3	37.4	-	0.3	-	0.3	-	0.5	0.8
	F	2971	1	436	34.3	0.0	20.3	-	-	-	-	-	0.3	-
Ischaemic heart disease	M	14656	72	6301	307.9	2.8	360.1	-	-	-	0.6	1.2	4.4	13.3
	F	15143	19	2661	177.1	0.8	123.4	-	-	-	-	-	0.8	4.7
Pulmonary embolism and other venous	M	575	9	265	12.1	0.3	15.4	-	-	-	0.3	0.2	0.7	1.1
	F	824	10	180	9.9	0.4	8.2	0.4	-	-	0.6	0.2	0.5	1.2
Cerebrovascular disease	M	8559	43	3072	180.1	1.7	180.5	-	1.0	0.6	0.9	1.4	2.2	5.7
	F	10380	18	1806	121.3	0.7	83.3	0.4	-	0.3	0.6	0.7	0.5	2.6
Other vascular disease	M	6140	77	2142	132.7	3.0	121.5	1.5	0.6	0.6	2.1	2.5	3.4	10.5
	F	7466	26	976	86.5	1.0	44.6	0.4	-	0.3	0.3	1.2	1.8	3.2
Chronic obstructive pulmonary disease	M	2329	15	905	48.8	0.6	53.4	1.2	-	-	0.6	0.9	-	1.7
	F	1515	12	418	18.7	0.5	19.1	0.4	-	-	0.9	0.5	0.5	1.2
Other respiratory disease	M	690	62	279	14.9	2.9	14.9	12.4	0.3	0.3	0.6	2.1	1.7	2.8
	F	634	36	124	8.2	1.9	5.6	9.8	0.3	0.7	0.9	0.5	0.3	0.9
Peptic ulcer	M	517	7	286	10.8	0.3	15.7	-	-	-	-	-	-	2.0
	F	425	1	107	5.2	0.0	4.8	-	-	-	-	-	-	0.3
Liver cirrhosis	M	4830	102	4159	97.7	4.1	205.7	0.4	-	0.3	0.6	0.2	3.9	22.9
	F	1794	22	1472	29.4	0.9	62.2	-	-	0.3	-	0.2	-	5.9
Renal disease	M	322	9	115	6.9	0.4	6.5	1.2	-	0.3	-	-	0.5	0.8
	F	353	7	98	4.4	0.3	4.5	0.8	-	-	0.3	0.7	0.3	-
Pregnancy, birth	F	10	9	1	0.2	0.4	0.0	-	-	-	-	-	0.8	1.8
Congenital and perinatal causes	M	501	470	30	14.6	25.2	1.3	164.5	1.9	1.2	1.8	2.8	2.9	1.4
	F	401	374	27	12.3	21.2	1.0	139.0	0.3	1.3	2.8	1.5	1.5	1.8
Ill-defined causes	M	70	16	22	1.7	0.9	1.0	5.8	-	-	0.3	-	-	-
	F	89	19	7	1.4	1.1	0.3	6.5	-	-	0.6	-	-	0.3
Other medical causes	M	3217	168	1625	67.3	7.1	85.6	13.2	3.2	3.1	4.2	5.3	5.9	15.0
	F	3271	138	1003	43.0	6.3	44.3	14.6	4.8	2.9	4.0	4.6	3.6	9.7
ALL NON-MEDICAL CAUSES	M	6151	1179	3483	124.6	45.0	166.4	18.2	6.2	12.8	34.2	70.0	75.4	97.9
	F	3390	278	1038	46.3	11.6	44.4	12.2	3.7	6.2	11.2	16.0	13.8	18.2
Road traffic accidents	M	938	359	466	18.4	13.4	22.0	3.1	1.6	3.7	13.7	27.0	23.3	21.5
	F	325	90	159	5.5	3.6	6.7	1.2	1.7	2.0	5.6	6.3	4.1	4.7
Fire	M	128	9	87	2.6	0.4	4.2	-	-	-	0.9	-	0.5	1.1
	F	52	2	29	0.8	0.1	1.3	0.4	-	-	-	-	0.3	-
Suicide	M	2463	442	1593	49.2	16.6	74.3	-	-	2.5	10.7	22.2	31.1	49.5
	F	806	79	451	12.4	3.1	19.0	-	-	1.0	3.1	4.6	4.9	8.2
Homicide	M	148	34	101	3.0	1.4	4.5	3.1	0.6	0.3	0.3	1.6	1.7	2.3
	F	110	31	55	2.0	1.3	2.3	2.4	0.3	0.3	0.3	1.9	2.0	1.8
POPULATION:			M=male		4878.1	2417.9	2103.8	258.4	308.5	320.1	336.4	432.6	408.5	353.4
(1000s; UN, 2004 revision)			F=female		5347.6	2313.4	2375.8	246.0	294.0	306.0	322.1	413.4	390.5	341.4

2000: HUNGARY

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
358.3	707.4	1087.1	1525.6	2146.4	3132.1	4327.5	6033.0	8736.6	17309.6	M	ALL CAUSES	001-999/A00-Y89
156.3	271.7	433.5	584.0	827.0	1242.6	1961.6	3229.3	5687.6	14420.8	F		
3.9	4.9	9.2	9.4	11.1	13.5	10.5	21.4	22.5	38.9	M	Tuberculosis	010-018, 137/ A15-A19, B90
2.3	2.1	0.7	1.4	1.8	3.7	2.4	5.7	7.9	16.3	F		
0.3	0.5	0.2	0.6	0.4	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
0.3	-	0.2	-	-	-	-	-	-	-	F		
0.3	1.6	1.7	2.1	2.1	7.6	5.5	12.9	13.8	19.4	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.7	1.1	0.5	0.8	2.4	2.7	3.1	5.7	9.7	23.6	F		
43.7	138.2	309.8	494.8	719.0	1051.7	1399.7	1761.3	2248.7	3103.6	M	ALL CANCER	140-208/C00-C97
48.3	104.9	184.4	252.5	346.3	460.8	634.4	833.1	1154.6	1760.7	F		
7.5	29.3	62.4	80.4	95.9	84.9	62.2	44.7	53.5	62.2	M	Mouth and pharynx cancer	140-149/C00-C14
0.7	4.8	9.7	9.2	14.3	8.0	8.4	8.3	10.6	22.5	F		
1.6	7.7	15.7	30.8	41.5	41.8	31.1	34.9	27.6	38.9	M	Oesophagus cancer	150/C15
-	0.3	4.3	3.6	5.8	5.0	5.6	5.3	6.9	12.9	F		
0.6	6.9	15.5	24.4	37.2	53.9	99.3	142.6	189.1	272.0	M	Stomach cancer	151/C16
2.3	5.4	9.5	11.7	12.2	16.1	36.0	52.2	88.4	156.7	F		
2.6	9.1	18.2	41.7	77.7	121.7	182.5	293.1	389.5	612.7	M	Colorectal cancer	153, 154/C18-C21
2.9	9.7	13.5	26.1	42.9	66.0	96.7	147.6	221.7	382.6	F		
1.0	5.5	6.5	13.1	15.7	25.2	38.6	67.9	88.1	79.0	M	Liver cancer	155.0/C22 excl C221
0.7	1.3	3.8	4.7	5.5	9.0	15.0	21.9	32.9	52.2	F		
2.3	6.6	13.5	17.7	29.3	42.7	63.2	93.0	81.2	121.8	M	Pancreas cancer	157/C25
2.0	2.7	5.4	8.1	16.1	26.1	36.0	50.3	68.9	96.6	F		
0.6	9.1	15.2	23.8	28.3	37.3	34.1	36.1	39.7	33.7	M	Larynx cancer	161/C32
-	1.3	1.7	2.5	1.5	2.3	2.1	1.1	2.3	1.7	F		
11.3	36.5	101.0	180.4	245.9	407.5	513.5	548.3	560.4	510.4	M	Lung cancer	162/C33, C34
8.8	17.4	39.9	57.3	71.1	87.1	96.0	116.9	120.8	157.9	F		
1.9	1.9	3.2	2.7	6.4	10.8	13.5	13.5	14.7	22.0	M	Malignant melanoma	172/C43
1.6	2.4	1.7	3.1	2.4	4.0	4.9	9.5	8.3	16.9	F		
10.4	23.9	42.3	55.3	67.5	86.1	106.8	112.8	141.6	236.0	F	Female breast cancer	174/C50
8.2	13.9	16.1	11.4	11.2	9.4	16.8	19.3	26.8	34.3	F	Cervix cancer	180/C53
1.0	1.6	2.6	4.2	9.4	14.7	22.3	34.4	54.1	62.9	F	Other uterine cancer	179, 182/C54, C55
1.6	3.2	10.6	12.8	15.8	29.5	34.2	40.1	44.9	57.3	F	Ovarian cancer	183/C56, C570-C574
-	-	1.0	5.5	19.0	34.6	87.3	150.6	305.7	611.4	M	Prostate cancer	185/C61
0.3	1.1	5.2	6.4	15.0	24.3	46.6	59.4	103.6	190.4	M	Bladder cancer	188/C67
-	0.8	0.7	1.9	4.6	5.4	7.0	11.7	18.0	44.9	F		
9.4	16.5	40.2	49.4	82.0	115.5	156.5	179.3	266.0	343.3	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
3.9	11.0	13.7	27.8	46.2	66.0	107.2	144.9	217.5	324.7	F		
1.0	1.9	1.2	1.5	1.8	1.8	2.0	1.8	2.6	9.1	M	Hodgkin's disease	201/C81
0.3	0.3	0.9	1.1	0.9	0.7	1.7	2.6	4.2	3.4	F		
1.6	2.5	5.7	9.8	12.9	23.8	30.6	41.6	57.0	82.9	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.3	1.1	5.2	7.2	8.2	12.7	19.9	33.7	48.6	45.5	F	Leukaemia	204-208/C91-C95
1.9	3.8	5.2	7.3	10.4	26.1	38.6	54.5	69.9	114.0	M		
2.6	3.8	2.8	4.4	10.6	12.4	17.8	20.4	37.9	51.7	F		
1.3	5.8	7.2	13.4	26.1	42.2	61.2	107.1	140.8	177.5	M	Diabetes	250/E10-E14
2.6	1.1	2.8	7.8	19.5	31.8	64.9	101.0	146.7	234.3	F		
73.2	168.4	285.4	478.7	738.0	1285.7	2001.0	3090.0	4807.4	11050.5	M	ALL VASCULAR DISEASE	390-459/I00-I99
32.3	57.1	89.1	154.1	252.1	476.9	922.5	1810.4	3558.5	10313.5	F		
0.3	1.6	0.2	1.5	4.7	5.8	12.5	13.5	22.5	31.1	M	Rheumatic heart disease and fever	390-398/I00-I09
0.3	0.3	1.2	0.3	6.4	7.4	9.4	15.9	29.2	43.3	F		
2.3	5.2	10.5	21.3	34.0	71.4	116.9	170.7	299.7	647.7	M	Hypertensive disease	401-405/I10-I15
1.0	2.4	4.7	10.0	18.9	38.2	67.0	146.8	285.5	859.0	F		
35.0	87.2	152.4	255.9	384.0	641.1	964.9	1448.0	2097.6	4518.1	M	Ischaemic heart disease	410-414/I20-I25
15.3	23.1	37.6	62.8	98.5	202.1	424.6	775.3	1452.1	4087.6	F		
1.6	3.0	5.2	10.7	16.1	26.5	44.6	50.2	73.4	173.6	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.3	2.4	2.6	7.5	7.9	14.1	22.3	45.8	93.0	175.3	F		
13.0	32.9	66.6	105.7	173.9	321.2	550.2	910.0	1436.1	2971.5	M	Cerebrovascular disease	430-438/I60-I69
8.8	17.4	25.3	48.7	73.9	145.4	263.6	544.5	1077.3	2690.4	F		
21.1	38.4	50.4	83.5	125.3	219.7	311.9	497.6	878.2	2708.5	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
6.5	11.5	17.7	24.7	46.5	69.7	135.5	282.3	621.5	2457.9	F		
3.2	10.4	18.7	29.6	49.4	99.7	163.0	227.1	400.7	743.5	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
2.3	4.0	7.1	11.7	20.1	32.5	56.2	71.1	145.3	327.5	F		
4.9	7.4	10.0	11.9	17.2	21.6	31.1	50.8	83.8	218.9	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
2.3	2.4	2.8	3.6	4.3	12.4	11.2	24.2	54.6	164.0	F		
1.3	6.3	9.0	12.2	16.8	31.4	33.1	44.7	50.9	119.2	M	Peptic ulcer	531-533/K25-K27
1.6	1.6	2.4	3.6	5.8	7.7	10.8	21.6	37.9	100.0	F		
70.6	156.9	193.6	220.3	265.2	279.9	253.8	186.0	164.9	95.9	M	Liver cirrhosis	571/K70, K74
20.2	41.8	67.4	64.2	82.7	88.8	70.2	59.4	42.1	29.2	F		
1.3	1.6	3.2	3.4	7.9	12.6	15.5	30.0	42.3	129.5	M	Renal disease	580-590/N00-N19
1.3	1.9	0.9	2.5	4.6	7.7	12.6	21.9	32.4	67.4	F		
0.3	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-O99
2.3	1.9	2.2	0.9	1.4	-	-	-	0.9	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
1.3	1.3	2.6	0.8	1.2	-	-	-	-	-	F		
0.3	-	2.5	0.6	2.1	0.4	1.0	3.1	2.6	31.1	M	Ill-defined causes	780-799/R00-R99
-	0.3	0.5	-	0.6	-	0.7	1.1	0.5	33.1	F		
25.6	45.5	59.6	73.7	103.1	124.4	167.5	239.3	372.2	779.8	M	Other medical causes	Rest of 001-799/ rest of A00-R99
12.1	22.5	26.9	39.8	42.9	67.0	99.2	157.8	272.6	631.5	F		
126.0	157.7	174.6	174.0	186.5	161.3	184.6	259.5	385.1	801.8	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
28.4	29.5	45.1	41.2	42.9	50.6	73.3	116.2	224.9	719.7	F		
19.1	21.9	21.0	25.0	28.6	16.6	22.1	23.3	41.5	35.0	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
4.6	6.2	6.1	7.0	7.3	8.7	7.3	10.2	9.7	15.7	F		
1.9	4.1	3.7	5.8	4.3	4.0	5.5	6.1	10.4	13.0	M	Fire	E890-E899/X00-X09
1.6	0.3	0.2	1.4	3.0	1.0	1.4	1.9	3.7	4.5	F		
64.8	77.6	89.0	76.2	80.5	66.0	65.7	95.5	109.7	187.8	M	Suicide	E950-E959/X60-X84
12.1	13.7	24.8	17.5	15.5	21.1	28.3	29.1	37.5	66.3	F		
5.5	4.4	7.0	4.6	5.7	1.8	2.5	1.8	4.3	6.5	M	Homicide	E960-E969/ X85-X99, Y00-Y09
5.5	2.1	2.8	1.7	1.8	1.3	0.7	3.0	2.8	5.6	F		
308.7	364.6	400.9	328.2	279.4	222.6	199.4	163.4	115.8	77.2	M	POPULATION	
306.5	372.9	423.1	359.6	328.9	298.4	286.4	264.3	216.1	178.0	F	(1000s; UN, 2004 revision)	

IRELAND: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	16192	979	4902	952.5	93.4	871.4	169.2	14.6	14.1	85.5	124.0	112.0	134.4
	F	15199	432	2953	625.6	43.6	510.2	117.3	14.6	15.5	37.7	38.6	32.5	49.2
Tuberculosis	M	29	-	4	1.7	-	0.7	-	-	-	-	-	-	-
	F	23	-	1	0.9	-	0.2	-	-	-	-	-	-	-
HIV	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	88	20	25	5.1	1.9	4.1	7.3	-	0.7	2.3	1.2	1.3	0.7
	F	83	14	23	3.9	1.4	3.9	4.7	-	1.4	2.5	1.2	-	-
ALL CANCER	M	4079	61	1652	245.2	5.9	301.9	2.2	1.5	0.7	5.3	6.7	5.8	19.2
	F	3587	54	1464	173.8	5.2	249.1	-	1.5	3.5	5.6	6.1	6.6	13.2
Mouth and pharynx cancer	M	86	1	53	5.3	0.1	9.4	-	-	-	-	-	-	0.7
	F	40	2	17	1.9	0.2	2.9	-	-	-	-	-	0.7	0.7
Oesophagus cancer	M	208	1	96	12.6	0.1	17.9	-	-	-	-	-	-	0.7
	F	114	1	27	4.9	0.1	4.7	-	-	-	-	-	-	0.7
Stomach cancer	M	212	-	93	12.8	-	17.5	-	-	-	-	-	-	-
	F	140	1	46	6.5	0.1	8.3	-	-	-	-	-	-	0.7
Colorectal cancer	M	493	4	205	29.7	0.4	38.1	-	-	-	-	0.6	0.6	1.5
	F	411	2	140	19.0	0.2	25.8	-	-	-	-	-	-	1.5
Liver cancer	M	18	-	9	1.1	-	1.8	-	-	-	-	-	-	-
	F	7	-	5	0.4	-	0.8	-	-	-	-	-	-	-
Pancreas cancer	M	181	1	75	10.9	0.1	13.2	-	-	-	-	-	-	0.7
	F	168	-	46	7.6	-	8.6	-	-	-	-	-	-	-
Larynx cancer	M	49	1	29	3.0	0.1	5.6	-	-	0.7	-	-	-	-
	F	6	-	1	0.3	-	0.2	-	-	-	-	-	-	-
Lung cancer	M	981	2	407	59.5	0.2	75.2	-	-	-	-	-	-	1.5
	F	587	-	222	28.7	-	39.8	-	-	-	-	-	-	-
Malignant melanoma	M	32	4	20	1.9	0.4	2.7	-	-	-	-	0.6	0.6	1.5
	F	34	1	19	1.7	0.1	2.9	-	-	-	-	0.6	-	-
Female breast cancer	F	668	3	391	35.1	0.3	62.0	-	-	-	-	-	-	2.2
Cervix cancer	F	65	2	49	3.6	0.2	7.4	-	-	-	-	-	-	1.5
Other uterine cancer	F	63	-	19	2.9	-	3.3	-	-	-	-	-	-	-
Ovarian cancer	F	238	4	111	12.2	0.4	18.7	-	-	-	-	0.6	0.7	1.5
Prostate cancer	M	541	-	98	31.8	-	20.1	-	-	-	-	-	-	-
Bladder cancer	M	92	-	22	5.5	-	4.1	-	-	-	-	-	-	-
	F	54	-	10	2.2	-	1.8	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	799	31	389	48.1	3.0	68.6	1.5	0.7	-	2.9	3.6	3.9	8.1
	F	692	26	263	33.1	2.5	45.3	-	0.8	1.4	3.7	2.4	4.6	4.4
Hodgkin's disease	M	11	1	7	0.7	0.1	1.1	-	-	-	0.6	-	-	-
	F	13	5	3	0.6	0.5	0.5	-	-	1.4	0.6	0.6	0.7	-
Myeloma and non- Hodgkin lymphomas	M	229	7	98	13.7	0.7	17.7	-	-	-	0.6	1.2	0.6	2.2
	F	186	-	73	8.8	-	12.7	-	-	-	-	-	-	-
Leukaemia	M	147	8	51	8.7	0.8	9.0	0.7	0.7	-	1.2	0.6	-	2.2
	F	101	7	22	4.3	0.6	3.4	-	0.8	0.7	1.2	1.8	-	-
Diabetes	M	217	1	83	13.0	0.1	16.1	-	-	-	-	-	0.6	-
	F	195	2	37	8.0	0.2	7.0	0.8	-	-	-	-	0.7	-
ALL VASCULAR DISEASE	M	6449	41	1862	383.0	4.0	339.1	1.5	0.7	0.7	1.8	3.6	7.8	11.8
	F	6217	26	719	236.9	2.6	129.9	1.6	0.8	0.7	-	3.1	3.3	8.8
Rheumatic heart disease and fever	M	16	-	7	1.0	-	1.3	-	-	-	-	-	-	-
	F	37	1	12	1.7	0.1	2.0	-	-	-	-	0.6	-	-
Hypertensive disease	M	106	-	32	6.3	-	6.1	-	-	-	-	-	-	-
	F	160	-	18	6.1	-	3.3	-	-	-	-	-	-	-
Ischaemic heart disease	M	3778	9	1235	225.7	0.9	225.9	-	-	-	-	-	1.3	5.2
	F	2811	4	315	107.4	0.4	59.8	-	-	-	-	0.6	-	2.2
Pulmonary embolism and other venous	M	88	3	35	5.3	0.3	6.2	-	-	-	-	-	-	2.2
	F	108	-	29	4.8	-	4.9	-	-	-	-	-	-	-
Cerebrovascular disease	M	1116	6	213	65.5	0.5	38.7	-	-	-	1.2	0.6	1.3	0.7
	F	1622	13	195	61.8	1.3	33.6	-	-	0.7	-	1.2	2.0	5.1
Other vascular disease	M	1345	23	340	79.3	2.2	60.9	1.5	0.7	0.7	0.6	3.0	5.2	3.7
	F	1479	8	150	55.1	0.8	26.3	1.6	0.8	-	-	0.6	1.3	1.5
Chronic obstructive pulmonary disease	M	922	5	156	54.0	0.5	30.0	0.7	-	-	0.6	0.6	-	1.5
	F	742	5	106	29.8	0.5	20.8	-	0.8	-	0.6	0.6	0.7	0.7
Other respiratory disease	M	1404	12	184	82.0	1.2	34.4	2.2	-	0.7	-	1.8	-	3.7
	F	1795	18	115	64.1	1.8	21.1	3.9	1.5	0.7	0.6	1.8	1.3	2.9
Peptic ulcer	M	83	1	28	4.9	0.1	5.3	-	-	-	-	0.6	-	-
	F	87	-	16	3.4	-	2.8	-	-	-	-	-	-	-
Liver cirrhosis	M	94	5	68	5.7	0.5	10.9	-	-	-	-	-	1.3	2.2
	F	56	1	33	3.0	0.1	5.5	-	-	-	-	-	-	0.7
Renal disease	M	202	3	38	11.9	0.3	7.2	1.5	-	-	-	-	-	0.7
	F	195	3	20	7.5	0.3	3.7	-	-	-	-	0.6	-	1.5
Pregnancy, birth Congenital and perinatal causes	F	1	1	-	0.0	0.1	-	-	-	-	-	-	0.7	-
	M	188	164	17	11.0	17.0	2.6	114.5	1.5	1.3	-	0.6	0.6	0.7
	F	137	115	15	8.2	12.6	2.2	80.0	1.5	2.1	1.2	1.2	0.7	1.5
Ill-defined causes	M	100	36	9	5.8	3.7	1.4	22.6	-	-	0.6	1.2	0.6	0.7
	F	119	23	6	4.7	2.5	1.1	15.5	-	-	-	0.6	0.7	0.7
Other medical causes	M	1240	117	341	71.7	11.1	56.7	11.7	2.9	4.0	11.1	13.3	15.5	19.2
	F	1481	57	263	60.0	5.6	43.5	7.8	2.3	2.1	6.8	6.7	5.3	8.1
ALL NON- MEDICAL CAUSES	M	1097	513	435	57.7	47.1	61.0	5.1	8.0	6.0	63.9	94.4	78.4	73.9
	F	481	113	135	21.3	10.7	19.3	3.1	6.2	4.9	20.4	16.5	12.6	11.0
Road traffic accidents	M	302	196	83	14.9	17.7	10.8	1.5	3.7	2.0	30.5	39.3	26.6	20.7
	F	98	49	33	4.9	4.7	4.9	0.8	2.3	3.5	10.5	4.3	4.0	7.3
Fire	M	34	9	11	1.9	0.9	1.8	1.5	-	0.7	-	1.8	1.3	0.7
	F	13	1	5	0.6	0.1	0.9	0.8	-	-	-	-	-	-
Suicide	M	381	185	182	19.9	17.1	24.2	-	-	0.7	19.9	30.9	36.9	31.0
	F	82	30	44	4.2	2.7	5.6	-	-	-	4.3	8.6	5.3	0.7
Homicide	M	30	22	8	1.5	2.1	0.9	1.5	1.5	0.7	2.3	2.4	2.6	3.7
	F	8	5	2	0.4	0.5	0.2	0.8	0.8	-	0.6	0.6	0.7	-
POPULATION: (1000s; UN, 2004 revision)			M=male		1888.0	1048.4	718.0	137.1	136.7	148.8	170.7	165.3	154.4	135.4
			F=female		1913.1	1013.0	724.4	128.7	129.9	142.1	161.8	163.3	151.0	136.2

2000: IRELAND

Annual death rates / 100,000 (zero denoted by -)												9th ICD/10th ICD categories	
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK				
144.4	223.1	302.5	533.4	896.0	1449.9	2550.7	4547.6	7598.9	15204.1	M	ALL CAUSES	001-999/A00-Y89	
94.4	136.7	217.4	329.5	516.7	839.1	1437.7	2678.3	4531.8	12357.5	F			
0.8	-	-	-	1.1	1.3	1.6	19.8	16.3	26.2	M	Tuberculosis	010-018, 137/A15-A19, B90	
-	-	-	-	-	-	-	8.3	17.3	12.6	F			
-	-	-	-	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24	
-	-	-	-	-	-	-	-	-	-	F			
-	0.8	4.2	5.2	3.4	5.3	9.7	11.9	37.9	67.1	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34	
2.2	0.8	0.8	1.8	4.6	10.7	6.1	19.9	27.0	31.5	F			
19.0	55.8	82.4	167.7	340.6	531.4	916.3	1408.7	1959.3	2720.1	M	ALL CANCER	140-208/C00-C97	
41.0	70.7	113.7	184.4	279.1	441.0	614.0	927.0	1055.9	1515.0	F			
-	0.8	2.5	6.1	16.0	24.0	16.1	21.8	29.8	29.2	M	Mouth and pharynx cancer	140-149/C00-C14	
-	0.8	1.7	2.7	4.6	2.7	7.6	5.0	7.7	22.0	F			
-	3.9	5.9	9.6	16.0	25.4	64.4	77.4	113.8	87.5	M	Oesophagus cancer	150/C15	
-	1.5	0.8	4.5	4.6	8.0	13.7	28.2	42.4	74.0	F			
-	4.6	3.4	6.1	13.7	41.4	53.1	69.4	100.3	137.0	M	Stomach cancer	151/C16	
1.5	2.3	-	2.7	12.7	13.4	25.8	38.1	42.4	75.6	F			
0.8	5.4	12.7	23.5	28.6	66.8	128.8	170.6	243.9	314.9	M	Colorectal cancer	153, 154/C18-C21	
2.9	2.3	6.7	12.5	21.9	44.2	89.7	99.5	140.7	214.2	F			
-	-	0.8	-	1.1	2.7	8.1	7.9	8.1	5.8	M	Liver cancer	155.0/C22 excl C221	
-	-	0.8	0.9	1.2	-	3.0	1.7	1.9	-	F			
1.5	4.6	6.8	4.3	18.3	22.7	33.8	73.4	78.6	113.7	M	Pancreas cancer	157/C25	
0.7	0.8	-	4.5	8.1	14.7	30.4	54.7	55.9	94.5	F			
-	-	1.7	0.9	6.9	13.4	16.1	4.0	16.3	32.1	M	Larynx cancer	161/C32	
-	-	-	-	1.2	-	-	1.7	1.9	4.7	F			
0.8	6.2	11.9	46.9	100.6	144.2	215.8	410.7	468.8	559.8	M	Lung cancer	162/C33, C34	
-	8.4	10.1	27.8	43.8	69.7	118.5	209.0	223.5	193.7	F			
2.3	4.6	0.8	2.6	5.7	2.7	-	7.9	8.1	2.9	M	Malignant melanoma	172/C43	
-	3.1	0.8	5.4	-	6.7	4.6	3.3	11.6	9.4	F			
18.3	26.1	46.3	59.1	68.1	109.9	106.4	142.6	117.5	200.0	F	Female breast cancer	174/C50	
2.9	4.6	8.4	6.3	6.9	13.4	9.1	5.0	5.8	12.6	F	Cervix cancer	180/C53	
0.7	-	3.4	-	2.3	9.4	7.6	21.6	25.0	28.3	F	Other uterine cancer	179, 182/C54, C55	
1.5	4.6	6.7	19.7	24.2	37.5	36.5	73.0	65.5	70.9	F	Ovarian cancer	183/C56, C570-C574	
-	-	-	3.5	18.3	30.7	88.6	168.7	368.6	647.2	M	Prostate cancer	185/C61	
-	-	-	6.1	-	8.0	14.5	41.7	40.7	99.1	M	Bladder cancer	188/C67	
0.7	0.8	0.8	-	-	4.0	6.1	10.0	21.2	42.5	F			
10.6	17.0	23.8	44.3	86.9	102.8	194.8	222.2	308.9	446.1	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97	
8.0	11.5	20.2	26.0	57.7	76.4	117.0	172.5	200.4	307.1	F	Hodgkin's disease	201/C81	
-	-	2.5	0.9	-	1.3	3.2	4.0	-	2.9	M			
-	-	0.8	-	1.2	1.3	-	3.3	3.9	1.6	F			
0.8	5.4	6.8	8.7	17.1	33.4	51.5	83.3	105.7	125.4	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96	
2.9	3.8	1.7	6.3	17.3	26.8	30.4	38.1	59.7	92.9	F	Leukaemia	204-208/C91-C95	
2.3	3.1	2.5	4.3	11.4	12.0	27.4	45.6	67.8	116.6	M			
0.7	-	3.4	6.3	3.5	2.7	7.6	19.9	28.9	70.9	F			
0.8	0.8	4.2	6.1	13.7	22.7	64.4	59.5	105.7	186.6	M	Diabetes	250/E10-E14	
0.7	-	2.5	1.8	6.9	6.7	30.4	41.5	65.5	152.8	F			
22.8	57.3	102.8	207.6	356.6	591.5	1035.4	1986.1	3308.9	6775.5	M	ALL VASCULAR DISEASE	390-459/I00-I99	
11.0	27.6	43.8	62.7	122.3	199.7	442.2	980.1	1996.1	6055.1	F			
-	0.8	-	0.9	1.1	1.3	4.8	6.0	2.7	14.6	M	Rheumatic heart disease and fever	390-398/I00-I09	
-	-	3.4	0.9	2.3	1.3	6.1	8.3	9.6	22.0	F			
0.8	1.5	2.5	-	3.4	12.0	22.5	35.7	48.8	110.8	M	Hypertensive disease	401-405/I10-I15	
-	-	1.7	0.9	6.9	2.7	10.6	24.9	46.2	162.2	F			
9.9	30.2	54.4	147.7	254.9	412.6	671.5	1182.5	1970.2	3530.6	M	Ischaemic heart disease	410-414/I20-I25	
0.7	5.4	16.0	20.6	40.4	104.6	231.0	494.2	938.3	2688.2	F			
-	0.8	2.5	5.2	8.0	9.3	17.7	23.8	48.8	58.3	M	Pulmonary embolism and other venous	415.1, 451-453/I26, I80-I82	
0.7	0.8	5.1	0.9	6.9	8.0	12.2	26.5	52.0	56.7	F			
4.6	12.4	17.0	12.2	34.3	66.8	124.0	305.6	569.1	1553.9	M	Cerebrovascular disease	430-438/I60-I69	
5.9	15.4	8.4	21.5	34.6	50.9	98.8	225.5	539.5	1571.7	F			
7.6	11.6	26.3	41.7	54.9	89.5	194.8	432.5	669.4	1507.3	M	Other vascular disease	Rest of 390-459/rest of I00-I99	
3.7	6.1	9.3	17.9	31.1	32.2	83.6	200.7	410.4	1554.3	F			
-	3.1	6.8	12.2	27.4	49.4	111.1	265.9	588.1	1195.3	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67	
-	2.3	1.7	4.5	16.1	25.5	95.7	169.2	310.2	579.5	F	Other respiratory disease	Rest of 460-519/rest of J00-J98	
4.6	5.4	6.8	18.2	25.1	61.4	119.2	285.7	699.2	2349.9	M			
5.1	1.5	5.9	9.0	15.0	30.8	80.5	187.4	431.6	2086.6	F			
0.8	2.3	-	1.7	5.7	4.0	22.5	19.8	48.8	75.8	M	Peptic ulcer	531-533/K25-K27	
0.7	0.8	0.8	0.9	4.6	2.7	9.1	10.0	27.0	80.3	F			
3.8	8.5	5.1	7.0	13.7	17.4	20.9	21.8	21.7	5.8	M	Liver cirrhosis	571/K70, K74	
1.5	0.8	1.7	7.2	5.8	6.7	15.2	14.9	15.4	7.9	F			
2.3	0.8	0.8	1.7	6.9	10.7	27.4	73.4	105.7	247.8	M	Renal disease	580-590/N00-N19	
-	-	0.8	2.7	2.3	10.7	9.1	33.2	73.2	179.5	F			
-	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099	
1.5	-	0.8	4.3	3.4	8.0	-	4.0	5.4	8.7	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99	
1.5	-	3.4	1.8	4.6	1.3	3.0	1.7	1.9	7.9	F	Ill-defined causes	780-799/R00-R99	
0.8	1.5	-	2.6	-	1.3	3.2	9.9	10.8	134.1	M			
-	0.8	-	-	2.3	-	4.6	3.3	19.3	122.8	F			
29.6	21.7	31.4	40.8	42.3	73.4	157.8	309.5	566.4	1215.7	M	Other medical causes	Rest of 001-799/rest of A00-R99	
11.7	16.1	24.4	33.1	41.5	80.4	97.3	243.8	427.7	1247.2	F			
57.8	65.1	56.9	58.2	56.0	72.1	61.2	71.4	124.7	195.3	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89	
19.0	15.4	17.7	19.7	11.5	22.8	28.9	38.1	63.6	278.7	F	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850	
16.7	13.2	13.6	9.6	9.1	6.7	6.4	13.9	21.7	23.3	M	Fire	E890-E899/X00-X09	
5.9	2.3	4.2	2.7	2.3	10.7	6.1	3.3	11.6	12.6	F	Suicide	E950-E959/X60-X84	
0.8	0.8	-	1.7	2.3	5.3	1.6	6.0	19.0	11.7	M	Homicide	E960-E969/X85-X99, Y00-Y09	
0.7	-	-	0.9	-	-	4.6	1.7	3.9	6.3	F			
27.4	31.0	24.6	28.7	17.1	29.4	11.3	13.9	13.6	5.8	M			
7.3	7.7	7.6	7.2	3.5	2.7	3.0	5.0	5.8	3.1	F			
1.5	2.3	1.7	0.9	-	-	-	-	-	-	M			
0.7	0.8	-	-	-	-	-	-	-	1.6	F			
131.6	129.1	117.7	115.1	87.5	74.9	62.1	50.4	36.9	34.3	M	POPULATION (1000s; UN, 2004 revision)		
136.7	130.2	118.7	111.7	86.7	74.6	65.8	60.3	51.9	63.5	F			

ITALY: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	280714	9096	80788	765.1	69.8	706.8	111.8	14.1	17.3	59.0	92.3	96.1	97.9
	F	279407	4111	42847	465.4	35.6	341.3	101.9	10.5	12.9	23.2	28.4	31.8	40.2
Tuberculosis	M	302	5	95	0.8	0.0	0.8	-	-	-	0.1	0.1	0.0	0.0
	F	192	6	37	0.3	0.0	0.3	-	-	-	0.1	-	0.1	0.1
HIV	M	775	134	632	2.5	0.8	4.4	0.1	0.1	0.1	-	0.1	0.8	4.6
	F	200	62	137	0.7	0.4	0.9	0.3	0.1	-	0.1	0.1	0.6	1.7
Other infective and parasitic	M	1498	54	650	4.2	0.4	5.6	0.8	0.1	0.1	0.2	0.4	0.5	0.7
	F	1617	47	377	3.0	0.4	3.0	1.2	0.3	0.1	0.3	0.1	0.3	0.6
ALL CANCER	M	88288	891	34763	241.2	6.7	308.4	2.6	5.3	4.3	6.8	7.9	8.4	11.7
	F	65143	766	21953	130.2	5.8	174.2	3.0	3.9	3.2	4.5	4.7	8.0	13.1
Mouth and pharynx cancer	M	2117	18	1299	6.3	0.1	11.2	-	0.1	0.1	-	0.3	0.3	0.1
	F	749	13	288	1.6	0.1	2.3	0.1	-	0.1	0.1	-	0.1	0.3
Oesophagus cancer	M	1564	3	790	4.4	0.0	7.0	-	-	-	-	-	0.0	0.1
	F	456	2	142	0.9	0.0	1.1	-	-	-	-	-	-	0.1
Stomach cancer	M	6492	34	2368	17.6	0.2	21.0	-	-	-	0.1	0.1	0.6	0.7
	F	4786	24	1149	8.6	0.2	9.1	-	-	-	0.1	0.2	0.3	0.5
Colorectal cancer	M	8807	30	3202	23.8	0.2	28.5	-	-	-	0.1	0.3	0.3	0.7
	F	7839	25	2119	14.5	0.2	16.9	-	-	0.1	0.1	0.2	0.4	0.5
Liver cancer	M	3879	10	1821	10.6	0.1	16.3	0.1	-	-	0.1	-	0.1	0.2
	F	1611	5	443	3.0	0.0	3.6	0.1	-	-	-	0.1	0.0	0.1
Pancreas cancer	M	3934	8	1804	10.9	0.0	15.9	-	-	-	-	-	0.1	0.2
	F	4178	7	1197	7.8	0.0	9.6	-	-	-	-	0.1	0.1	0.2
Larynx cancer	M	1737	1	785	4.8	0.0	6.9	-	-	-	-	-	-	0.0
	F	156	1	50	0.3	0.0	0.4	-	-	-	-	-	-	0.0
Lung cancer	M	25503	29	11243	69.7	0.2	100.6	-	-	-	0.1	0.1	0.2	0.9
	F	6031	19	2269	12.4	0.1	18.1	-	0.1	0.1	0.1	0.1	0.2	0.4
Malignant melanoma	M	780	42	422	2.3	0.3	3.5	-	-	-	0.3	0.3	0.5	0.9
	F	659	30	293	1.5	0.2	2.3	0.1	-	-	-	0.3	0.5	0.6
Female breast cancer	F	11354	117	5423	25.6	0.7	42.5	-	-	-	-	0.1	1.2	3.8
Cervix cancer	F	359	9	213	0.9	0.1	1.6	-	-	-	-	-	0.1	0.3
Other uterine cancer	F	2361	6	906	4.8	0.0	7.2	-	-	-	-	0.1	0.1	0.1
Ovarian cancer	F	2877	18	1367	6.4	0.1	10.9	-	-	-	0.1	0.1	0.0	0.6
Prostate cancer	M	6941	5	1017	17.8	0.0	9.4	-	0.1	-	0.1	0.1	-	0.0
Bladder cancer	M	3977	1	1087	10.4	0.0	9.9	-	-	-	-	-	0.0	-
	F	1025	2	156	1.7	0.0	1.3	-	-	-	0.1	-	-	0.0
Other and ill-defined cancer sites	M	15757	374	6267	43.5	2.9	55.1	1.7	2.9	1.9	2.6	3.6	3.4	4.2
	F	14497	245	4044	27.6	2.0	32.3	1.6	2.5	1.7	2.2	1.6	2.2	2.4
Hodgkin's disease	M	200	25	97	0.6	0.2	0.8	-	0.1	-	0.3	0.2	0.4	0.3
	F	167	25	72	0.4	0.2	0.5	-	-	0.1	0.2	0.4	0.4	0.2
Myeloma and non-Hodgkin lymphomas	M	3721	105	1581	10.4	0.8	13.8	0.3	0.3	0.5	0.6	1.1	1.0	1.6
	F	3679	77	1119	7.2	0.6	8.9	0.2	0.1	0.3	0.4	0.6	1.0	1.2
Leukaemia	M	2879	206	980	8.1	1.7	8.5	0.5	1.9	1.9	2.6	1.9	1.2	1.8
	F	2359	141	703	4.9	1.1	5.5	0.9	1.2	0.9	1.2	1.0	1.2	1.7
Diabetes	M	6998	26	1911	18.5	0.2	17.2	0.1	-	0.1	0.2	0.1	0.2	0.6
	F	10650	14	1345	16.8	0.1	11.0	0.2	0.1	0.1	-	0.1	0.1	0.2
ALL VASCULAR DISEASE	M	107433	660	23237	284.8	4.7	205.7	3.4	1.2	1.9	3.3	4.0	7.5	11.6
	F	132997	316	9670	195.6	2.4	78.1	2.7	0.8	1.7	1.3	1.9	3.9	4.6
Rheumatic heart disease and fever	M	501	12	176	1.4	0.1	1.6	-	-	0.1	0.1	0.2	0.2	0.1
	F	1180	11	261	2.1	0.1	2.1	-	-	0.1	0.1	0.1	0.2	0.1
Hypertensive disease	M	7391	7	1292	19.3	0.0	11.6	-	-	-	-	-	0.1	0.2
	F	13650	5	824	19.7	0.0	6.7	0.1	-	0.1	-	-	-	0.1
Ischaemic heart disease	M	38498	90	10840	103.0	0.6	95.8	-	-	0.1	0.3	0.3	1.0	2.4
	F	34988	10	2943	52.2	0.1	23.9	-	0.1	-	-	0.1	0.1	0.2
Pulmonary embolism and other venous	M	927	10	249	2.5	0.1	2.2	-	-	-	-	0.1	0.1	0.3
	F	1609	16	250	2.6	0.1	2.0	0.1	-	-	0.1	0.1	0.3	0.3
Cerebrovascular disease	M	27383	95	4152	71.4	0.7	37.2	0.4	0.5	0.3	0.3	0.4	1.2	1.6
	F	39962	88	2636	58.3	0.6	21.2	0.1	0.1	0.5	0.1	0.6	1.4	1.5
Other vascular disease	M	32733	446	6528	87.1	3.2	57.4	2.9	0.7	1.3	2.6	3.0	5.0	7.0
	F	41608	186	2756	60.7	1.5	22.1	2.5	0.7	1.1	1.0	1.0	1.9	2.4
Chronic obstructive pulmonary disease	M	12361	34	1542	31.7	0.3	14.1	0.2	0.1	0.2	0.3	0.3	0.4	0.4
	F	6637	25	534	9.9	0.2	4.3	0.2	-	0.1	0.1	0.1	0.3	0.5
Other respiratory disease	M	9562	139	1480	25.2	1.1	13.1	2.1	0.2	0.4	0.9	1.0	1.6	1.4
	F	9222	74	765	13.9	0.7	6.1	1.9	0.4	0.2	0.4	0.4	0.5	0.6
Peptic ulcer	M	916	3	220	2.4	0.0	1.9	0.1	-	-	-	0.1	-	0.0
	F	889	2	84	1.3	0.0	0.7	-	-	-	-	-	-	0.1
Liver cirrhosis	M	6695	61	3729	19.2	0.4	32.0	-	0.1	-	-	-	0.4	2.2
	F	4602	31	1608	9.2	0.2	12.9	-	-	-	0.1	0.1	0.4	0.8
Renal disease	M	2510	18	460	6.6	0.1	4.1	0.2	-	-	-	0.1	0.2	0.3
	F	2706	21	375	4.3	0.2	3.0	-	-	0.1	0.1	0.3	0.4	0.2
Pregnancy, birth	F	16	7	9	0.0	0.0	0.1	-	-	-	-	-	0.1	0.2
Congenital and perinatal causes	M	1471	1261	131	7.8	13.0	1.0	85.5	0.8	0.7	1.0	0.9	0.9	0.8
	F	1267	1057	114	6.9	11.6	0.9	76.4	0.4	1.3	1.0	0.6	0.5	0.6
Ill-defined causes	M	3370	511	1009	9.9	3.7	8.1	4.3	0.3	0.4	2.6	4.7	7.0	6.6
	F	3849	141	314	6.1	1.2	2.4	3.5	0.1	0.4	0.4	1.2	1.3	1.4
Other medical causes	M	22747	988	5056	61.3	7.3	43.6	8.3	2.4	2.5	5.1	7.9	11.6	13.4
	F	29108	473	3710	47.2	3.9	29.6	7.5	2.1	2.7	2.3	2.6	4.3	5.9
ALL NON-MEDICAL CAUSES	M	15788	4311	5873	48.7	31.1	46.6	4.0	3.6	6.7	38.7	64.8	56.7	43.3
	F	10312	1069	1815	19.9	8.5	13.9	4.9	2.2	2.8	12.6	16.2	10.9	9.6
Road traffic accidents	M	5589	2538	2084	18.4	18.5	16.3	1.7	1.5	3.5	27.4	41.3	32.5	21.8
	F	1752	642	629	5.2	5.1	4.8	2.0	1.3	1.5	8.9	11.8	5.9	4.6
Fire	M	189	28	74	0.6	0.2	0.6	0.1	-	-	0.1	0.5	0.4	0.3
	F	140	12	43	0.3	0.1	0.3	0.3	0.1	-	-	0.1	0.0	0.2
Suicide	M	3062	698	1561	9.5	4.8	12.3	-	-	0.6	3.7	9.3	9.8	10.0
	F	1046	177	560	2.9	1.3	4.2	-	-	0.1	1.7	1.5	2.5	3.0
Homicide	M	450	196	223	1.5	1.4	1.7	0.1	0.3	-	1.1	2.6	3.0	2.4
	F	149	50	72	0.5	0.4	0.5	0.2	0.1	0.1	0.2	0.8	0.7	0.5
POPULATION: (1000s; UN, 2004 revision)			M=male		28004	12271	12848	1364	1428	1442	1560	1851	2254	2371
			F=female		29710	11798	13410	1284	1352	1374	1494	1782	2185	2327

2000: ITALY

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
129.7	171.2	269.5	441.7	742.1	1187.5	2005.7	3322.2	5442.8	13312.7	M	ALL CAUSES	001-999/A00-Y89
60.0	97.0	147.3	236.9	362.9	555.9	929.2	1630.6	3029.2	10643.1	F		
0.3	0.3	0.1	0.5	0.6	1.7	2.3	3.8	8.9	9.9	M	Tuberculosis	010-018, 137/A15-A19, B90
0.0	0.1	0.3	0.1	0.4	0.2	0.9	1.5	3.3	5.2	F		
11.2	8.9	4.4	2.4	2.1	1.0	0.9	0.7	-	-	M	HIV	279.5, 279.6/B20-B24
2.8	2.1	0.7	0.4	-	0.1	0.4	0.1	-	-	F		
2.0	2.7	2.4	3.9	5.8	7.5	14.7	19.0	26.8	42.1	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.7	0.6	0.8	1.9	3.1	5.4	8.5	14.6	23.1	41.6	F		
21.1	43.9	90.4	183.8	350.2	565.0	904.2	1334.7	1826.6	2608.8	M	ALL CANCER	140-208/C00-C97
25.6	53.0	84.8	140.3	207.2	296.3	412.6	593.2	835.3	1391.8	F		
0.9	2.7	6.5	10.6	16.4	17.0	24.1	24.4	25.1	36.2	M	Mouth and pharynx cancer	140-149/C00-C14
0.5	1.2	1.1	2.7	2.3	3.4	4.7	5.6	7.9	16.1	F		
0.2	0.9	2.2	5.4	8.3	13.6	18.1	24.5	26.8	30.2	M	Oesophagus cancer	150/C15
0.0	0.2	0.2	0.6	1.2	2.5	3.3	3.5	5.5	11.7	F		
1.3	3.6	6.3	11.6	22.8	39.1	62.4	97.4	137.0	218.8	M	Stomach cancer	151/C16
1.9	2.9	3.7	6.4	8.6	15.6	24.7	41.3	63.4	134.7	F		
1.5	3.7	8.0	16.4	32.4	53.7	83.5	123.0	190.2	309.8	M	Colorectal cancer	153, 154/C18-C21
2.0	3.7	7.1	13.2	20.0	28.7	43.6	65.4	106.6	206.3	F		
0.4	1.5	3.9	8.9	16.5	32.3	50.7	65.8	82.7	65.3	M	Liver cancer	155.0/C22 excl C221
0.1	0.4	0.9	1.0	3.5	6.5	12.9	22.2	26.5	28.9	F		
0.9	2.6	4.6	9.9	21.1	29.5	43.0	58.1	75.8	95.7	M	Pancreas cancer	157/C25
0.7	1.0	2.7	5.3	11.4	19.2	27.2	42.1	62.6	93.5	F		
0.4	1.0	2.3	4.7	8.8	12.8	18.3	25.0	33.9	44.6	M	Larynx cancer	161/C32
0.0	0.1	0.2	0.7	0.5	0.4	0.9	2.0	2.1	2.8	F		
2.7	8.6	24.3	57.0	118.4	185.7	307.2	451.2	528.4	518.7	M	Lung cancer	162/C33, C34
1.1	4.7	9.1	13.2	24.1	30.3	44.4	64.2	83.8	101.8	F		
1.1	1.8	2.4	3.9	4.5	5.2	5.7	7.5	11.8	15.6	M	Malignant melanoma	172/C43
1.0	1.9	1.6	2.3	2.7	2.9	3.4	5.1	6.8	10.5	F		
7.5	18.0	27.6	43.0	55.0	71.0	75.7	93.7	114.3	178.2	F	Female breast cancer	174/C50
0.7	1.3	1.3	2.0	1.6	2.0	2.4	2.3	3.2	3.6	F	Cervix cancer	180/C53
1.2	2.2	3.4	5.6	7.7	12.3	17.9	22.2	29.7	44.5	F	Other uterine cancer	179, 182/C54, C55
0.8	2.6	6.0	10.5	15.7	17.6	22.9	27.9	33.2	38.5	F	Ovarian cancer	183/C56, C570-C574
0.2	0.2	0.5	1.7	5.6	17.9	40.0	81.7	167.6	448.7	M	Prostate cancer	185/C61
0.2	0.9	1.0	3.3	8.7	19.3	35.9	60.6	96.7	167.8	M	Bladder cancer	188/C67
-	0.2	0.3	0.6	0.9	2.5	4.4	8.8	13.2	35.3	F		
6.1	10.3	19.8	35.8	60.5	98.7	154.6	224.5	318.4	460.1	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
4.8	7.7	12.6	22.7	37.2	55.6	85.3	127.1	190.6	360.0	F	Hodgkin's disease	201/C81
0.4	0.3	0.9	0.4	1.2	0.9	1.5	2.0	3.5	2.8	M		
0.5	0.5	0.4	0.3	0.5	0.7	0.8	1.4	1.8	1.5	F		
2.7	2.9	4.4	8.9	16.4	24.7	36.5	52.1	72.6	97.6	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
1.2	2.0	3.7	6.1	8.7	15.3	25.7	38.2	55.3	72.2	F	Leukaemia	204-208/C91-C95
2.1	2.7	3.3	5.3	8.9	14.6	22.5	36.8	56.1	97.0	M		
1.4	2.4	2.9	4.1	5.7	9.8	12.5	20.1	28.8	51.8	F		
0.6	1.8	3.7	8.9	17.9	30.0	57.4	96.5	162.2	318.1	M	Diabetes	250/E10-E14
0.3	1.3	1.3	3.9	9.1	18.1	42.9	80.7	149.6	384.4	F		
17.9	39.1	75.7	125.6	209.1	341.1	631.5	1168.5	2117.6	6605.0	M	ALL VASCULAR DISEASE	390-459/I00-I99
8.3	14.4	22.8	39.8	69.7	125.2	266.3	587.9	1330.4	6153.3	F		
0.2	0.3	0.4	0.7	2.0	2.9	4.4	8.0	9.8	16.8	M	Rheumatic heart disease and fever	390-398/I00-I09
0.1	0.3	0.5	1.3	2.7	3.5	6.3	10.8	20.4	29.5	F		
0.3	1.5	3.5	6.9	10.8	18.8	39.2	77.8	150.1	498.7	M	Hypertensive disease	401-405/I10-I15
0.3	0.6	1.4	3.6	6.3	10.8	23.9	57.6	135.9	647.5	F		
6.2	16.2	37.2	61.7	104.2	164.2	281.0	483.4	788.4	1915.2	M	Ischaemic heart disease	410-414/I20-I25
1.2	2.7	5.2	9.6	22.4	40.6	85.8	193.6	397.3	1516.3	F		
0.4	0.9	0.8	1.5	1.8	3.5	6.1	11.1	20.5	45.8	M	Pulmonary embolism and other venous	415.1, 451-453/I26, I80-I82
0.5	0.4	0.8	1.2	1.5	3.5	6.2	10.0	21.2	57.7	F		
3.0	6.2	10.9	19.4	32.4	59.6	128.9	270.4	567.1	1938.1	M	Cerebrovascular disease	430-438/I60-I69
2.8	5.4	7.7	12.2	17.3	31.4	71.5	162.6	410.8	1871.2	F		
7.9	13.9	22.9	35.3	57.9	92.1	172.0	317.9	581.7	2190.4	M	Other vascular disease	Rest of 390-459/rest of I00-I99
3.5	4.9	7.2	11.9	19.5	35.4	72.7	153.4	344.9	2031.0	F		
0.6	1.2	1.9	4.6	10.1	23.7	56.9	134.6	304.5	841.5	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
0.1	0.4	0.9	2.6	3.5	7.2	15.6	34.2	72.4	292.9	F		
2.7	3.3	4.8	6.9	11.8	18.9	43.2	93.8	188.2	671.6	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
1.3	1.9	2.5	3.9	5.5	9.3	18.3	35.0	76.9	436.7	F		
0.2	0.5	1.0	1.5	2.0	3.3	4.9	10.1	18.7	52.8	M	Peptic ulcer	531-533/K25-K27
0.0	0.1	0.2	0.5	0.3	1.1	2.4	4.3	9.7	38.8	F		
7.0	10.2	17.2	24.0	36.0	53.7	76.0	90.7	101.2	116.1	M	Liver cirrhosis	571/K70, K74
2.1	2.7	5.3	7.8	14.1	21.4	36.8	52.4	70.6	75.2	F		
0.4	0.8	1.3	2.7	3.5	6.4	13.5	28.5	55.2	156.1	M	Renal disease	580-590/N00-N19
0.3	0.4	0.8	1.7	2.9	4.8	10.4	17.2	32.1	103.0	F		
0.3	0.1	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
0.7	0.5	1.4	1.2	1.5	1.0	0.8	2.1	3.0	3.4	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.5	0.8	0.7	0.8	1.1	0.9	1.4	0.8	2.3	3.3	F		
7.9	5.6	6.3	5.8	7.4	9.9	13.9	17.6	30.0	179.8	M	Ill-defined causes	780-799/R00-R99
1.8	1.1	1.4	1.7	2.8	3.3	5.0	9.1	16.9	194.5	F		
15.6	15.5	18.1	25.8	38.7	68.4	123.4	229.1	461.1	1282.9	M	Other medical causes	Rest of 001-799/rest of A00-R99
6.1	8.0	13.8	18.8	29.7	46.8	83.6	161.1	328.7	1151.8	F		
41.5	36.7	40.9	44.1	45.4	55.8	62.2	92.4	138.7	424.6	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
10.0	9.9	11.0	12.7	13.3	16.0	24.0	38.6	77.9	370.5	F	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
17.2	14.0	14.7	15.9	15.4	18.0	19.1	23.9	36.8	45.0	M		
3.9	4.1	4.0	4.5	4.8	4.6	7.5	9.3	11.1	11.7	F	Fire	E890-E899/X00-X09
0.6	0.3	0.4	0.6	0.6	0.8	0.8	1.2	2.6	6.3	M		
0.4	0.3	0.1	0.2	0.5	0.4	0.5	1.1	1.2	3.4	F		
10.4	10.6	11.5	12.8	11.9	14.1	15.1	20.2	24.0	44.7	M	Suicide	E950-E959/X60-X84
3.3	3.5	4.0	4.7	4.1	5.0	5.1	5.8	8.1	6.8	F		
2.4	1.8	2.6	1.7	1.2	1.2	0.8	0.8	1.1	1.5	M	Homicide	E960-E969/X85-X99, Y00-Y09
1.1	0.5	0.5	0.3	0.3	0.4	0.5	0.4	0.9	0.6	F		
2295	2012	1870	1937	1635	1653	1447	1220	908	758	M	POPULATION	
2285	2020	1897	1985	1721	1810	1691	1576	1375	1551	F	(1000s; UN, 2004 revision)	

JAPAN: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	525903	15480	183729	683.7	54.6	676.8	94.3	14.3	14.7	44.8	65.3	64.7	84.1
	F	435750	8116	85105	358.1	31.1	294.7	79.3	10.3	7.9	18.4	27.7	31.7	42.5
Tuberculosis	M	3402	9	851	4.3	0.0	3.2	-	-	0.0	-	-	0.0	0.1
	F	1549	8	240	1.2	0.0	0.9	0.0	-	-	-	0.0	0.1	0.1
HIV	M	47	9	36	0.1	0.0	0.1	-	-	-	-	0.0	0.1	0.1
	F	3	-	2	0.0	-	0.0	-	-	-	-	-	-	-
Other infective and parasitic	M	7458	234	3112	9.8	0.9	11.4	3.4	0.5	0.3	0.4	0.4	0.6	0.9
	F	7399	174	1788	6.4	0.8	6.3	3.3	0.3	0.2	0.5	0.4	0.4	0.3
ALL CANCER	M	179140	1352	76454	228.2	4.6	286.4	2.5	2.7	2.2	3.6	4.5	5.9	10.9
	F	116344	1295	42212	109.5	4.5	145.0	1.9	1.8	1.8	2.7	3.6	6.4	13.0
Mouth and pharynx cancer	M	3610	39	2043	4.7	0.1	7.5	-	-	0.1	0.0	0.0	0.2	0.5
	F	1456	19	490	1.3	0.1	1.7	-	-	-	0.0	0.0	0.1	0.2
Oesophagus cancer	M	8706	2	4797	11.1	0.0	17.8	-	-	-	-	-	0.0	0.0
	F	1550	3	541	1.4	0.0	1.9	-	-	-	-	-	0.0	0.0
Stomach cancer	M	32798	120	13882	41.8	0.4	51.9	-	-	-	0.1	0.4	0.6	1.6
	F	17852	155	5863	16.3	0.5	20.1	-	-	-	0.1	0.2	1.0	2.2
Colorectal cancer	M	20002	104	9034	25.6	0.3	33.6	-	0.0	0.0	0.1	0.3	0.6	1.3
	F	16201	83	5408	14.7	0.3	18.6	-	-	-	0.1	0.3	0.4	1.1
Liver cancer	M	22375	66	12702	28.3	0.2	48.1	0.2	0.1	0.1	0.1	0.1	0.4	0.7
	F	9399	28	2944	8.4	0.1	10.6	0.1	-	-	-	0.1	0.2	0.3
Pancreas cancer	M	10380	24	4854	13.2	0.1	18.0	-	-	-	-	-	0.1	0.4
	F	8714	12	2637	7.7	0.0	9.2	-	-	-	-	-	0.1	0.2
Larynx cancer	M	958	1	362	1.2	0.0	1.4	-	-	-	-	-	0.0	-
	F	88	-	29	0.1	-	0.1	-	-	-	-	-	-	-
Lung cancer	M	39053	75	13852	49.3	0.2	52.4	-	0.0	0.0	0.1	0.1	0.2	1.3
	F	14671	41	4617	13.1	0.1	16.0	0.0	-	-	-	-	0.2	0.7
Malignant melanoma	M	244	16	118	0.3	0.1	0.4	-	-	-	0.0	0.0	0.1	0.2
	F	204	11	76	0.2	0.0	0.3	-	-	-	-	-	0.0	0.1
Female breast cancer	F	9171	126	6492	11.1	0.4	21.5	-	-	-	-	0.1	0.5	2.3
Cervix cancer	F	2393	85	1364	2.7	0.3	4.6	-	-	-	-	0.0	0.4	1.5
Other uterine cancer	F	2809	26	1255	2.8	0.1	4.2	-	-	-	-	0.1	0.2	0.3
Ovarian cancer	F	4058	76	2387	4.5	0.3	8.0	-	-	0.1	0.2	0.3	0.4	0.8
Prostate cancer	M	7514	-	1283	9.5	-	5.1	-	-	-	-	-	-	-
Bladder cancer	M	3184	2	784	4.0	0.0	3.0	-	-	-	-	0.0	-	0.0
	F	1496	2	225	1.1	0.0	0.8	-	-	-	-	-	0.0	0.0
Other and ill-defined cancer sites	M	19994	437	8120	25.7	1.6	30.3	1.2	1.4	0.8	1.7	1.7	1.5	2.4
	F	18495	317	5035	16.3	1.2	17.6	0.8	1.1	1.3	1.1	1.0	1.3	1.7
Hodgkin's disease	M	76	2	39	0.1	0.0	0.1	-	-	-	-	-	0.0	0.0
	F	51	5	18	0.1	0.0	0.1	-	-	-	0.0	0.0	0.0	0.0
Myeloma and non- Hodgkin lymphomas	M	6276	131	2595	8.1	0.4	9.6	0.1	0.2	0.3	0.4	0.5	0.7	0.9
	F	4940	73	1613	4.6	0.2	5.6	0.1	0.1	0.1	0.2	0.3	0.4	0.5
Leukaemia	M	3970	333	1989	5.3	1.2	7.2	1.0	0.9	0.9	1.2	1.2	1.5	1.5
	F	2796	233	1218	3.1	0.9	4.2	0.9	0.7	0.4	1.0	1.1	0.9	1.1
Diabetes	M	6489	64	2918	8.3	0.2	10.8	-	-	0.1	0.1	0.2	0.3	0.7
	F	5814	25	1119	4.7	0.1	3.9	0.0	-	-	-	0.1	0.2	0.2
ALL VASCULAR DISEASE	M	144629	1524	42933	186.2	5.1	158.3	4.0	0.8	1.5	2.8	5.0	7.7	13.8
	F	153709	645	18269	114.1	2.3	64.1	3.3	0.6	0.9	1.4	1.9	2.8	5.4
Rheumatic heart disease and fever	M	774	4	202	1.0	0.0	0.8	0.0	-	-	-	0.0	0.0	0.0
	F	1756	2	241	1.3	0.0	0.9	-	-	-	-	-	0.0	0.0
Hypertensive disease	M	2163	6	428	2.8	0.0	1.6	-	-	-	-	-	0.1	0.1
	F	3900	-	216	2.6	-	0.8	-	-	-	-	-	-	-
Ischaemic heart disease	M	37875	274	13462	48.6	0.9	49.6	0.1	0.0	0.1	0.3	0.8	1.6	3.2
	F	32308	64	4010	24.2	0.2	14.3	-	0.0	0.0	0.2	0.1	0.2	0.9
Pulmonary embolism and other venous	M	841	19	296	1.1	0.1	1.1	-	-	0.1	0.1	0.0	0.1	0.2
	F	1170	21	372	1.1	0.1	1.3	-	-	-	-	0.1	0.1	0.3
Cerebrovascular disease	M	63127	296	17191	81.0	1.0	63.5	0.4	0.2	0.1	0.4	0.7	1.4	3.4
	F	69402	180	8768	51.8	0.6	30.5	0.4	0.2	0.4	0.4	0.4	0.8	1.7
Other vascular disease	M	39849	925	11354	51.7	3.1	41.8	3.5	0.6	1.2	2.0	3.3	4.5	6.9
	F	45173	378	4662	33.1	1.4	16.4	3.0	0.4	0.5	0.8	1.2	1.6	2.4
Chronic obstructive pulmonary disease	M	12722	123	1577	16.2	0.4	6.2	0.6	0.3	0.3	0.3	0.5	0.5	0.5
	F	6448	68	642	4.8	0.2	2.3	0.2	0.1	0.1	0.2	0.3	0.2	0.5
Other respiratory disease	M	62822	436	8817	80.4	1.7	34.0	5.7	0.9	0.9	0.7	1.0	1.0	1.7
	F	52509	366	3465	36.9	1.5	12.3	5.5	1.0	0.6	0.7	0.6	0.8	1.5
Peptic ulcer	M	2161	14	812	2.8	0.0	3.0	0.1	0.0	-	0.0	0.0	-	0.2
	F	1708	4	183	1.2	0.0	0.6	-	0.0	-	-	0.0	-	0.0
Liver cirrhosis	M	9285	82	7018	12.4	0.3	24.8	0.0	0.0	0.1	-	0.0	0.3	1.4
	F	3715	22	1473	3.6	0.1	5.1	-	-	-	-	0.0	0.1	0.4
Renal disease	M	9115	46	1834	11.7	0.2	6.9	0.4	-	0.1	0.1	-	0.2	0.4
	F	10749	33	1017	7.7	0.1	3.6	0.3	-	0.0	0.1	0.1	0.1	0.3
Pregnancy, birth congenital and perinatal causes	F	84	58	25	0.1	0.2	0.1	-	-	-	0.1	0.1	0.3	0.9
	M	1973	1615	185	4.5	7.3	0.7	46.7	1.1	0.7	0.8	0.6	0.5	0.5
III-defined causes	F	1854	1421	173	4.2	6.8	0.6	44.2	1.0	0.5	0.6	0.6	0.4	0.2
	M	9098	411	1363	12.3	1.7	4.8	8.6	0.1	0.1	0.3	0.9	0.8	1.1
	F	17450	245	417	11.6	1.1	1.4	6.3	0.0	0.0	0.3	0.4	0.4	0.3
Other medical causes	M	28254	1094	9273	37.0	4.1	34.1	8.8	2.0	2.6	3.4	3.4	3.5	4.8
	F	31918	823	5610	26.2	3.2	19.5	6.5	2.0	1.7	2.0	3.0	3.2	3.8
ALL NON- MEDICAL CAUSES	M	49308	8467	26546	69.5	28.1	92.0	13.5	5.7	5.8	32.5	48.7	43.3	47.0
	F	24497	2929	8470	25.9	10.2	28.8	7.6	3.3	2.0	9.9	16.7	16.4	15.7
Road traffic accidents	M	8221	2776	3495	12.0	9.3	12.3	1.9	2.3	1.8	18.2	19.3	11.8	9.9
	F	3557	579	1413	4.1	2.1	4.9	0.8	1.3	0.6	4.1	4.4	2.0	1.5
Fire	M	883	86	427	1.2	0.3	1.5	0.8	0.5	0.2	0.1	0.2	0.2	0.4
	F	533	61	184	0.6	0.2	0.6	0.2	0.3	0.3	0.2	0.3	0.1	0.2
Suicide	M	21656	3784	14912	31.0	11.9	50.7	-	-	1.7	8.7	21.3	23.6	28.2
	F	8595	1574	4512	10.7	5.1	15.2	-	-	0.5	3.8	9.4	11.2	11.1
Homicide	M	426	136	249	0.7	0.5	0.9	1.2	0.4	0.2	0.6	0.2	0.4	0.6
	F	342	116	155	0.5	0.5	0.5	1.0	0.4	0.1	0.3	0.6	0.5	0.3
POPULATION: (1000s; UN, 2004 revision)			M=male		62178	27284	29116	3109	3072	3352	3839	4402	5053	4457
			F=female		64856	26141	29717	2946	2926	3192	3664	4195	4872	4346

2000: JAPAN

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
112.5	174.1	293.1	460.7	742.4	1133.1	1821.4	2881.7	4646.7	11488.3	M	ALL CAUSES	001-999/A00-Y89
60.4	94.1	148.0	224.0	318.8	465.8	751.5	1246.3	2279.0	7488.3	F		
0.4	0.5	1.3	1.9	3.9	4.3	9.8	22.2	41.7	84.0	M	Tuberculosis	010-018, 137/A15-A19, B90
0.0	0.1	0.1	0.2	0.6	1.5	3.6	7.4	11.9	23.3	F		
0.1	0.1	0.1	0.2	0.2	0.1	0.0	0.0	0.1	-	M	HIV	279.5, 279.6/B20-B24
-	-	-	-	0.0	0.0	-	-	-	0.0	F		
1.7	2.7	5.7	7.9	12.7	18.8	30.6	43.8	61.1	128.8	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.6	1.1	2.1	3.0	6.3	10.1	21.2	28.1	48.9	100.9	F		
18.8	41.4	86.0	167.3	309.1	510.9	871.0	1262.7	1716.8	2640.6	M	ALL CANCER	140-208/C00-C97
26.6	46.3	79.2	123.4	169.6	230.0	340.2	483.6	695.9	1216.2	F		
0.7	1.5	3.6	5.4	9.7	12.7	18.6	21.1	27.8	34.3	M	Mouth and pharynx cancer	140-149/C00-C14
0.4	0.6	0.9	1.6	1.7	3.0	3.5	5.7	7.7	17.3	F		
0.3	1.3	4.7	10.9	24.6	34.9	47.9	60.4	69.6	78.1	M	Oesophagus cancer	150/C15
0.1	0.3	0.8	1.3	2.3	3.6	4.7	5.7	7.9	19.0	F		
3.4	7.7	16.1	30.8	57.3	91.4	156.5	226.5	305.3	516.7	M	Stomach cancer	151/C16
4.0	7.9	13.3	17.0	22.2	32.5	43.8	66.2	104.2	216.5	F		
2.0	5.1	10.3	21.1	39.2	63.0	94.4	133.1	172.0	299.4	M	Colorectal cancer	153, 154/C18-C21
1.8	3.9	7.8	15.2	23.3	33.1	45.3	69.0	93.6	187.6	F		
1.4	4.6	11.6	25.8	48.5	86.0	158.6	165.4	163.8	170.4	M	Liver cancer	155.0/C22 excl C221
0.4	0.5	1.3	3.5	7.6	19.2	41.9	60.2	71.0	82.8	F		
0.9	2.4	6.1	11.8	21.1	33.6	50.1	71.8	97.5	133.4	M	Pancreas cancer	157/C25
0.4	1.4	3.2	5.5	10.7	16.1	27.3	40.9	62.0	97.5	F		
-	0.1	0.2	0.6	1.6	2.5	4.7	7.2	9.9	16.1	M	Larynx cancer	161/C32
0.0	-	0.0	0.1	0.1	0.2	0.3	0.2	0.5	1.2	F		
2.4	7.4	14.1	28.0	51.5	90.0	173.4	309.0	460.3	625.9	M	Lung cancer	162/C33, C34
1.8	3.8	5.8	12.7	18.1	26.9	42.8	62.7	98.2	169.0	F		
0.2	0.2	0.2	0.3	0.4	0.9	0.9	1.1	1.2	4.0	M	Malignant melanoma	172/C43
0.1	0.1	0.4	0.2	0.3	0.2	0.5	0.7	1.0	2.1	F		
7.2	12.4	20.0	28.2	29.8	26.5	26.3	24.7	27.9	32.3	F	Female breast cancer	174/C50
2.6	2.9	4.6	4.9	5.8	5.5	5.6	7.8	9.8	13.6	F	Cervix cancer	180/C53
0.9	1.0	2.4	4.1	6.6	6.6	8.1	10.7	13.9	25.5	F	Other uterine cancer	179, 182/C54, C55
1.8	3.5	6.9	9.6	11.2	10.2	12.7	14.6	16.9	21.5	F	Ovarian cancer	183/C56, C570-C574
0.0	0.1	0.3	0.9	3.3	8.6	22.5	49.8	83.4	233.4	M	Prostate cancer	185/C61
0.1	0.3	0.6	1.6	2.8	5.4	9.9	21.6	35.9	81.6	M	Bladder cancer	188/C67
-	0.1	0.1	0.5	0.9	1.3	2.6	4.7	9.5	26.9	F		
3.5	5.2	10.1	18.8	31.0	55.0	88.3	130.1	197.1	316.1	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
2.6	4.2	6.6	11.5	18.4	29.5	50.4	74.3	121.9	235.0	F	Hodgkin's disease	201/C81
0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.4	0.7	0.8	M		
-	0.1	0.0	0.1	0.0	0.1	0.2	0.1	0.4	0.4	F		
1.3	2.2	4.1	5.4	11.0	15.9	27.6	43.3	63.0	91.1	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
1.0	1.6	2.2	3.9	6.1	9.3	15.4	23.9	35.0	49.1	F	Leukaemia	204-208/C91-C95
2.6	3.2	3.9	5.8	6.8	10.8	17.3	21.9	29.3	39.2	M		
1.3	2.0	2.9	3.5	4.4	6.2	8.9	11.3	14.3	19.0	F		
1.1	2.6	4.3	6.7	11.4	20.5	29.1	41.1	55.8	99.7	M	Diabetes	250/E10-E14
0.3	0.8	1.5	2.0	4.3	6.9	11.7	22.6	40.3	89.5	F		
22.6	39.0	70.2	108.3	168.1	268.3	431.9	751.0	1361.1	3817.8	M	ALL VASCULAR DISEASE	390-459/I00-199
8.2	15.3	25.7	40.7	61.9	103.6	193.0	374.5	810.5	3126.7	F		
-	0.0	0.2	0.3	1.0	1.8	2.0	4.1	6.7	23.0	M	Rheumatic heart disease and fever	390-398/I00-109
-	0.1	0.2	0.4	0.9	1.7	2.8	5.3	10.0	33.3	F		
0.2	0.3	0.6	1.3	1.6	2.6	4.5	8.5	15.5	82.0	M	Hypertensive disease	401-405/I10-I15
0.0	0.1	0.2	0.3	0.6	1.2	3.0	4.9	12.7	97.9	F		
6.0	10.8	20.1	34.7	54.9	86.1	134.8	216.5	353.5	832.2	M	Ischaemic heart disease	410-414/I20-I25
1.3	2.2	4.2	6.9	12.1	24.7	48.5	94.9	196.7	618.2	F		
0.2	0.4	0.6	0.4	1.4	1.9	2.8	4.9	8.5	16.9	M	Pulmonary embolism and other venous	415.1, 451-453/I26, I80-I82
0.3	0.6	1.1	1.0	1.1	2.1	2.8	4.3	7.3	14.0	F		
7.5	14.2	28.8	43.3	67.1	106.2	177.1	323.7	616.3	1775.3	M	Cerebrovascular disease	430-438/I60-I69
3.7	7.8	13.8	22.7	32.5	47.3	85.5	168.3	360.9	1404.0	F		
8.6	13.2	19.9	28.2	42.2	69.8	110.6	193.3	360.6	1088.3	M	Other vascular disease	Rest of 390-459/rest of I00-199
2.8	4.5	6.2	9.5	14.7	26.6	50.6	96.8	223.0	959.3	F		
0.8	1.0	1.2	1.9	4.0	9.4	24.8	72.1	155.3	432.5	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
0.6	0.5	1.1	1.0	1.7	3.4	7.7	16.6	37.7	130.0	F		
2.7	4.5	7.2	13.1	26.7	58.9	125.0	282.1	618.3	2361.7	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
1.5	2.3	3.3	5.6	10.5	20.7	42.5	95.0	234.0	1213.5	F		
0.3	0.8	1.7	2.3	3.1	4.8	7.9	11.4	19.0	47.5	M	Peptic ulcer	531-533/K25-K27
0.0	0.1	0.3	0.3	0.6	1.2	2.0	4.1	8.1	36.2	F		
3.9	8.6	16.2	24.6	34.0	42.8	43.5	37.3	34.2	42.5	M	Liver cirrhosis	571/K70, K74
0.8	1.7	2.6	3.8	5.8	8.1	12.9	18.3	25.2	30.5	F		
0.7	1.3	2.3	3.6	6.4	11.3	22.9	42.9	88.2	305.8	M	Renal disease	580-590/N00-N19
0.2	0.4	1.1	2.0	2.7	6.7	12.2	24.2	54.3	230.8	F		
0.4	0.2	-	0.0	0.0	-	-	-	-	0.0	F	Pregnancy, birth	630-676/A34,000-099
0.4	0.3	0.5	0.6	0.6	0.8	1.3	1.7	2.9	5.4	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.4	0.4	0.4	0.6	0.6	0.7	1.0	1.6	2.2	4.6	M	Ill-defined causes	780-799/R00-R99
1.8	2.0	3.2	4.3	6.2	7.2	9.2	14.0	35.0	416.6	F		
0.5	0.6	0.9	1.1	1.6	1.9	3.3	8.2	23.8	486.1	F		
7.2	10.4	15.6	22.8	35.6	56.7	90.7	151.6	255.6	638.4	M	Other medical causes	Rest of 001-799/rest of A00-R99
4.6	6.8	9.8	13.3	19.2	31.4	51.7	92.3	173.5	554.6	F		
50.2	58.9	77.5	95.2	120.3	118.5	123.7	147.8	201.6	466.9	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
15.6	17.5	20.1	27.0	33.2	39.7	48.4	69.8	112.6	245.1	F		
7.5	8.6	9.9	11.3	13.3	17.3	17.8	24.7	34.7	48.4	M	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
1.9	2.7	2.7	3.8	5.8	7.5	9.6	14.4	20.3	18.1	F		
0.5	0.7	1.0	1.5	2.1	2.4	2.3	3.2	5.7	12.8	M	Fire	E890-E899/X00-X09
0.4	0.4	0.4	0.6	0.7	0.6	1.2	1.4	3.0	5.2	F		
32.4	36.4	48.5	59.0	72.3	58.4	48.2	41.4	39.8	80.0	M	Suicide	E950-E959/X60-X84
9.6	10.3	12.1	16.2	18.3	20.0	19.7	21.4	26.4	35.3	F		
0.5	0.6	0.9	1.0	1.0	0.8	1.1	0.6	0.6	1.0	M	Homicide	E960-E969/X85-X99, Y00-Y09
0.4	0.4	0.5	0.4	0.5	0.9	0.6	0.7	0.7	0.9	F		
4109	3929	4484	5232	4290	3725	3347	2652	1591	1535	M	POPULATION	
4014	3868	4455	5240	4436	3964	3739	3219	2503	3277	F	(1000s; UN, 2004 revision)	

LATVIA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	16155	1088	8848	1655.2	206.5	2138.2	287.1	55.1	35.6	123.2	258.0	291.1	395.4
	F	16050	373	4107	765.9	79.2	742.1	223.9	21.5	27.5	37.8	62.0	79.8	102.1
Tuberculosis	M	242	15	196	23.0	2.7	42.7	-	-	-	-	-	6.0	12.8
	F	54	7	33	3.7	1.2	5.8	-	-	-	-	-	3.7	5.0
HIV	M	2	1	1	0.2	0.2	0.2	-	-	-	-	-	1.2	-
	F	1	1	-	0.1	0.2	-	-	-	-	-	1.3	-	-
Other infective and parasitic	M	37	6	21	3.6	1.3	4.8	4.0	-	-	-	-	2.4	2.6
	F	47	12	15	3.4	2.9	2.7	12.8	1.4	1.1	1.1	-	3.7	-
ALL CANCER	M	3001	51	1773	293.9	9.2	452.6	4.0	9.6	6.3	5.5	6.1	7.2	25.7
	F	2568	38	1175	137.4	6.8	212.3	2.1	2.9	8.8	-	2.5	9.8	21.4
Mouth and pharynx cancer	M	120	-	90	11.6	-	22.6	-	-	-	-	-	-	-
	F	17	-	7	0.9	-	1.3	-	-	-	-	-	-	-
Oesophagus cancer	M	84	-	64	7.9	-	15.6	-	-	-	-	-	-	-
	F	10	-	4	0.5	-	0.7	-	-	-	-	-	-	-
Stomach cancer	M	315	4	201	31.0	0.7	50.7	-	-	-	-	-	1.2	3.9
	F	270	3	107	13.7	0.5	19.4	-	-	-	-	-	1.2	2.5
Colorectal cancer	M	263	1	123	27.1	0.2	31.8	-	-	-	-	-	-	1.3
	F	340	2	122	16.5	0.4	22.3	-	-	-	-	-	1.2	1.3
Liver cancer	M	79	1	48	7.6	0.2	12.3	-	-	-	-	-	1.2	-
	F	50	-	19	2.6	-	3.4	-	-	-	-	-	-	-
Pancreas cancer	M	163	-	109	15.8	-	26.9	-	-	-	-	-	-	-
	F	164	3	58	8.2	0.5	10.6	-	-	-	-	-	1.2	2.5
Larynx cancer	M	84	-	65	7.8	-	16.4	-	-	-	-	-	-	-
	F	5	-	4	0.3	-	0.8	-	-	-	-	-	-	-
Lung cancer	M	870	4	575	82.2	0.7	148.7	-	-	-	-	1.2	-	3.9
	F	169	2	65	8.7	0.4	11.8	-	-	-	-	-	-	2.5
Malignant melanoma	M	31	-	17	2.9	-	4.4	-	-	-	-	-	-	-
	F	64	1	35	3.6	0.2	6.2	-	-	-	-	-	-	1.3
Female breast cancer	F	413	1	268	25.1	0.2	48.0	-	-	-	-	-	-	1.3
Cervix cancer	F	117	4	76	7.3	0.7	13.3	-	-	-	-	-	2.5	2.5
Other uterine cancer	F	134	-	68	7.0	-	12.4	-	-	-	-	-	-	-
Ovarian cancer	F	159	1	87	8.9	0.2	15.8	-	-	-	-	-	1.2	-
Prostate cancer	M	233	-	78	24.6	-	20.8	-	-	-	-	-	-	-
Bladder cancer	M	140	-	52	15.0	-	13.5	-	-	-	-	-	-	-
	F	47	-	10	2.1	-	1.8	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	431	18	252	41.8	3.4	63.6	4.0	1.4	3.1	1.1	3.7	1.2	9.0
	F	420	11	176	22.1	1.9	32.0	2.1	-	7.7	-	-	1.2	2.5
Hodgkin's disease	M	12	5	5	1.1	0.9	1.3	-	-	-	1.1	1.2	1.2	2.6
	F	10	1	4	0.6	0.2	0.7	-	-	-	-	1.3	-	-
Myeloma and non- Hodgkin lymphomas	M	79	8	46	7.9	1.4	11.4	-	1.4	-	2.2	-	2.4	3.9
	F	79	1	34	4.1	0.2	6.2	-	-	-	-	-	-	1.3
Leukaemia	M	97	10	48	9.6	1.8	12.6	-	6.9	3.1	1.1	-	-	1.3
	F	100	8	31	5.2	1.5	5.6	-	2.9	1.1	-	1.3	1.2	3.8
Diabetes	M	84	4	49	8.2	0.7	12.0	-	-	-	-	1.2	2.4	1.3
	F	151	-	72	7.9	-	13.1	-	-	-	-	-	-	-
ALL VASCULAR DISEASE	M	7710	86	3644	822.6	15.3	919.8	2.0	-	3.1	5.5	19.7	27.8	48.8
	F	10156	18	1752	437.7	3.3	319.8	2.1	-	-	-	2.5	9.8	8.8
Rheumatic heart disease and fever	M	54	2	42	5.0	0.4	9.8	-	-	-	-	-	-	2.6
	F	70	-	37	3.7	-	6.6	-	-	-	-	-	-	-
Hypertensive disease	M	31	-	20	3.2	-	5.1	-	-	-	-	-	-	-
	F	43	-	15	2.1	-	2.8	-	-	-	-	-	-	-
Ischaemic heart disease	M	4492	16	2196	477.0	2.9	554.9	-	-	-	-	2.5	7.2	10.3
	F	5164	3	805	218.1	0.5	147.5	-	-	-	-	-	2.5	1.3
Pulmonary embolism and other venous	M	37	-	21	3.9	-	5.6	-	-	-	-	-	-	-
	F	42	-	20	2.3	-	3.7	-	-	-	-	-	-	-
Cerebrovascular disease	M	2271	10	887	249.8	1.7	232.2	-	-	2.1	1.1	-	1.2	7.7
	F	4143	1	661	177.0	0.2	121.2	-	-	-	-	-	1.2	-
Other vascular disease	M	825	58	478	83.7	10.3	112.2	2.0	-	1.0	4.4	17.2	19.3	28.2
	F	694	14	214	34.5	2.6	38.1	2.1	-	-	-	2.5	6.1	7.6
Chronic obstructive pulmonary disease	M	215	3	109	22.0	0.5	29.0	-	-	-	-	1.2	1.2	1.3
	F	117	1	26	5.3	0.2	4.7	-	-	-	-	-	1.2	-
Other respiratory disease	M	339	20	254	33.0	3.8	57.8	4.0	1.4	1.0	2.2	2.5	3.6	11.6
	F	185	4	84	10.3	0.8	14.7	2.1	-	1.1	-	1.3	-	1.3
Peptic ulcer	M	91	1	60	9.1	0.2	13.7	-	-	-	-	-	1.2	-
	F	65	-	7	2.7	-	1.3	-	-	-	-	-	-	-
Liver cirrhosis	M	208	7	176	19.4	1.3	40.9	-	-	-	-	1.2	1.2	6.4
	F	120	4	83	7.6	0.7	14.6	-	-	-	-	-	1.2	3.8
Renal disease	M	102	2	50	10.6	0.4	12.3	-	-	-	-	-	1.2	1.3
	F	130	4	45	6.5	0.8	8.1	2.1	-	1.1	-	2.5	-	-
Pregnancy, birth congenital and perinatal causes	F	5	4	1	0.4	0.7	0.2	-	-	-	-	1.3	-	3.8
	M	132	117	12	19.0	31.7	2.9	200.8	5.5	1.0	1.1	8.6	1.2	3.9
Ill-defined causes	F	91	77	10	13.4	22.6	1.7	149.3	1.4	2.2	-	-	2.5	2.5
	M	457	29	158	56.2	6.2	36.8	20.1	-	-	2.2	3.7	12.1	5.1
	F	776	15	56	32.2	3.5	10.1	14.9	-	2.2	1.1	-	4.9	1.3
Other medical causes	M	688	51	429	69.1	9.8	99.5	16.1	2.8	2.1	4.4	7.4	15.7	20.5
	F	658	26	279	35.9	5.2	50.4	8.5	4.3	1.1	3.4	5.1	6.1	7.6
ALL NON- MEDICAL CAUSES	M	2847	695	1916	265.4	123.3	413.2	36.1	35.8	22.0	102.3	206.4	206.5	254.2
	F	926	162	469	61.4	30.3	82.6	29.9	11.5	9.9	32.1	45.6	36.8	46.7
Road traffic accidents	M	483	201	255	43.2	35.2	53.3	6.0	8.3	5.2	38.5	74.9	54.3	59.1
	F	150	56	71	10.9	9.8	12.5	-	1.4	5.5	14.9	25.3	11.0	10.1
Fire	M	152	21	116	14.3	4.1	25.8	6.0	4.1	1.0	-	3.7	1.2	12.8
	F	62	9	34	4.1	1.9	6.0	4.3	4.3	-	-	-	3.7	1.3
Suicide	M	618	141	414	57.8	24.5	88.9	-	1.4	4.2	22.0	40.5	45.9	57.8
	F	152	24	82	9.8	4.2	14.3	-	-	1.1	4.6	5.1	9.8	8.8
Homicide	M	217	51	156	20.1	9.2	32.1	4.0	-	-	7.7	11.1	14.5	27.0
	F	80	15	56	6.1	3.0	9.8	6.4	-	1.1	4.6	5.1	1.2	2.5
POPULATION: (1000s; UN, 2004 revision)			M=male		1087.3	550.8	470.5	49.8	72.6	95.4	90.9	81.4	82.8	77.9
			F=female		1285.7	534.7	576.0	46.9	69.8	90.9	87.3	79.0	81.5	79.3

2000: LATVIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
517.6	856.8	1155.3	1869.8	2336.6	3400.7	4830.4	6293.8	8691.4	18855.0	M	ALL CAUSES	001-999/A00-Y89
165.6	252.5	378.2	600.0	811.9	1158.8	1827.6	2930.6	5445.5	12525.0	F		
23.4	39.4	49.9	53.1	47.9	39.7	45.7	48.0	22.9	76.3	M	Tuberculosis	010-018, 137/ A15-A19, B90
4.4	4.4	6.1	7.9	6.3	7.1	4.1	4.2	13.9	7.4	F		
-	1.2	-	-	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
-	-	-	-	-	-	-	-	-	-	F		
-	4.8	2.8	4.8	5.0	9.9	6.5	16.9	11.4	15.3	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
-	1.1	2.4	2.6	6.3	2.4	4.1	12.7	7.9	13.0	F		
22.2	58.5	124.8	329.6	506.6	867.5	1258.7	1669.5	1760.0	2122.1	M	ALL CANCER	140-208/C00-C97
38.9	90.4	118.8	181.5	246.2	301.2	508.9	617.6	912.9	849.7	F		
1.2	1.2	4.2	35.4	24.8	41.4	50.0	50.8	34.3	45.8	M	Mouth and pharynx cancer	140-149/C00-C14
-	1.1	-	1.3	1.3	1.2	4.1	2.8	5.9	9.3	F		
-	3.6	12.5	11.3	18.2	31.5	32.6	33.9	34.3	15.3	M	Oesophagus cancer	150/C15
-	-	-	-	-	2.4	2.7	2.8	2.0	5.6	F		
3.5	10.7	18.0	33.8	59.4	94.4	134.8	135.6	182.9	229.0	M	Stomach cancer	151/C16
1.1	9.9	10.9	15.9	15.2	30.6	52.0	58.1	114.9	113.2	F		
1.2	3.6	9.7	40.2	14.9	53.0	100.0	183.6	165.7	343.5	M	Colorectal cancer	153, 154/C18-C21
2.2	5.5	3.6	13.2	24.0	36.5	71.1	83.6	146.5	154.0	F		
1.2	2.4	4.2	6.4	9.9	23.2	39.1	42.4	57.1	38.2	M	Liver cancer	155.0, 155.1/C22
-	1.1	1.2	5.3	3.8	8.2	4.1	18.4	15.8	18.6	F		
2.3	6.0	8.3	22.5	38.0	54.6	56.5	76.3	85.7	91.6	M	Pancreas cancer	157/C25
-	1.1	8.5	5.3	16.4	14.1	28.7	39.7	75.2	68.6	F		
1.2	1.2	6.9	3.2	33.0	28.1	41.3	31.1	34.3	15.3	M	Larynx cancer	161/C32
-	-	-	-	2.5	-	2.7	1.4	-	-	F		
3.5	13.1	29.1	85.2	183.2	289.7	437.0	494.4	417.1	328.2	M	Lung cancer	162/C33, C34
1.1	1.1	6.1	11.9	18.9	17.6	26.0	51.0	77.2	50.1	F		
-	1.2	1.4	1.6	3.3	8.3	15.2	31.1	-	22.9	M	Malignant melanoma	172/C43
2.2	4.4	6.1	2.6	8.8	7.1	12.3	5.7	15.8	29.7	F		
10.0	24.3	41.2	58.3	59.3	63.5	79.3	72.2	103.0	76.1	F	Female breast cancer	174/C50
11.1	13.2	12.1	9.3	11.4	14.1	21.9	12.7	29.7	24.1	F	Cervix cancer	180/C53
-	2.2	2.4	7.9	15.2	23.5	35.6	31.2	37.6	46.4	F	Other uterine cancer	179, 182/C54, C55
1.1	2.2	4.8	15.9	30.3	24.7	31.5	46.7	25.7	46.4	F	Ovarian cancer	183.0/C56
-	-	2.8	6.4	24.8	39.7	71.7	178.0	262.9	351.1	M	Prostate cancer	185/C61
1.2	1.2	2.8	6.4	14.9	24.8	43.5	98.9	114.3	251.9	M	Bladder cancer	188/C67
-	-	1.2	-	1.3	4.7	5.5	11.3	23.8	31.5	F		
4.7	10.7	15.3	59.5	57.8	134.1	163.0	242.9	245.7	244.3	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
7.8	16.5	14.5	26.5	30.3	35.3	93.0	111.9	178.2	118.7	F		
-	-	1.4	-	3.3	-	4.3	2.8	5.7	-	M	Hodgkin's disease	201/C81
-	1.1	1.2	-	-	1.2	1.4	1.4	5.9	1.9	F		
1.2	-	6.9	8.0	9.9	29.8	23.9	19.8	51.4	68.7	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	3.3	2.4	5.3	3.8	8.2	20.5	26.9	21.8	26.0	F	Leukaemia	204-208/C91-C95
1.2	3.6	1.4	9.6	11.6	14.9	45.7	48.0	68.6	76.3	M		
2.2	3.3	2.4	2.6	3.8	8.2	16.4	39.7	33.7	29.7	F		
3.5	4.8	8.3	9.6	9.9	14.9	32.6	42.4	51.4	53.4	M	Diabetes	250/E10-E14
3.3	1.1	3.6	10.6	11.4	23.5	38.3	42.5	57.4	37.1	F		
92.5	190.9	349.5	644.7	981.8	1629.1	2550.0	3596.0	5640.0	13129.8	M	ALL VASCULAR DISEASE	390-459/I00-I99
26.7	58.4	99.4	197.4	311.9	569.4	975.4	1882.4	3800.0	9532.5	F		
5.9	4.8	5.5	6.4	14.9	11.6	19.6	22.6	-	15.3	M	Rheumatic heart disease and fever	390-398/I00-I09
-	2.2	1.2	2.6	10.1	17.6	12.3	24.1	15.8	14.8	F		
-	2.4	1.4	1.6	9.9	5.0	15.2	2.8	28.6	38.2	M	Hypertensive disease	401-405/I10-I15
-	-	-	2.6	5.1	2.4	9.6	9.9	13.9	26.0	F		
41.0	107.4	195.6	379.4	618.8	1038.1	1504.3	2138.4	3114.3	7465.6	M	Ischaemic heart disease	410-414/I20-I25
5.6	14.3	26.7	60.9	135.1	291.8	497.9	964.6	1879.2	5057.5	F		
1.2	-	-	8.0	5.0	3.3	21.7	14.1	28.6	45.8	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
-	-	3.6	6.6	3.8	4.7	6.8	7.1	13.9	18.6	F		
4.7	19.1	66.6	128.6	222.8	413.9	769.6	1138.4	2028.6	4702.3	M	Cerebrovascular disease	430-438/I60-I69
5.6	16.5	36.4	79.5	125.0	201.2	384.4	787.5	1708.9	3825.6	F		
39.8	57.3	80.4	120.6	110.6	157.3	219.6	279.7	440.0	862.6	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
15.6	25.4	31.5	45.0	32.8	51.8	64.3	89.2	168.3	590.0	F		
-	-	5.5	11.3	33.0	51.3	102.2	113.0	165.7	259.5	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
1.1	-	2.4	1.3	7.6	8.2	12.3	31.2	49.5	79.8	F		
21.1	32.2	51.3	64.3	79.2	82.8	73.9	76.3	91.4	167.9	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
5.6	11.0	17.0	10.6	20.2	22.4	16.4	24.1	49.5	102.0	F		
1.2	11.9	16.6	12.9	16.5	14.9	21.7	39.5	34.3	76.3	M	Peptic ulcer	531-533/K25-K27
-	-	-	2.6	1.3	1.2	4.1	14.2	25.7	64.9	F		
11.7	26.3	29.1	45.0	36.3	66.2	71.7	33.9	62.9	15.3	M	Liver cirrhosis	571/K70, K74
6.7	7.7	8.5	13.2	22.7	27.1	16.4	17.0	25.7	14.8	F		
5.9	1.2	9.7	11.3	5.0	18.2	34.8	53.7	74.3	137.4	M	Renal disease	580-590/N00-N19
1.1	-	3.6	7.9	3.8	20.0	20.5	26.9	51.5	66.8	F		
1.1	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
2.3	-	1.4	4.8	1.7	3.3	6.5	2.8	5.7	7.6	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
1.1	2.2	-	2.6	2.5	3.5	-	1.4	-	5.6	F	Ill-defined causes	780-799/R00-R99
14.1	19.1	26.4	45.0	47.9	39.7	65.2	73.4	194.3	1603.1	M		
3.3	1.1	6.1	6.6	17.7	15.3	20.5	42.5	112.9	1146.6	F		
34.0	68.0	69.3	96.5	117.2	129.1	182.6	220.3	280.0	618.3	M	Other medical causes	Rest of 001-799/ rest of A00-R99
12.2	17.6	35.2	58.3	51.8	68.2	109.4	116.1	198.0	317.3	F		
285.7	398.6	410.5	537.0	448.8	433.8	378.3	307.9	297.1	572.5	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
60.0	57.3	75.2	96.7	102.3	89.4	97.1	97.7	140.6	287.6	F		
53.9	65.6	52.7	56.3	56.1	44.7	43.5	53.7	34.3	15.3	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
15.6	4.4	12.1	9.3	15.2	11.8	19.2	9.9	17.8	13.0	F		
9.4	23.9	22.2	37.0	21.5	36.4	30.4	31.1	22.9	-	M	Fire	E890-E899/X00-X09
3.3	4.4	2.4	4.0	8.8	8.2	10.9	2.8	13.9	18.6	F		
63.2	90.7	97.1	104.5	105.6	76.2	84.8	73.4	74.3	183.2	M	Suicide	E950-E959/X60-X84
11.1	13.2	9.7	11.9	16.4	20.0	17.8	21.2	19.8	39.0	F		
31.6	39.4	43.0	38.6	31.4	23.2	17.4	11.3	11.4	30.5	M	Homicide	E960-E969/ X85-X99, Y00-Y09
10.0	5.5	10.9	15.9	6.3	10.6	9.6	4.2	7.9	3.7	F		
85.4	83.8	72.1	62.2	60.6	60.4	46.0	35.4	17.5	13.1	M	POPULATION	
90.0	90.7	82.5	75.5	79.2	85.0	73.1	70.6	50.5	53.9	F	(1000s; UN, 2004 revision)	

LITHUANIA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	20408	1610	10401	1390.1	191.5	1785.4	220.6	34.9	31.6	133.2	255.7	281.5	383.0
	F	18511	568	4794	699.3	73.2	638.3	206.7	18.3	21.7	45.0	53.9	63.4	103.3
Tuberculosis	M	292	9	244	19.2	1.0	37.6	-	0.8	-	-	-	3.2	3.1
	F	73	5	42	3.4	0.6	5.3	-	-	-	-	2.6	-	1.6
HIV	M	5	2	3	0.3	0.2	0.4	-	-	-	-	-	0.8	0.8
	F	1	1	-	0.1	0.1	-	-	-	-	-	0.9	-	-
Other infective and parasitic	M	68	15	26	4.5	1.9	4.3	5.3	1.7	-	1.5	1.7	1.6	1.6
	F	51	12	21	2.6	1.7	2.7	8.9	-	-	0.8	-	-	2.3
ALL CANCER	M	4320	59	2492	291.5	6.8	453.5	5.3	4.2	3.6	9.9	5.1	9.7	10.2
	F	3403	84	1647	141.3	9.8	219.1	5.6	2.6	4.5	2.4	12.8	15.1	25.8
Mouth and pharynx cancer	M	206	2	170	14.1	0.2	29.3	-	-	-	0.8	-	0.8	-
	F	40	-	22	1.7	-	3.0	-	-	-	-	-	-	-
Oesophagus cancer	M	122	-	92	8.4	-	15.9	-	-	-	-	-	-	-
	F	24	-	11	0.9	-	1.5	-	-	-	-	-	-	-
Stomach cancer	M	502	3	280	34.1	0.3	50.9	-	-	-	-	-	-	2.4
	F	346	7	139	13.6	0.8	18.6	-	-	-	-	1.7	0.8	3.1
Colorectal cancer	M	423	1	211	28.9	0.1	39.2	-	-	-	-	-	-	0.8
	F	404	1	152	15.4	0.1	20.5	-	-	-	-	0.9	-	-
Liver cancer	M	83	1	44	5.5	0.1	8.2	-	-	-	-	-	0.8	-
	F	50	-	25	2.1	-	3.4	-	-	-	-	-	-	-
Pancreas cancer	M	219	2	124	15.0	0.2	22.5	-	-	-	-	-	-	1.6
	F	185	1	63	6.9	0.1	8.6	-	-	-	-	-	-	0.8
Larynx cancer	M	123	-	98	8.5	-	17.5	-	-	-	-	-	-	-
	F	4	-	2	0.2	-	0.3	-	-	-	-	-	-	-
Lung cancer	M	1178	2	752	78.0	0.2	139.0	-	-	-	-	-	-	1.6
	F	197	2	70	7.5	0.2	9.4	-	-	-	-	-	0.8	0.8
Malignant melanoma	M	31	2	22	2.0	0.2	3.5	-	-	-	-	-	-	0.8
	F	55	6	33	2.5	0.7	4.3	-	-	-	-	0.9	1.6	2.3
Female breast cancer	F	549	5	346	24.7	0.6	45.9	-	-	-	-	0.9	-	3.1
Cervix cancer	F	251	18	165	11.8	2.0	20.8	-	-	-	-	-	-	8.6
Other uterine cancer	F	150	-	76	6.1	-	10.3	-	-	-	-	-	-	-
Ovarian cancer	F	291	5	167	12.9	0.6	22.1	-	-	0.7	-	-	0.8	2.3
Prostate cancer	M	413	-	125	29.1	-	24.8	-	-	-	-	-	-	-
Bladder cancer	M	175	-	83	11.7	-	15.6	-	-	-	-	-	-	-
	F	52	-	13	1.9	-	1.8	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	595	22	359	39.5	2.6	62.9	2.1	3.3	1.4	2.3	3.4	4.8	0.8
	F	572	21	267	23.5	2.5	35.8	3.3	1.7	3.0	2.4	3.4	2.4	1.6
Hodgkin's disease	M	15	3	10	1.0	0.3	1.8	-	-	-	0.8	0.8	0.8	-
	F	16	4	8	0.8	0.5	1.0	-	-	-	-	2.6	0.8	-
Myeloma and non- Hodgkin lymphomas	M	98	9	51	6.4	1.0	9.4	-	-	2.2	3.0	-	0.8	0.8
	F	87	2	40	3.5	0.2	5.5	-	-	-	-	0.9	0.8	-
Leukaemia	M	137	12	71	9.2	1.5	13.0	3.2	0.8	-	3.0	0.8	0.8	1.6
	F	130	12	48	5.3	1.5	6.5	2.2	0.9	0.7	-	1.7	1.6	3.1
Diabetes	M	99	7	58	6.4	0.8	9.7	-	-	-	-	-	2.4	3.1
	F	142	8	61	5.8	0.9	8.0	-	-	-	-	0.9	3.2	2.3
ALL VASCULAR DISEASE	M	9077	88	3710	642.7	10.1	672.3	2.1	1.7	0.7	2.3	8.5	16.9	38.5
	F	11853	25	1719	408.5	3.1	234.2	7.8	-	0.7	1.6	1.7	3.2	7.0
Rheumatic heart disease and fever	M	108	5	74	7.2	0.6	12.7	-	-	-	-	-	0.8	3.1
	F	142	1	79	5.9	0.1	10.7	-	-	0.7	-	-	-	-
Hypertensive disease	M	131	2	100	8.8	0.2	17.8	-	-	-	-	-	0.8	0.8
	F	149	1	57	5.7	0.1	7.8	-	-	-	-	-	-	0.8
Ischaemic heart disease	M	5685	31	2219	405.2	3.5	405.3	-	-	-	-	1.7	6.5	16.5
	F	6928	1	772	234.3	0.1	105.7	-	-	-	-	-	0.8	-
Pulmonary embolism and other venous	M	125	2	63	8.4	0.2	11.4	-	-	-	0.8	-	-	0.8
	F	150	1	60	5.7	0.1	8.2	-	-	-	-	-	-	0.8
Cerebrovascular disease	M	1764	9	630	125.1	1.1	117.4	1.1	-	-	-	0.8	-	5.5
	F	3133	6	514	108.2	0.7	70.0	-	-	-	0.8	-	-	3.1
Other vascular disease	M	1264	39	624	88.1	4.5	107.6	1.1	1.7	0.7	1.5	5.9	8.9	11.8
	F	1351	15	237	48.6	2.0	31.8	7.8	-	-	0.8	1.7	0.8	3.1
Chronic obstructive pulmonary disease	M	710	3	241	49.6	0.3	46.4	-	-	0.7	-	-	-	1.6
	F	340	-	75	12.1	-	10.2	-	-	-	-	-	-	-
Other respiratory disease	M	338	31	178	22.9	4.0	29.9	13.7	-	0.7	2.3	2.5	2.4	6.3
	F	172	19	59	7.5	2.8	7.8	15.6	-	0.7	-	0.9	0.8	1.6
Peptic ulcer	M	99	4	68	6.5	0.5	12.2	-	-	0.7	-	0.8	1.6	-
	F	69	-	16	2.5	-	2.2	-	-	-	-	-	-	-
Liver cirrhosis	M	340	17	298	22.2	1.9	46.9	-	-	-	-	1.7	4.0	7.8
	F	199	3	156	9.9	0.3	20.3	-	-	-	-	0.9	-	1.6
Renal disease	M	122	3	55	8.6	0.3	9.5	-	-	-	0.8	0.8	0.8	-
	F	140	5	45	5.2	0.6	6.1	-	-	-	-	-	2.4	1.6
Pregnancy, birth congenital and perinatal causes	F	3	2	1	0.2	0.2	0.1	-	-	-	-	1.7	-	-
	M	138	127	10	11.0	18.6	1.4	121.8	1.7	3.6	1.5	0.8	-	0.8
	F	139	128	8	11.5	19.8	1.0	128.9	1.7	2.2	2.4	1.7	-	1.6
Ill-defined causes	M	189	34	119	12.5	4.1	18.1	7.4	0.8	-	1.5	5.1	4.8	9.4
	F	111	12	34	4.6	1.5	4.4	3.3	-	0.7	-	1.7	1.6	3.1
Other medical causes	M	666	70	365	44.5	8.3	60.5	11.6	2.5	2.2	4.6	4.2	12.1	21.2
	F	658	45	232	26.8	5.8	30.9	14.4	5.2	3.7	3.2	5.1	1.6	7.0
ALL NON- MEDICAL CAUSES	M	3945	1141	2534	247.9	132.5	382.6	53.6	21.6	19.4	108.8	224.4	221.0	278.6
	F	1157	219	678	57.4	25.9	85.8	22.2	8.7	9.0	34.8	23.1	35.7	47.7
Road traffic accidents	M	571	256	280	34.5	29.4	41.3	4.2	10.8	6.5	37.3	56.7	37.1	53.4
	F	155	49	76	7.7	5.7	9.6	1.1	3.5	3.7	11.1	6.8	5.6	7.8
Fire	M	115	31	72	7.5	3.8	11.2	8.4	-	-	0.8	4.2	3.2	10.2
	F	36	1	20	1.6	0.1	2.6	-	0.9	-	-	-	-	-
Suicide	M	1317	358	874	83.0	41.1	130.4	-	0.8	3.6	28.2	79.6	77.4	98.1
	F	314	56	195	15.6	6.4	24.2	-	-	-	15.8	4.3	11.1	13.3
Homicide	M	250	85	151	15.6	9.8	22.2	2.1	-	0.7	7.6	13.5	20.2	24.3
	F	95	24	50	4.9	2.9	6.1	3.3	-	0.7	0.8	2.6	4.0	8.6
POPULATION: (1000s; UN, 2004 revision)			M=male		1637.4	855.9	678.8	95.2	120.4	139.4	131.4	118.1	124.0	127.4
			F=female		1862.1	836.0	806.1	90.0	115.0	133.7	126.6	116.8	126.1	127.8

2000: LITHUANIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
469.7	681.0	1082.0	1554.3	2067.6	2789.9	3853.3	5417.0	7637.6	14803.4	M	ALL CAUSES	001-999/A00-Y89
132.3	202.1	377.1	468.3	727.4	991.6	1569.2	2609.9	4395.2	12829.2	F		
19.2	34.1	33.2	45.2	54.3	45.1	31.8	33.6	45.3	38.5	M	Tuberculosis	010-018, 137/ A15-A19, B90
3.6	3.7	5.3	6.6	9.5	4.7	4.0	10.8	16.6	8.2	F		
-	-	2.0	1.1	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
-	-	-	-	-	-	-	-	-	-	F		
1.5	3.2	1.0	5.7	3.6	6.4	9.1	21.7	38.3	21.4	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.4	2.2	0.9	0.9	4.7	2.8	5.9	7.5	7.5	9.9	F		
31.8	72.2	168.8	371.0	545.9	809.3	1175.5	1505.9	1864.1	2017.1	M	ALL CANCER	140-208/C00-C97
33.3	73.3	148.0	177.9	261.2	359.8	480.2	612.1	767.7	977.0	F		
1.5	4.8	23.4	43.0	39.9	50.3	42.4	29.6	41.8	29.9	M	Mouth and pharynx cancer	140-149/C00-C14
-	-	1.8	2.8	7.6	4.7	4.0	5.4	10.6	9.9	F		
-	5.6	10.7	18.1	29.0	21.9	25.7	21.7	38.3	34.2	M	Oesophagus cancer	150/C15
-	0.7	0.9	-	-	5.6	3.0	3.2	3.0	13.1	F		
5.2	11.1	11.7	41.9	66.4	85.1	134.6	162.1	250.9	277.8	M	Stomach cancer	151/C16
3.6	4.4	12.3	13.2	17.1	28.0	51.4	61.4	83.0	144.5	F		
1.5	4.0	12.7	28.3	49.5	59.3	119.5	166.0	202.1	294.9	M	Colorectal cancer	153, 154/C18-C21
2.2	4.4	7.0	8.5	30.4	35.5	55.3	75.4	117.6	169.1	F		
-	1.6	2.0	5.7	7.2	18.0	22.7	37.5	41.8	29.9	M	Liver cancer	155.0, 155.1/C22
-	0.7	1.8	1.9	4.7	8.4	5.9	11.9	7.5	14.8	F		
2.2	1.6	2.9	29.4	33.8	37.4	49.9	79.1	104.5	98.3	M	Pancreas cancer	157/C25
-	0.7	3.5	3.8	10.4	18.7	22.7	42.0	58.8	70.6	F		
-	0.8	8.8	24.9	21.7	36.1	30.3	17.8	24.4	38.5	M	Larynx cancer	161/C32
-	-	-	-	0.9	0.9	-	1.1	1.5	-	F		
3.7	16.7	54.6	82.6	164.3	264.2	387.3	444.7	442.5	307.7	M	Lung cancer	162/C33, C34
0.7	2.2	6.2	5.7	8.5	17.8	24.7	44.2	60.3	72.2	F		
3.0	0.8	1.0	4.5	6.0	7.7	1.5	9.9	-	8.5	M	Malignant melanoma	172/C43
0.7	4.4	1.8	2.8	5.7	4.7	9.9	7.5	7.5	6.6	F		
5.8	14.1	41.4	51.1	60.8	70.1	78.1	76.5	93.5	106.7	F	Female breast cancer	174/C50
9.4	22.2	31.7	12.3	17.1	20.6	32.6	32.3	31.7	27.9	F	Cervix cancer	180/C53
-	2.2	3.5	4.7	17.1	19.6	24.7	24.8	46.8	32.8	F	Other uterine cancer	179, 182/C54, C55
4.3	6.7	15.0	30.3	26.6	36.4	35.6	52.8	42.2	69.0	F	Ovarian cancer	183.0/C56
-	0.8	1.0	5.7	22.9	38.7	104.4	148.2	348.4	482.9	M	Prostate cancer	185/C61
0.7	3.2	2.0	10.2	10.9	32.2	49.9	83.0	97.6	94.0	M	Bladder cancer	188/C67
-	0.7	-	0.9	1.9	2.8	5.9	12.9	12.1	31.2	F		
10.3	18.3	33.2	60.0	66.4	114.7	137.7	229.2	174.2	205.1	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
5.8	8.1	16.7	30.3	37.0	62.6	89.9	117.5	129.7	146.1	F	Hodgkin's disease	201/C81
-	-	-	2.3	3.6	5.2	1.5	4.0	-	-	M		
0.7	0.7	-	1.9	0.9	2.8	-	2.2	1.5	1.6	F		
2.2	2.4	2.0	7.9	2.4	12.9	36.3	29.6	38.3	51.3	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	-	0.9	2.8	9.5	11.2	13.8	20.5	25.6	14.8	F	Leukaemia	204-208/C91-C95
1.5	0.8	2.9	6.8	21.7	25.8	31.8	43.5	59.2	64.1	M		
-	0.7	3.5	4.7	4.7	9.3	22.7	20.5	34.7	46.0	F		
4.4	2.4	7.8	10.2	14.5	9.0	19.7	53.4	17.4	8.5	M	Diabetes	250/E10-E14
2.9	3.0	1.8	5.7	12.3	19.6	10.9	31.3	37.7	31.2	F		
62.8	142.9	270.2	475.1	783.8	1175.3	1795.8	2832.0	4435.5	10995.7	M	ALL VASCULAR DISEASE	390-459/I00-I99
13.7	25.2	72.2	120.2	236.5	380.4	791.5	1590.5	3069.4	10834.2	F		
3.0	4.0	7.8	12.4	16.9	19.3	25.7	27.7	17.4	42.7	M	Rheumatic heart disease and fever	390-398/I00-I09
1.4	-	1.8	8.5	15.2	26.2	21.7	26.9	30.2	27.9	F		
1.5	4.0	6.8	20.4	20.5	34.8	36.3	29.6	24.4	29.9	M	Hypertensive disease	401-405/I10-I15
-	-	3.5	5.7	9.5	11.2	24.7	32.3	43.7	52.5	F		
28.1	71.4	156.1	291.9	468.6	704.9	1116.5	1784.6	2832.8	7346.2	M	Ischaemic heart disease	410-414/I20-I25
3.6	8.1	21.1	45.4	84.5	188.8	388.3	872.8	1705.9	6919.5	F		
2.2	0.8	7.8	3.4	13.3	21.9	30.3	43.5	83.6	59.8	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.7	1.5	0.9	6.6	4.7	10.3	32.6	31.3	37.7	57.5	F		
7.4	21.4	33.2	45.2	135.3	208.8	370.7	579.1	1062.7	2252.1	M	Cerebrovascular disease	430-438/I60-I69
4.3	8.1	27.3	29.3	64.6	104.7	252.0	470.9	957.8	2530.4	F		
20.7	41.3	58.5	101.8	129.2	185.6	216.3	367.6	414.6	1265.0	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
3.6	7.4	17.6	24.6	57.9	39.3	72.1	156.3	294.1	1246.3	F		
-	4.8	6.8	18.1	39.9	87.6	167.9	304.3	432.1	803.4	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
1.4	-	7.0	5.7	7.6	15.9	33.6	53.9	107.1	236.5	F		
7.4	13.5	19.5	29.4	41.1	51.5	46.9	102.8	149.8	145.3	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
2.9	3.0	1.8	5.7	11.4	12.1	17.8	18.3	37.7	85.4	F		
1.5	4.0	2.9	6.8	14.5	27.1	28.7	21.7	38.3	21.4	M	Peptic ulcer	531-533/K25-K27
-	-	-	3.8	1.9	4.7	4.9	9.7	18.1	52.5	F		
19.9	33.3	52.7	47.5	61.6	61.9	51.4	33.6	17.4	12.8	M	Liver cirrhosis	571/K70, K74
3.6	11.8	21.1	26.5	30.4	27.1	21.7	21.6	19.6	11.5	F		
3.7	1.6	4.9	9.0	15.7	10.3	21.2	25.7	83.6	115.4	M	Renal disease	580-590/N00-N19
-	1.5	2.6	0.9	3.8	15.0	18.8	31.3	36.2	60.8	F		
0.7	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
1.5	2.4	2.0	1.1	-	1.3	1.5	2.0	-	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
1.4	0.7	-	2.8	-	-	2.0	2.2	-	1.6	F	Ill-defined causes	780-799/R00-R99
14.0	12.7	17.6	28.3	13.3	25.8	15.1	23.7	41.8	51.3	M		
1.4	3.0	1.8	2.8	5.7	10.3	5.9	8.6	21.1	70.6	F		
20.7	34.9	41.0	65.6	65.2	82.5	113.5	175.9	236.9	316.2	M	Other medical causes	Rest of 001-799/ rest of A00-R99
9.4	4.4	17.6	21.8	46.5	46.7	70.2	113.1	162.9	275.9	F		
281.4	319.0	451.7	440.0	414.3	396.9	375.2	280.6	236.9	256.4	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
56.4	70.3	96.9	87.0	95.9	92.5	101.8	99.1	93.5	174.1	F		
45.1	36.5	44.9	36.2	44.7	33.5	48.4	33.6	31.4	38.5	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
5.8	9.6	8.8	6.6	9.5	11.2	15.8	15.1	12.1	13.1	F		
5.2	6.3	16.6	12.4	16.9	10.3	10.6	13.8	10.5	8.5	M	Fire	E890-E899/X00-X09
0.7	-	5.3	0.9	2.8	4.7	4.0	4.3	6.0	11.5	F		
93.1	117.5	162.9	174.2	146.1	116.0	102.9	88.9	48.8	111.1	M	Suicide	E950-E959/X60-X84
24.6	21.5	33.5	18.9	26.6	25.2	18.8	29.1	24.1	32.8	F		
14.8	22.2	35.1	30.5	21.7	11.6	19.7	9.9	24.4	8.5	M	Homicide	E960-E969/ X85-X99, Y00-Y09
5.8	8.1	8.8	9.5	5.7	1.9	3.0	3.2	10.6	18.1	F		
135.4	126.0	102.5	88.4	82.8	77.6	66.1	50.6	28.7	23.4	M	POPULATION	
138.3	135.1	113.5	105.7	105.3	107.0	101.2	92.8	66.3	60.9	F	(1000s; UN, 2004 revision)	

LUXEMBOURG: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	1857	96	667	937.5	89.3	882.1	82.8	20.8	-	39.7	167.9	166.7	147.4
	F	1852	39	354	546.6	37.3	441.4	73.0	14.5	7.8	25.2	38.5	38.5	63.5
Tuberculosis	M	2	-	2	1.0	-	2.3	-	-	-	-	-	-	-
	F	1	-	-	0.3	-	-	-	-	-	-	-	-	-
HIV	M	3	1	2	1.2	0.8	1.7	-	-	-	-	-	-	5.3
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	11	2	2	5.5	1.7	2.4	6.9	-	-	-	-	-	5.3
	F	19	-	3	5.5	-	3.9	-	-	-	-	-	-	-
ALL CANCER	M	553	3	237	274.0	2.7	331.0	6.9	6.9	-	-	-	-	5.3
	F	435	5	166	149.3	4.4	209.1	7.3	-	-	-	-	12.8	10.6
Mouth and pharynx cancer	M	24	-	18	11.6	-	23.1	-	-	-	-	-	-	-
	F	4	-	3	1.8	-	3.5	-	-	-	-	-	-	-
Oesophagus cancer	M	18	-	9	8.2	-	10.8	-	-	-	-	-	-	-
	F	6	-	2	2.0	-	2.4	-	-	-	-	-	-	-
Stomach cancer	M	22	-	10	10.9	-	14.5	-	-	-	-	-	-	-
	F	11	-	2	3.2	-	2.4	-	-	-	-	-	-	-
Colorectal cancer	M	60	-	20	30.2	-	28.4	-	-	-	-	-	-	-
	F	58	-	12	16.9	-	14.9	-	-	-	-	-	-	-
Liver cancer	M	16	-	8	7.4	-	12.2	-	-	-	-	-	-	-
	F	6	-	3	2.2	-	3.7	-	-	-	-	-	-	-
Pancreas cancer	M	29	-	11	14.3	-	15.8	-	-	-	-	-	-	-
	F	25	-	4	7.3	-	5.0	-	-	-	-	-	-	-
Larynx cancer	M	9	-	6	4.4	-	8.0	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Lung cancer	M	157	-	79	75.5	-	111.2	-	-	-	-	-	-	-
	F	43	-	23	16.5	-	28.2	-	-	-	-	-	-	-
Malignant melanoma	M	8	-	4	3.8	-	6.2	-	-	-	-	-	-	-
	F	9	2	3	3.5	1.7	3.5	-	-	-	-	-	6.4	5.3
Female breast cancer	F	82	1	49	32.1	0.8	59.9	-	-	-	-	-	-	5.3
Cervix cancer	F	5	-	3	2.0	-	4.0	-	-	-	-	-	-	-
Other uterine cancer	F	13	-	6	4.8	-	8.1	-	-	-	-	-	-	-
Ovarian cancer	F	18	-	8	6.6	-	10.0	-	-	-	-	-	-	-
Prostate cancer	M	60	-	12	32.5	-	18.4	-	-	-	-	-	-	-
Bladder cancer	M	22	-	2	11.8	-	3.3	-	-	-	-	-	-	-
	F	5	-	-	1.4	-	-	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	93	3	43	45.6	2.7	57.8	6.9	6.9	-	-	-	-	5.3
	F	104	2	29	33.3	2.0	37.1	7.3	-	-	-	-	6.4	-
Hodgkin's disease	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	0.4	-	1.5	-	-	-	-	-	-	-
Myeloma and non- Hodgkin lymphomas	M	17	-	7	8.5	-	10.7	-	-	-	-	-	-	-
	F	24	-	9	7.9	-	12.7	-	-	-	-	-	-	-
Leukaemia	M	18	-	8	9.2	-	10.6	-	-	-	-	-	-	-
	F	21	-	9	7.4	-	12.1	-	-	-	-	-	-	-
Diabetes	M	16	-	5	8.1	-	7.5	-	-	-	-	-	-	-
	F	37	-	7	10.6	-	8.6	-	-	-	-	-	-	-
ALL VASCULAR DISEASE	M	651	2	184	336.5	1.7	252.1	-	-	-	-	-	6.4	5.3
	F	790	2	73	209.9	1.5	94.1	-	-	-	-	1.5	-	10.6
Rheumatic heart disease and fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertensive disease	M	27	-	4	15.5	-	5.7	-	-	-	-	-	-	-
	F	33	-	3	8.5	-	3.1	-	-	-	-	-	-	-
Ischaemic heart disease	M	263	-	93	131.0	-	125.8	-	-	-	-	-	-	-
	F	203	-	18	54.3	-	23.6	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M	12	-	4	6.3	-	4.8	-	-	-	-	-	-	-
	F	26	1	3	7.2	0.8	4.1	-	-	-	-	-	-	5.3
Cerebrovascular disease	M	158	-	35	83.3	-	49.3	-	-	-	-	-	-	-
	F	268	1	33	73.5	0.8	41.9	-	-	-	-	-	-	5.3
Other vascular disease	M	191	2	48	100.3	1.7	66.7	-	-	-	-	-	6.4	5.3
	F	260	-	16	66.4	-	21.4	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease	M	91	-	32	45.2	-	48.3	-	-	-	-	-	-	-
	F	43	1	7	13.1	1.2	8.1	-	-	8.4	-	-	-	-
Other respiratory disease	M	69	1	17	36.2	0.8	21.6	-	-	-	-	-	-	5.3
	F	85	1	11	22.8	0.8	15.3	-	-	-	-	-	-	5.3
Peptic ulcer	M	5	-	1	2.7	-	1.6	-	-	-	-	-	-	-
	F	6	-	1	1.6	-	1.5	-	-	-	-	-	-	-
Liver cirrhosis	M	51	-	41	24.2	-	50.4	-	-	-	-	-	-	-
	F	27	-	19	11.6	-	21.9	-	-	-	-	-	-	-
Renal disease	M	12	-	1	6.7	-	1.6	-	-	-	-	-	-	-
	F	17	-	-	4.0	-	-	-	-	-	-	-	-	-
Pregnancy, birth Congenital and perinatal causes	F	1	1	-	0.4	0.8	-	-	-	-	-	-	-	5.3
	M	7	7	-	3.9	6.9	-	48.3	-	-	-	-	-	-
	F	6	6	-	3.5	6.3	-	43.8	-	-	-	-	-	-
Ill-defined causes	M	48	2	19	25.2	2.1	25.2	6.9	-	-	7.9	-	-	-
	F	63	2	8	17.4	1.8	9.4	7.3	-	-	-	-	-	5.3
Other medical causes	M	144	7	41	75.0	6.3	48.2	-	6.9	-	-	7.6	19.2	10.5
	F	223	4	32	62.4	3.8	40.2	14.6	-	-	-	-	6.4	5.3
ALL NON- MEDICAL CAUSES	M	194	71	83	92.0	66.3	88.1	13.8	6.9	-	31.7	160.3	141.0	110.5
	F	99	17	27	34.2	16.9	29.3	-	14.5	7.8	16.8	38.5	19.2	21.2
Road traffic accidents	M	43	22	16	20.5	20.6	17.1	-	6.9	-	15.9	53.4	25.6	42.1
	F	19	6	6	7.4	6.0	6.5	-	7.2	7.8	-	15.4	6.4	5.3
Fire	M	2	-	2	0.8	-	1.5	-	-	-	-	-	-	-
	F	4	2	1	1.7	1.8	1.4	-	7.2	-	-	-	-	5.3
Suicide	M	48	11	28	22.1	9.9	30.5	-	-	-	-	22.9	25.6	21.1
	F	15	2	10	6.8	2.0	12.1	-	-	-	-	7.7	6.4	-
Homicide	M	5	3	2	2.1	2.8	1.6	-	-	-	-	7.6	6.4	5.3
	F	2	1	1	0.9	1.1	0.8	-	-	-	-	7.7	-	-
POPULATION: (1000s; UN, 2004 revision)			M=male		214.3	102.5	96.6	14.5	14.4	13.3	12.6	13.1	15.6	19.0
			F=female		220.9	99.7	95.2	13.7	13.8	12.8	11.9	13.0	15.6	18.9

2000: LUXEMBOURG

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
127.6	248.6	374.2	510.6	918.9	1535.4	2459.8	3519.0	6075.0	17363.6	M	ALL CAUSES	001-999/A00-Y89
68.8	174.4	189.2	348.5	611.1	657.1	1040.8	1989.8	3513.2	11593.0	F		
-	-	-	7.1	9.0	-	-	-	-	-	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	5.6	6.5	-	-	-	-	-	13.2	-	F		
-	-	-	-	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
5.1	-	-	-	-	-	11.5	25.3	-	151.5	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
-	-	-	7.6	-	9.5	10.2	30.6	52.6	104.7	F		
10.2	56.5	103.2	120.6	360.4	585.9	1080.5	1303.8	1950.0	4000.0	M	ALL CANCER	140-208/C00-C97
15.9	81.4	81.1	159.1	314.8	352.4	459.2	714.3	881.6	1476.7	F		
-	16.9	12.9	7.1	27.0	40.4	57.5	12.7	75.0	60.6	M	Mouth and pharynx cancer	140-149/C00-C14
-	5.8	-	-	18.5	-	-	-	-	11.6	F		
-	-	19.4	14.2	9.0	10.1	23.0	88.6	-	60.6	M	Oesophagus cancer	150/C15
-	-	-	7.6	9.3	-	-	-	13.2	34.9	F		
-	-	6.5	7.1	-	30.3	57.5	38.0	100.0	151.5	M	Stomach cancer	151/C16
-	-	6.8	-	-	-	10.2	20.4	39.5	46.5	F		
-	5.6	6.5	7.1	36.0	40.4	103.4	151.9	225.0	575.8	M	Colorectal cancer	153, 154/C18-C21
-	11.6	6.8	7.6	-	47.6	30.6	71.4	131.6	337.2	F		
-	-	-	-	9.0	30.3	46.0	63.3	50.0	30.3	M	Liver cancer	155.0/C22 excl C221
-	-	6.8	-	9.3	-	10.2	10.2	-	23.3	F		
-	-	-	-	36.0	40.4	34.5	101.3	75.0	212.1	M	Pancreas cancer	157/C25
-	-	6.8	-	9.3	19.0	-	61.2	13.2	162.8	F		
-	5.6	-	-	27.0	-	23.0	12.7	25.0	30.3	M	Larynx cancer	161/C32
-	-	-	-	-	-	-	-	-	-	F		
-	5.6	38.7	56.7	99.1	222.2	356.3	443.0	525.0	666.7	M	Lung cancer	162/C33, C34
-	17.4	13.5	22.7	55.6	47.6	40.8	61.2	118.4	58.1	F		
-	-	-	-	-	20.2	23.0	25.3	25.0	30.3	M	Malignant melanoma	172/C43
-	-	-	15.2	-	9.5	-	10.2	39.5	-	F		
-	34.9	33.8	60.6	101.9	76.2	112.2	91.8	52.6	220.9	F	Female breast cancer	174/C50
-	-	-	-	9.3	19.0	-	-	13.2	11.6	F	Cervix cancer	180/C53
-	-	-	-	18.5	38.1	-	20.4	13.2	46.5	F	Other uterine cancer	179, 182/C54, C55
5.3	-	-	7.6	27.8	19.0	10.2	40.8	39.5	34.9	F	Ovarian cancer	183/C56, C570-C574
-	-	-	-	18.0	30.3	80.5	75.9	250.0	969.7	M	Prostate cancer	185/C61
-	-	-	-	-	-	23.0	38.0	125.0	363.6	M	Bladder cancer	188/C67
-	-	-	-	-	-	-	30.6	-	23.3	F		
10.2	11.3	19.4	28.4	72.1	90.9	172.4	215.2	250.0	606.1	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
10.6	11.6	6.8	22.7	27.8	47.6	132.7	224.5	315.8	314.0	F	Hodgkin's disease	201/C81
-	-	-	-	-	-	10.2	-	-	-	M		
-	-	-	-	9.0	20.2	46.0	25.3	125.0	90.9	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	-	-	-	18.5	19.0	51.0	20.4	52.6	104.7	F	Leukaemia	204-208/C91-C95
-	11.3	-	-	18.0	10.1	34.5	12.7	100.0	151.5	M		
-	-	-	15.2	9.3	9.5	51.0	51.0	39.5	46.5	F		
-	-	-	-	9.0	20.2	23.0	50.6	25.0	181.8	M	Diabetes	250/E10-E14
-	5.8	-	15.2	9.3	9.5	20.4	30.6	39.5	279.1	F		
10.2	28.2	90.3	156.0	252.3	515.2	712.6	1392.4	2500.0	7727.3	M	ALL VASCULAR DISEASE	390-459/I00-I99
5.3	23.3	47.3	53.0	111.1	133.3	285.7	734.7	1631.6	6034.9	F		
-	-	-	-	-	-	-	-	-	-	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	-	-	-	-	-	-	-	F		
-	-	-	-	18.0	10.1	11.5	12.7	50.0	606.1	M	Hypertensive disease	401-405/I10-I15
-	11.6	-	-	-	-	10.2	30.6	52.6	267.4	F		
5.1	11.3	51.6	99.3	117.1	262.6	333.3	708.9	1075.0	2151.5	M	Ischaemic heart disease	410-414/I20-I25
-	11.6	-	15.2	18.5	38.1	81.6	265.3	513.2	1395.3	F		
-	-	12.9	-	9.0	-	11.5	25.3	-	181.8	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
-	-	-	-	9.3	9.5	10.2	20.4	52.6	186.0	F		
5.1	5.6	19.4	7.1	63.1	60.6	183.9	303.8	600.0	2272.7	M	Cerebrovascular disease	430-438/I60-I69
5.3	-	33.8	30.3	46.3	85.7	91.8	224.5	644.7	1895.3	F		
-	11.3	6.5	49.6	45.0	181.8	172.4	341.8	775.0	2515.2	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
-	-	13.5	7.6	37.0	-	91.8	193.9	368.4	2290.7	F		
-	5.6	-	14.2	9.0	90.9	218.4	240.5	350.0	787.9	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	5.8	-	30.3	-	-	20.4	102.0	131.6	174.4	F		
10.2	11.3	6.5	-	27.0	50.5	46.0	101.3	275.0	969.7	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
-	-	-	7.6	38.1	61.2	-	30.6	131.6	697.7	F		
-	-	-	-	-	-	11.5	12.7	-	90.9	M	Peptic ulcer	531-533/K25-K27
-	-	-	-	-	-	10.2	10.2	-	46.5	F		
-	11.3	45.2	70.9	54.1	90.9	80.5	88.6	50.0	30.3	M	Liver cirrhosis	571/K70, K74
10.6	11.6	6.8	30.3	64.8	19.0	10.2	40.8	13.2	34.9	F		
-	-	-	-	-	-	11.5	12.7	50.0	242.4	M	Renal disease	580-590/N00-N19
-	-	-	-	-	-	-	-	26.3	174.4	F		
-	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
5.1	-	6.5	28.4	27.0	40.4	69.0	50.6	125.0	545.5	M	Ill-defined causes	780-799/R00-R99
-	5.8	13.5	7.6	9.3	9.5	20.4	30.6	78.9	511.6	F		
10.2	22.6	58.1	42.6	63.1	60.6	80.5	189.9	525.0	1818.2	M	Other medical causes	Rest of 001-799/ rest of A00-R99
-	17.4	27.0	30.3	37.0	57.1	112.2	163.3	421.1	1616.3	F		
76.5	107.3	58.1	70.9	108.1	80.8	114.9	50.6	225.0	818.2	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
37.0	23.3	13.5	7.6	64.8	28.6	30.6	102.0	92.1	441.9	F		
10.2	5.6	32.3	14.2	36.0	10.1	11.5	-	25.0	121.2	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
10.6	5.8	-	-	9.3	9.5	10.2	30.6	26.3	23.3	F		
5.1	5.6	-	-	-	-	-	-	-	-	M	Fire	E890-E899/X00-X09
-	-	-	-	-	9.5	-	10.2	-	-	F		
30.6	33.9	12.9	7.1	54.1	40.4	34.5	25.3	75.0	121.2	M	Suicide	E950-E959/X60-X84
5.3	5.8	-	7.6	46.3	9.5	10.2	10.2	13.2	11.6	F		
-	11.3	-	-	-	-	-	-	-	-	M	Homicide	E960-E969/ X85-X99, Y00-Y09
5.3	-	-	-	-	-	-	-	-	-	F		
19.6	17.7	15.5	14.1	11.1	9.9	8.7	7.9	4.0	3.3	M	POPULATION	
18.9	17.2	14.8	13.2	10.8	10.5	9.8	9.8	7.6	8.6	F	(1000s; UN, 2004 revision)	

MACEDONIA, The Former Yugoslav Republic of: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	9327	540	4006	1246.1	103.2	1262.3	320.0	29.1	27.9	54.7	93.3	95.3	102.1
	F	7926	329	2519	868.1	68.7	735.9	290.7	14.8	15.4	27.0	46.1	29.1	57.8
Tuberculosis	M	61	3	33	7.5	0.6	10.6	1.5	-	-	-	-	2.5	-
	F	31	5	14	3.2	1.0	4.0	3.2	1.3	-	-	1.2	-	1.3
HIV	M	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	38	18	13	4.4	3.7	4.1	22.2	-	1.2	-	1.2	-	1.3
	F	32	18	6	3.8	4.0	1.7	25.6	-	-	1.2	1.2	-	-
ALL CANCER	M	1757	31	1105	214.1	5.6	349.6	3.0	2.5	1.2	1.2	10.8	11.4	9.2
	F	1208	41	738	126.3	7.8	204.0	6.4	2.7	6.4	6.1	2.5	6.6	24.2
Mouth and pharynx cancer	M	40	1	25	4.9	0.2	7.2	-	-	-	-	1.2	-	-
	F	17	1	11	1.8	0.2	2.9	1.6	-	-	-	-	-	-
Oesophagus cancer	M	23	-	17	2.8	-	5.3	-	-	-	-	-	-	-
	F	7	-	4	0.8	-	1.1	-	-	-	-	-	-	-
Stomach cancer	M	234	1	131	29.3	0.2	42.8	-	-	-	-	-	1.3	-
	F	125	-	69	12.7	-	20.4	-	-	-	-	-	-	-
Colorectal cancer	M	166	2	103	19.6	0.4	33.7	-	-	-	-	-	1.3	1.3
	F	135	2	75	14.1	0.4	21.8	-	-	-	-	1.2	-	1.3
Liver cancer	M
	F
Pancreas cancer	M	68	-	48	8.3	-	15.9	-	-	-	-	-	-	-
	F	42	-	18	4.2	-	5.3	-	-	-	-	-	-	-
Larynx cancer	M	74	-	54	8.7	-	16.7	-	-	-	-	-	-	-
	F	5	-	3	0.6	-	0.8	-	-	-	-	-	-	-
Lung cancer	M	495	2	358	59.1	0.4	112.8	-	-	-	-	-	1.3	1.3
	F	104	2	63	10.8	0.4	16.9	-	-	-	-	-	-	2.7
Malignant melanoma	M	30	1	15	4.2	0.2	4.1	-	-	-	-	-	1.3	-
	F	24	-	14	2.6	-	3.7	-	-	-	-	-	-	-
Female breast cancer	F	239	2	173	25.3	0.4	46.9	-	-	-	-	-	-	2.7
Cervix cancer	F	56	2	42	5.7	0.4	10.4	-	-	-	-	-	-	2.7
Other uterine cancer	F	64	1	46	6.7	0.2	12.2	-	-	-	1.2	-	-	-
Ovarian cancer	F	55	2	39	5.7	0.4	10.8	-	-	-	-	-	-	2.7
Prostate cancer	M	105	1	29	13.7	0.2	10.2	-	-	-	-	1.2	-	-
Bladder cancer	M	86	-	45	10.9	-	15.2	-	-	-	-	-	-	-
	F	15	-	9	1.6	-	2.8	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	350	11	226	42.7	2.0	69.9	3.0	-	1.2	-	3.6	1.3	5.2
	F	274	19	148	29.1	3.7	41.8	4.8	2.7	3.9	3.7	-	4.0	6.7
Hodgkin's disease	M	15	3	10	1.6	0.5	2.5	-	-	-	-	1.2	2.5	-
	F	5	2	2	0.5	0.4	0.5	-	-	-	-	1.2	1.3	-
Myeloma and non-Hodgkin lymphomas	M	33	2	23	3.8	0.4	6.8	-	-	-	-	1.2	1.3	-
	F	8	-	5	0.8	-	1.2	-	-	-	-	-	-	-
Leukaemia	M	38	7	21	4.2	1.2	6.7	-	2.5	-	1.2	2.4	1.3	1.3
	F	33	8	17	3.3	1.5	4.5	-	-	2.6	1.2	-	1.3	5.4
Diabetes	M	225	1	106	29.3	0.2	34.8	-	-	-	-	-	1.3	-
	F	309	2	114	32.0	0.4	35.3	1.6	1.3	-	-	-	-	-
ALL VASCULAR DISEASE	M	4880	36	1757	689.0	6.6	573.3	8.9	1.3	1.2	7.0	9.6	10.2	7.9
	F	4790	28	1194	527.6	5.3	361.8	4.8	2.7	1.3	3.7	12.5	5.3	6.7
Rheumatic heart disease and fever	M	18	-	12	2.1	-	3.6	-	-	-	-	-	-	-
	F	20	2	12	2.0	0.4	3.6	-	-	-	1.2	-	-	1.3
Hypertensive disease	M	176	-	49	25.8	-	16.3	-	-	-	-	-	-	-
	F	229	2	51	26.1	0.4	15.5	-	-	-	-	2.5	-	-
Ischaemic heart disease	M	1230	10	729	154.1	1.8	229.0	-	-	-	-	4.8	3.8	3.9
	F	717	4	313	74.7	0.8	93.7	-	-	-	-	1.2	1.3	2.7
Pulmonary embolism and other venous	M
	F
Cerebrovascular disease	M	1563	8	528	217.9	1.5	177.7	4.4	1.3	1.2	3.5	-	-	-
	F	1714	8	494	184.1	1.6	149.0	3.2	1.3	1.3	1.2	1.2	2.6	-
Other vascular disease, incl. venous	M	1893	18	439	289.1	3.3	146.7	4.4	-	-	3.5	4.8	6.4	3.9
	F	2110	12	324	240.6	2.2	99.9	1.6	1.3	-	1.2	7.5	1.3	2.7
Chronic obstructive pulmonary disease	M	220	2	62	30.9	0.4	21.7	1.5	-	-	-	-	-	1.3
	F	155	2	34	17.4	0.4	10.5	-	-	-	1.2	-	1.3	-
Other respiratory disease	M	147	20	48	19.0	3.9	14.8	14.8	3.8	1.2	1.2	1.2	1.3	3.9
	F	100	12	33	11.0	2.5	9.8	12.8	-	-	1.2	2.5	-	1.3
Peptic ulcer	M	29	-	13	4.0	-	3.9	-	-	-	-	-	-	-
	F	17	-	3	1.8	-	0.9	-	-	-	-	-	-	-
Liver cirrhosis	M	100	2	80	11.5	0.4	22.5	-	-	-	-	-	-	2.6
	F	32	1	21	3.3	0.2	6.3	1.6	-	-	-	-	-	-
Renal disease	M	124	8	56	15.9	1.4	17.4	-	-	1.2	1.2	2.4	1.3	3.9
	F	99	3	51	10.4	0.5	14.7	-	-	-	-	2.5	-	1.3
Pregnancy, birth	F	4	3	1	0.4	0.5	0.2	-	-	-	1.2	1.2	-	1.3
Congenital and perinatal causes	M	154	152	-	18.3	32.0	-	219.3	-	2.4	-	1.2	1.3	-
	F	120	116	2	15.2	26.3	0.4	178.9	-	-	-	-	5.3	-
Ill-defined causes	M	775	65	327	109.7	12.3	99.8	34.1	1.3	2.4	10.5	12.0	10.2	15.7
	F	665	36	157	77.7	7.7	45.4	39.9	-	1.3	1.2	6.2	2.6	2.7
Other medical causes	M	285	28	138	35.8	5.2	41.7	8.9	2.5	2.4	5.8	3.6	5.1	7.9
	F	168	16	73	17.2	3.1	20.3	6.4	1.3	2.6	2.5	2.5	2.6	4.0
ALL NON-MEDICAL CAUSES	M	532	174	268	56.8	31.0	68.0	5.9	17.7	14.6	27.9	51.4	50.8	48.4
	F	196	46	78	20.8	8.7	20.6	9.6	5.4	3.9	8.6	13.7	5.3	14.8
Road traffic accidents	M	85	31	44	8.7	5.5	11.5	-	7.6	-	3.5	12.0	8.9	6.5
	F	25	7	12	2.6	1.3	3.3	1.6	-	1.3	1.2	2.5	1.3	1.3
Fire	M	7	-	4	0.8	-	0.9	-	-	-	-	-	-	-
	F	4	-	1	0.5	-	0.3	-	-	-	-	-	-	-
Suicide	M	104	27	62	10.8	4.8	15.3	-	-	1.2	1.2	9.6	11.4	10.5
	F	46	9	27	4.6	1.7	6.7	-	-	-	3.7	1.2	2.6	4.0
Homicide	M	46	18	22	4.8	3.2	5.5	-	-	-	2.3	7.2	6.4	6.5
	F	15	6	6	1.5	1.1	1.7	-	1.3	-	1.2	2.5	1.3	1.3
POPULATION: (1000s; UN, 2004 revision)				M=male	1004.3	553.5	399.0	67.5	79.1	82.3	85.9	83.6	78.7	76.4
				F=female	1005.2	526.5	409.5	62.6	74.3	77.9	81.5	80.2	75.6	74.4

2000: The Former Yugoslav Republic of MACEDONIA
--

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
168.7	287.3	474.1	921.2	1255.4	2150.2	3579.1	5449.6	9164.6	19500.0	M	ALL CAUSES	001-999/A00-Y89
94.3	167.1	290.7	446.4	659.3	1254.3	2239.5	4083.6	6756.6	15608.4	F		
2.7	4.1	1.4	9.2	4.3	9.4	42.9	46.5	42.7	62.5	M	Tuberculosis	010-018, 137/ A15-A19, B90
1.4	2.8	-	1.8	2.0	8.5	11.6	15.5	17.7	21.0	F		
-	-	-	-	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
-	-	-	-	-	-	-	-	-	-	F		
1.3	1.4	1.4	-	6.4	2.3	16.1	15.5	12.2	10.4	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
-	-	2.9	-	2.0	2.1	4.7	6.2	4.4	35.0	F		
29.5	66.4	136.9	258.2	373.4	633.8	949.1	1015.5	1439.0	1281.3	M	ALL CANCER	140-208/C00-C97
47.8	75.8	130.8	179.3	260.1	324.8	409.3	591.3	623.9	678.3	F		
2.7	-	8.6	5.5	10.7	7.0	16.1	19.4	30.5	41.7	M	Mouth and pharynx cancer	140-149/C00-C14
-	-	5.8	1.8	2.0	6.4	4.7	6.2	8.8	7.0	F		
-	1.4	2.9	5.5	4.3	7.0	16.1	7.8	12.2	20.8	M	Oesophagus cancer	150/C15
1.4	-	-	-	2.0	4.3	-	3.1	4.4	7.0	F		
-	8.1	10.1	25.6	53.6	70.4	131.4	178.3	201.2	239.6	M	Stomach cancer	151/C16
4.1	4.2	7.3	5.3	16.1	42.7	62.8	74.3	97.3	69.9	F		
4.0	6.8	11.5	12.8	23.6	56.3	120.6	77.5	207.3	72.9	M	Colorectal cancer	153, 154/C18-C21
1.4	2.8	13.1	12.3	30.2	32.1	60.5	77.4	79.6	104.9	F		
...	M	Liver cancer	Not given separately
...	F		
2.7	1.4	-	7.3	17.2	42.3	40.2	42.6	30.5	41.7	M	Pancreas cancer	157/C25
1.4	-	-	5.3	4.0	15.0	11.6	37.2	44.2	14.0	F		
2.7	4.1	8.6	9.2	17.2	37.6	37.5	27.1	67.1	20.8	M	Larynx cancer	161/C32
1.4	-	-	1.8	-	-	2.3	-	-	14.0	F		
1.3	24.4	43.2	98.9	128.8	211.3	281.5	279.1	274.4	187.5	M	Lung cancer	162/C33, C34
9.6	8.4	10.2	14.1	20.2	23.5	32.6	71.2	31.0	62.9	F		
-	2.7	2.9	7.3	6.4	9.4	-	7.8	24.4	83.3	M	Malignant melanoma	172/C43
2.7	-	2.9	7.0	2.0	6.4	4.7	6.2	17.7	28.0	F		
8.2	22.5	36.3	45.7	68.5	74.8	72.1	89.8	97.3	90.9	F	Female breast cancer	174/C50
5.5	15.4	10.2	5.3	14.1	8.5	14.0	12.4	26.5	14.0	F	Cervix cancer	180/C53
1.4	4.2	13.1	17.6	18.1	15.0	16.3	27.9	31.0	7.0	F	Other uterine cancer	179, 182/C54, C55
1.4	2.8	7.3	15.8	8.1	15.0	25.6	21.7	22.1	14.0	F	Ovarian cancer	183/C56, C570-C574
-	-	1.4	1.8	4.3	23.5	40.2	100.8	201.2	166.7	M	Prostate cancer	185/C61
-	1.4	1.4	11.0	6.4	32.9	53.6	58.1	97.6	104.2	M	Bladder cancer	188/C67
-	-	-	3.5	2.0	2.1	11.6	6.2	8.8	14.0	F		
10.7	13.6	33.1	62.3	85.8	98.6	185.0	174.4	250.0	281.3	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
8.2	12.6	16.0	33.4	70.6	72.6	79.1	142.4	132.7	216.8	F		
1.3	1.4	4.3	5.5	2.1	-	2.7	7.8	-	-	M	Hodgkin's disease	201/C81
-	-	1.5	-	-	-	2.3	3.1	-	-	F		
1.3	1.4	5.8	3.7	6.4	23.5	5.4	19.4	12.2	10.4	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	-	4.4	1.8	-	-	2.3	6.2	-	7.0	F	Leukaemia	204-208/C91-C95
2.7	-	2.9	1.8	6.4	14.1	18.8	15.5	30.5	10.4	M		
1.4	2.8	2.9	8.8	2.0	6.4	7.0	6.2	22.1	7.0	F		
2.7	1.4	14.4	12.8	36.5	63.4	112.6	182.2	219.5	364.6	M	Diabetes	250/E10-E14
2.7	1.4	2.9	10.5	28.2	62.0	139.5	226.0	292.0	377.6	F		
30.8	71.8	152.7	370.0	568.7	1065.7	1753.4	3209.3	5823.2	13583.3	M	ALL VASCULAR DISEASE	390-459/I00-I99
16.4	39.3	88.7	175.7	260.1	647.4	1304.7	2693.5	4800.9	11279.7	F		
1.3	2.7	-	1.8	6.4	4.7	8.0	15.5	6.1	10.4	M	Rheumatic heart disease and fever	390-398/I00-I09
-	1.4	-	-	6.0	6.4	11.6	12.4	8.8	-	F		
-	1.4	2.9	9.2	12.9	42.3	45.6	120.2	243.9	583.3	M	Hypertensive disease	401-405/I10-I15
2.7	-	1.5	8.8	12.1	29.9	53.5	102.2	203.5	678.3	F		
13.4	39.3	82.1	207.0	285.4	431.9	544.2	829.5	975.6	1218.8	M	Ischaemic heart disease	410-414/I20-I25
2.7	14.0	29.1	54.5	76.6	158.1	320.9	517.0	526.5	797.2	F		
...	M	Pulmonary embolism and other venous	Not given separately
...	F		
8.0	16.3	31.7	80.6	148.1	326.3	632.7	1089.1	2189.0	4031.3	M	Cerebrovascular disease	430-438/I60-I69
10.9	15.4	39.2	77.3	108.9	256.4	534.9	1021.7	1845.1	3251.7	F		
8.0	12.2	36.0	71.4	115.9	260.6	522.8	1155.0	2408.5	7739.6	M	Other vascular disease, incl. venous	Rest of 390-459/ rest of I00-I99
-	8.4	18.9	35.1	56.5	196.6	383.7	1040.2	2216.8	6552.4	F		
1.3	1.4	2.9	5.5	12.9	23.5	104.6	193.8	292.7	604.2	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	1.4	1.5	1.8	8.1	23.5	37.2	96.0	119.5	426.6	F		
6.7	2.7	8.6	5.5	4.3	32.9	42.9	104.7	164.6	260.4	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.4	2.8	1.5	5.3	10.1	12.8	34.9	40.2	70.8	181.8	F		
-	1.4	1.4	7.3	4.3	4.7	8.0	15.5	36.6	62.5	M	Peptic ulcer	531-533/K25-K27
-	-	1.5	-	-	-	4.7	-	39.8	35.0	F		
2.7	9.5	25.9	25.6	27.9	28.2	37.5	38.8	36.6	20.8	M	Liver cirrhosis	571/K70, K74
-	1.4	1.5	5.3	2.0	8.5	25.6	12.4	13.3	21.0	F		
-	1.4	10.1	22.0	8.6	39.9	40.2	77.5	134.1	187.5	M	Renal disease	580-590/N00-N19
4.1	1.4	5.8	8.8	16.1	32.1	34.9	58.8	53.1	97.9	F		
1.4	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
-	1.4	1.5	-	-	-	-	-	-	14.0	F	Ill-defined causes	780-799/R00-R99
17.4	31.2	46.1	97.1	115.9	115.0	276.1	263.6	518.3	2395.8	M		
5.5	12.6	21.8	26.4	40.3	81.2	130.2	210.5	486.7	2055.9	F		
8.0	19.0	15.9	44.0	38.6	54.0	112.6	155.0	250.0	395.8	M	Other medical causes	Rest of 001-799/ rest of A00-R99
4.1	7.0	16.0	19.3	12.1	29.9	53.5	80.5	154.9	125.9	F		
65.6	75.9	56.2	64.1	53.6	77.5	83.1	131.8	195.1	250.0	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
9.6	19.7	14.5	12.3	18.1	21.4	48.8	52.6	79.6	258.7	F		
5.4	16.3	10.1	5.5	10.7	14.1	18.8	19.4	24.4	10.4	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
1.4	1.4	2.9	1.8	2.0	6.4	7.0	9.3	4.4	14.0	F		
-	2.7	1.4	-	-	2.3	-	3.9	12.2	-	M	Fire	E890-E899/X00-X09
-	-	-	-	-	-	2.3	-	4.4	14.0	F		
20.1	19.0	13.0	12.8	4.3	16.4	21.4	23.3	42.7	20.8	M	Suicide	E950-E959/X60-X84
5.5	11.2	4.4	-	12.1	2.1	11.6	18.6	8.8	14.0	F		
5.4	4.1	5.8	7.3	8.6	4.7	2.7	7.8	18.3	10.4	M	Homicide	E960-E969/ X85-X99, Y00-Y09
-	-	1.5	1.8	2.0	-	7.0	-	8.8	7.0	F		
74.7	73.8	69.4	54.6	46.6	42.6	37.3	25.8	16.4	9.6	M	POPULATION	
73.2	71.2	68.8	56.9	49.6	46.8	43.0	32.3	22.6	14.3	F	(1000s; UN, 2004 revision)	

MALTA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	1513	49	474	843.2	52.2	745.6	132.2	14.7	13.6	39.7	65.4	57.6	42.0
	F	1460	32	318	550.8	37.7	428.5	122.8	15.6	7.2	27.8	7.0	30.5	53.1
Tuberculosis	M	1	-	-	0.5	-	-	-	-	-	-	-	-	-
	F	2	-	1	0.8	-	1.6	-	-	-	-	-	-	-
HIV	M	1	-	1	0.5	-	1.0	-	-	-	-	-	-	-
	F	1	1	-	0.6	1.3	-	-	-	-	-	-	-	8.8
Other infective and parasitic	M	9	2	2	5.5	2.2	3.7	8.3	7.4	-	-	-	-	-
	F	10	1	2	3.8	1.0	2.5	-	-	-	6.9	-	-	-
ALL CANCER	M	360	-	169	199.2	-	264.1	-	-	-	-	-	-	-
	F	349	3	156	144.3	3.6	204.1	-	7.8	-	-	-	-	17.7
Mouth and pharynx cancer	M	7	-	4	3.7	-	4.7	-	-	-	-	-	-	-
	F	5	-	2	1.9	-	2.5	-	-	-	-	-	-	-
Oesophagus cancer	M	4	-	2	2.2	-	2.7	-	-	-	-	-	-	-
	F	1	-	-	0.3	-	-	-	-	-	-	-	-	-
Stomach cancer	M	23	-	12	12.9	-	19.7	-	-	-	-	-	-	-
	F	15	-	5	6.1	-	7.2	-	-	-	-	-	-	-
Colorectal cancer	M	39	-	23	22.1	-	38.3	-	-	-	-	-	-	-
	F	46	-	15	18.1	-	17.7	-	-	-	-	-	-	-
Liver cancer	M	3	-	2	1.5	-	2.9	-	-	-	-	-	-	-
	F	3	-	1	1.2	-	1.5	-	-	-	-	-	-	-
Pancreas cancer	M	18	-	10	9.7	-	15.7	-	-	-	-	-	-	-
	F	25	-	12	10.4	-	16.7	-	-	-	-	-	-	-
Larynx cancer	M	3	-	-	1.5	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Lung cancer	M	94	-	49	52.5	-	78.0	-	-	-	-	-	-	-
	F	27	-	12	11.3	-	15.0	-	-	-	-	-	-	-
Malignant melanoma	M	3	-	2	1.6	-	3.0	-	-	-	-	-	-	-
	F	2	-	2	1.0	-	2.2	-	-	-	-	-	-	-
Female breast cancer	F	102	2	56	44.3	2.5	70.5	-	-	-	-	-	-	17.7
Cervix cancer	F	5	-	3	2.2	-	4.1	-	-	-	-	-	-	-
Other uterine cancer	F	7	-	3	2.9	-	4.1	-	-	-	-	-	-	-
Ovarian cancer	F	19	-	10	8.3	-	14.1	-	-	-	-	-	-	-
Prostate cancer	M	38	-	4	21.2	-	6.3	-	-	-	-	-	-	-
Bladder cancer	M	20	-	8	11.1	-	13.7	-	-	-	-	-	-	-
	F	3	-	1	1.1	-	1.6	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	74	-	39	40.7	-	60.1	-	-	-	-	-	-	-
	F	61	-	26	24.4	-	35.1	-	-	-	-	-	-	-
Hodgkin's disease	M	1	-	-	0.5	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Myeloma and non-Hodgkin lymphomas	M	20	-	11	10.9	-	15.4	-	-	-	-	-	-	-
	F	16	-	2	5.7	-	2.4	-	-	-	-	-	-	-
Leukaemia	M	13	-	3	7.0	-	3.6	-	-	-	-	-	-	-
	F	12	1	6	5.0	1.1	9.4	-	7.8	-	-	-	-	-
Diabetes	M	31	1	9	16.8	1.0	16.1	-	-	-	-	-	7.2	-
	F	51	1	7	18.5	1.3	10.0	-	-	-	-	-	-	8.8
ALL VASCULAR DISEASE	M	686	3	189	384.1	3.4	313.4	8.3	-	-	-	-	7.2	8.4
	F	702	-	102	251.9	-	146.0	-	-	-	-	-	-	-
Rheumatic heart disease and fever	M	3	1	2	1.8	1.2	3.7	8.3	-	-	-	-	-	-
	F	2	-	1	0.9	-	1.6	-	-	-	-	-	-	-
Hypertensive disease	M	8	1	4	4.6	1.2	6.4	-	-	-	-	-	-	8.4
	F	9	-	6	4.0	-	8.6	-	-	-	-	-	-	-
Ischaemic heart disease	M	397	-	127	221.2	-	208.8	-	-	-	-	-	-	-
	F	333	-	55	121.2	-	80.1	-	-	-	-	-	-	-
Pulmonary embolism and other venous	M	10	-	4	5.7	-	7.0	-	-	-	-	-	-	-
	F	14	-	5	5.6	-	5.9	-	-	-	-	-	-	-
Cerebrovascular disease	M	136	1	26	75.1	1.0	43.8	-	-	-	-	-	7.2	-
	F	183	-	24	64.8	-	34.4	-	-	-	-	-	-	-
Other vascular disease	M	132	-	26	75.7	-	43.7	-	-	-	-	-	-	-
	F	161	-	11	55.4	-	15.5	-	-	-	-	-	-	-
Chronic obstructive pulmonary disease	M	73	1	16	40.6	1.0	24.3	-	-	-	-	-	7.2	-
	F	23	1	6	8.8	1.1	8.5	-	-	-	-	-	7.6	-
Other respiratory disease	M	106	-	14	60.9	-	21.4	-	-	-	-	-	-	-
	F	89	-	6	30.2	-	7.7	-	-	-	-	-	-	-
Peptic ulcer	M	11	-	3	6.4	-	4.3	-	-	-	-	-	-	-
	F	11	-	1	3.9	-	1.3	-	-	-	-	-	-	-
Liver cirrhosis	M	11	-	7	5.9	-	9.0	-	-	-	-	-	-	-
	F	3	-	1	1.1	-	0.9	-	-	-	-	-	-	-
Renal disease	M	32	1	7	18.4	1.2	11.3	-	-	-	-	-	-	8.4
	F	22	-	3	8.0	-	4.4	-	-	-	-	-	-	-
Pregnancy, birth	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital and perinatal causes	M	13	13	-	8.4	15.2	-	99.2	-	-	-	-	7.2	-
	F	13	11	1	8.7	13.8	1.3	96.5	-	-	-	-	-	-
Ill-defined causes	M	14	-	1	8.1	-	0.9	-	-	-	-	-	-	-
	F	9	1	1	3.6	1.3	1.5	8.8	-	-	-	-	-	-
Other medical causes	M	95	6	25	52.3	6.3	40.7	16.5	7.4	-	-	13.1	7.2	-
	F	140	7	24	52.4	8.3	30.8	17.5	7.8	7.2	-	-	7.6	17.7
ALL NON-MEDICAL CAUSES	M	70	22	31	35.6	21.8	35.3	-	-	13.6	39.7	52.3	21.6	25.2
	F	35	6	7	14.3	6.2	7.9	-	-	-	20.8	7.0	15.3	-
Road traffic accidents	M	13	9	2	6.3	8.8	2.0	-	-	6.8	19.9	19.6	7.2	8.4
	F	4	2	-	1.6	2.0	-	-	-	-	13.9	-	-	-
Fire	M	1	-	-	0.5	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide	M	17	3	11	8.6	3.3	11.1	-	-	-	6.6	-	-	16.8
	F	6	2	4	3.1	2.2	4.3	-	-	-	-	-	15.3	-
Homicide	M	2	-	1	0.9	-	0.9	-	-	-	-	-	-	-
	F	2	-	2	1.0	-	2.5	-	-	-	-	-	-	-
POPULATION:			M=male		194.1	96.6	84.5	12.1	13.6	14.7	15.1	15.3	13.9	11.9
(1000s; UN, 2004 revision)			F=female		197.8	91.2	87.1	11.4	12.8	13.9	14.4	14.3	13.1	11.3

2000: MALTA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
87.6	106.0	244.8	385.6	695.2	1164.7	2535.2	4500.0	6238.1	14875.0	M	ALL CAUSES	001-999/A00-Y89
61.1	67.1	170.2	333.3	401.8	718.8	1247.2	2391.9	4355.9	10903.2	F		
-	-	-	-	-	-	-	-	23.8	-	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	-	-	-	-	-	11.2	-	-	16.1	F		
-	-	7.0	-	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
-	-	-	-	-	-	-	-	-	-	F		
-	-	-	-	-	11.8	14.1	-	-	156.3	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
-	-	-	6.5	-	-	11.2	27.0	16.9	64.5	F		
7.3	39.7	90.9	111.1	323.8	529.4	746.5	1250.0	1142.9	2281.3	M	ALL CANCER	140-208/C00-C97
30.5	40.3	85.1	215.7	196.4	343.8	516.9	743.2	1050.8	1177.4	F		
7.3	-	7.0	6.5	-	11.8	-	17.9	23.8	31.3	M	Mouth and pharynx cancer	140-149/C00-C14
-	-	-	6.5	-	-	11.2	-	50.8	-	F		
-	-	-	-	19.0	-	-	35.7	-	-	M	Oesophagus cancer	150/C15
-	-	-	-	-	-	-	-	16.9	-	F		
-	-	-	13.1	19.0	35.3	70.4	53.6	47.6	187.5	M	Stomach cancer	151/C16
-	-	-	-	17.9	10.4	22.5	54.1	50.8	48.4	F		
-	6.6	-	-	66.7	82.4	112.7	142.9	47.6	187.5	M	Colorectal cancer	153, 154/C18-C21
-	-	14.2	32.7	44.6	20.8	11.2	81.1	186.4	225.8	F		
-	-	-	6.5	-	-	14.1	-	23.8	-	M	Liver cancer	155.0/C22 excl C221
-	-	-	-	-	10.4	-	-	-	32.3	F		
-	6.6	-	6.5	19.0	35.3	42.3	107.1	47.6	-	M	Pancreas cancer	157/C25
-	-	-	19.6	8.9	20.8	67.4	81.1	33.9	80.6	F		
-	-	-	-	-	-	-	35.7	23.8	-	M	Larynx cancer	161/C32
-	-	-	-	-	-	-	-	-	-	F		
-	13.2	35.0	19.6	66.7	200.0	211.3	267.9	238.1	625.0	M	Lung cancer	162/C33, C34
7.6	-	14.2	19.6	8.9	20.8	33.7	94.6	67.8	64.5	F		
-	-	7.0	-	-	-	14.1	17.9	-	-	M	Malignant melanoma	172/C43
-	-	-	6.5	8.9	-	-	-	-	-	F		
22.9	26.8	28.4	85.0	80.4	104.2	146.1	229.7	220.3	225.8	F	Female breast cancer	174/C50
-	-	7.1	-	-	10.4	11.2	13.5	16.9	-	F	Cervix cancer	180/C53
-	6.7	-	-	-	10.4	11.2	27.0	33.9	-	F	Other uterine cancer	179, 182/C54, C55
-	-	14.2	-	8.9	41.7	33.7	67.6	33.9	32.3	F	Ovarian cancer	183/C56, C570-C574
-	-	-	6.5	-	23.5	14.1	160.7	238.1	468.8	M	Prostate cancer	185/C61
-	-	-	6.5	9.5	23.5	56.3	53.6	95.2	156.3	M	Bladder cancer	188/C67
-	-	-	-	-	-	11.2	-	16.9	16.1	F		
-	6.6	28.0	32.7	85.7	70.6	197.2	196.4	238.1	437.5	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
-	6.7	7.1	39.2	17.9	62.5	112.4	81.1	186.4	290.3	F	Hodgkin's disease	201/C81
-	-	-	-	-	-	-	17.9	-	-	M		
-	-	-	-	-	-	-	-	-	-	F		
-	-	7.0	13.1	38.1	35.3	14.1	53.6	71.4	93.8	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
-	6.6	7.0	6.5	-	10.4	-	13.5	84.7	129.0	F	Leukaemia	204-208/C91-C95
-	-	-	-	-	11.8	-	89.3	47.6	93.8	M		
-	-	-	-	-	20.8	44.9	-	50.8	32.3	F		
-	-	7.0	-	9.5	11.8	84.5	71.4	238.1	218.8	M	Diabetes	250/E10-E14
-	-	-	6.5	8.9	20.8	33.7	81.1	169.5	435.5	F		
29.2	26.5	62.9	143.8	200.0	435.3	1295.8	2053.6	3214.3	7625.0	M	ALL VASCULAR DISEASE	390-459/I00-I99
15.3	20.1	35.5	39.2	133.9	250.0	528.1	1108.1	2271.2	6193.5	F		
-	-	-	-	-	11.8	14.1	-	-	-	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	-	-	-	11.2	13.5	-	-	F		
-	-	7.0	-	9.5	-	28.2	17.9	-	62.5	M	Hypertensive disease	401-405/I10-I15
-	-	7.1	-	8.9	10.4	33.7	13.5	16.9	16.1	F		
14.6	13.2	35.0	104.6	161.9	329.4	802.8	1214.3	1833.3	3906.3	M	Ischaemic heart disease	410-414/I20-I25
-	13.4	7.1	13.1	89.3	145.8	292.1	594.6	1203.4	2629.0	F		
-	-	-	6.5	-	-	42.3	-	23.8	156.3	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
-	6.7	14.2	-	8.9	-	11.2	40.5	33.9	64.5	F		
7.3	-	14.0	19.6	19.0	35.3	211.3	482.1	857.1	1437.5	M	Cerebrovascular disease	430-438/I60-I69
7.6	-	7.1	19.6	8.9	62.5	134.8	243.2	610.2	1693.5	F		
7.3	13.2	7.0	13.1	9.5	58.8	197.2	339.3	500.0	2062.5	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
7.6	-	-	6.5	17.9	31.3	44.9	202.7	406.8	1790.3	F		
-	-	7.0	19.6	28.6	58.8	56.3	339.3	309.5	750.0	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	-	-	6.5	8.9	10.4	33.7	40.5	16.9	193.5	F		
-	6.6	14.0	6.5	28.6	23.5	70.4	375.0	381.0	1718.8	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
-	-	14.2	6.5	-	10.4	22.5	54.1	186.4	1096.8	F		
-	6.6	-	-	-	23.5	-	17.9	23.8	187.5	M	Peptic ulcer	531-533/K25-K27
-	-	-	-	8.9	-	-	13.5	50.8	96.8	F		
-	6.6	7.0	6.5	28.6	-	14.1	35.7	23.8	31.3	M	Liver cirrhosis	571/K70, K74
-	-	-	6.5	-	-	-	-	-	32.3	F		
-	-	7.0	6.5	9.5	-	56.3	71.4	95.2	500.0	M	Renal disease	580-590/N00-N19
-	-	-	-	8.9	10.4	11.2	40.5	118.6	145.2	F		
-	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
-	-	-	-	8.9	-	-	13.5	-	-	M	Ill-defined causes	780-799/R00-R99
-	6.6	-	-	-	-	-	35.7	47.6	281.3	F		
-	-	-	-	-	10.4	-	13.5	16.9	80.6	F		
-	-	7.0	26.1	47.6	35.3	169.0	178.6	595.2	906.3	M	Other medical causes	Rest of 001-799/ rest of A00-R99
-	6.7	21.3	39.2	17.9	52.1	78.7	175.7	389.8	1177.4	F		
51.1	13.2	35.0	65.4	19.0	35.3	28.2	71.4	142.9	218.8	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
15.3	-	14.2	6.5	8.9	10.4	-	81.1	67.8	193.5	F		
7.3	-	-	6.5	-	-	-	17.9	23.8	-	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
-	-	-	-	-	-	-	-	-	32.3	F		
-	-	-	-	-	-	-	17.9	-	-	M	Fire	E890-E899/X00-X09
-	-	-	-	-	-	-	-	-	-	F		
21.9	-	7.0	39.2	9.5	-	-	17.9	23.8	31.3	M	Suicide	E950-E959/X60-X84
7.6	-	7.1	6.5	8.9	-	-	-	-	-	F		
-	-	-	6.5	-	-	-	-	23.8	-	M	Homicide	E960-E969/ X85-X99, Y00-Y09
-	-	7.1	-	-	10.4	-	-	-	-	F		
13.7	15.1	14.3	15.3	10.5	8.5	7.1	5.6	4.2	3.2	M	POPULATION	
13.1	14.9	14.1	15.3	11.2	9.6	8.9	7.4	5.9	6.2	F	(1000s; UN, 2004 revision)	

MOLDOVA, Republic of: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by –)						
		All ages	0–34	35–69	All ages	0–34	35–69	0–4	5–9	10–14	15–19	20–24	25–29	30–34
ALL CAUSES	M	21162	1755	11211	1514.7	167.0	1858.9	398.4	49.9	46.8	85.3	141.3	186.5	260.4
	F	20062	849	7370	954.9	85.4	997.1	288.9	31.2	21.8	40.0	47.4	72.7	95.8
Tuberculosis	M	528	108	410	28.2	10.4	50.6	0.8	–	–	2.0	7.8	24.0	38.6
	F	88	21	54	3.9	1.9	5.6	–	–	–	0.5	4.0	3.8	5.2
HIV	M	7	5	2	0.3	0.4	0.2	–	–	–	1.0	1.1	–	0.7
	F	4	3	1	0.2	0.3	0.1	–	–	–	–	0.6	0.6	0.7
Other infective and parasitic	M	61	38	19	3.4	3.9	2.4	20.4	0.6	1.9	1.0	1.1	1.3	0.7
	F	46	29	14	2.6	3.2	1.8	19.0	–	–	1.0	1.1	0.6	0.7
ALL CANCER	M	2533	85	1887	166.9	7.8	323.1	7.8	4.3	4.8	5.4	5.0	8.4	18.5
	F	2014	92	1372	94.4	8.8	174.9	5.0	5.1	2.0	3.0	4.5	15.9	25.8
Mouth and pharynx cancer	M	192	3	164	12.5	0.3	25.7	–	–	0.5	–	–	0.6	0.7
	F	28	1	18	1.3	0.1	2.3	–	–	–	–	–	–	0.7
Oesophagus cancer	M	46	–	37	3.2	–	6.4	–	–	–	–	–	–	–
	F	15	–	10	0.7	–	1.3	–	–	–	–	–	–	–
Stomach cancer	M	336	1	254	22.5	0.1	42.9	–	–	–	–	–	–	0.7
	F	184	7	120	8.5	0.7	15.4	–	–	–	–	1.1	0.6	2.9
Colorectal cancer	M	291	6	200	19.6	0.6	36.2	–	–	–	–	0.6	0.6	3.0
	F	283	5	163	13.0	0.5	22.0	–	–	–	–	–	0.6	2.9
Liver cancer	M	150	6	111	9.9	0.6	19.9	1.6	–	–	1.0	–	–	1.5
	F	73	–	47	3.5	–	6.5	–	–	–	–	–	–	–
Pancreas cancer	M	138	1	101	9.0	0.1	16.8	–	–	–	–	–	–	0.7
	F	98	1	56	4.6	0.1	7.5	–	–	–	–	–	–	0.7
Larynx cancer	M	114	1	95	7.4	0.1	16.2	–	–	–	–	–	–	0.7
	F	6	1	4	0.3	0.1	0.6	–	–	–	–	–	–	0.7
Lung cancer	M	589	5	477	39.0	0.4	83.9	–	–	0.5	0.5	–	0.6	1.5
	F	139	2	99	6.4	0.2	13.1	–	–	–	–	–	0.6	0.7
Malignant melanoma	M	17	2	12	1.1	0.2	1.8	–	–	–	0.5	–	–	0.7
	F	17	–	13	0.8	–	1.5	–	–	–	–	–	–	–
Female breast cancer	F	389	10	309	18.7	1.0	37.2	–	–	–	–	–	2.5	4.4
Cervix cancer	F	144	6	104	6.6	0.6	12.4	–	–	–	–	0.6	0.6	2.9
Other uterine cancer	F	96	–	64	4.4	–	8.3	–	–	–	–	–	–	–
Ovarian cancer	F	95	5	70	4.6	0.4	9.0	–	–	0.5	–	0.6	1.3	0.7
Prostate cancer	M	86	–	45	6.3	–	8.9	–	–	–	–	–	–	–
Bladder cancer	M	118	1	74	8.1	0.1	13.8	–	–	–	–	–	–	0.7
	F	20	–	9	0.9	–	1.3	–	–	–	–	–	–	–
Other and ill-defined cancer sites	M	329	26	240	21.0	2.5	38.8	3.1	1.2	0.5	0.5	3.3	2.6	5.9
	F	302	27	205	14.4	2.6	26.0	4.1	1.9	–	1.0	1.1	5.7	4.4
Hodgkin's disease	M	22	4	16	1.3	0.3	2.5	–	0.6	–	1.0	–	–	0.7
	F	18	4	13	0.9	0.4	1.7	–	–	–	0.5	–	0.6	1.5
Myeloma and non- Hodgkin lymphomas	M	40	11	25	2.2	0.9	3.8	0.8	1.2	1.9	–	1.1	1.3	–
	F	45	3	31	2.1	0.3	4.2	0.8	–	–	–	0.6	0.6	–
Leukaemia	M	65	18	36	3.9	1.6	5.6	2.4	1.2	1.4	2.0	–	2.6	1.5
	F	62	20	37	2.9	1.8	4.6	–	3.2	1.5	1.5	0.6	2.5	2.9
Diabetes	M	142	12	99	9.0	1.1	16.8	0.8	0.6	–	0.5	0.6	2.6	3.0
	F	225	16	146	10.4	1.4	20.0	–	1.3	–	1.0	2.3	2.5	2.9
ALL VASCULAR DISEASE	M	10379	73	4382	823.8	6.9	810.6	4.7	–	0.5	3.9	5.5	14.2	19.3
	F	12619	35	3503	595.3	3.4	503.1	3.3	0.6	1.0	1.5	1.7	3.8	11.8
Rheumatic heart disease and fever	M	100	11	86	5.7	1.1	11.8	–	–	–	0.5	0.6	1.9	4.5
	F	130	10	106	6.4	0.9	12.7	–	0.6	0.5	1.5	–	0.6	2.9
Hypertensive disease	M	143	1	78	10.1	0.1	14.6	–	–	–	–	–	–	0.7
	F	179	1	86	8.1	0.1	11.7	–	–	–	–	–	–	0.7
Ischaemic heart disease	M	6989	28	2567	571.6	2.6	485.9	–	–	–	1.5	2.2	6.5	8.2
	F	8494	12	1824	402.4	1.2	268.1	–	–	–	–	1.1	1.9	5.2
Pulmonary embolism and other venous	M	32	1	21	2.1	0.1	3.2	–	–	–	–	–	–	0.7
	F	16	–	13	0.7	–	1.5	–	–	–	–	–	–	–
Cerebrovascular disease	M	2809	13	1450	212.5	1.2	266.6	–	–	–	0.5	1.1	4.5	2.2
	F	3613	4	1413	168.6	0.4	201.4	0.8	–	–	–	–	1.3	0.7
Other vascular disease	M	306	19	180	21.9	1.8	28.4	4.7	–	0.5	1.5	1.7	1.3	3.0
	F	187	8	61	9.0	0.8	7.6	2.5	–	0.5	–	0.6	–	2.2
Chronic obstructive pulmonary disease	M	972	5	464	73.9	0.5	88.7	–	–	–	–	–	1.3	2.2
	F	616	2	180	28.9	0.2	26.1	–	–	–	–	0.6	–	0.7
Other respiratory disease	M	629	130	417	38.6	13.5	60.4	69.0	1.2	1.9	4.4	3.9	7.1	6.7
	F	310	107	138	15.9	11.7	17.4	63.7	1.9	1.0	2.5	4.5	3.8	4.4
Peptic ulcer	M	138	5	111	8.8	0.5	16.0	–	–	–	–	–	1.3	2.2
	F	38	1	20	1.8	0.1	2.4	–	–	–	–	–	–	0.7
Liver cirrhosis	M	1395	35	1053	89.7	3.4	167.6	–	–	0.5	0.5	3.3	3.9	15.6
	F	1561	24	1048	73.5	2.2	137.8	–	–	1.5	1.0	1.7	3.2	8.1
Renal disease	M	133	10	82	8.7	0.8	12.9	–	–	0.5	1.5	1.1	1.9	0.7
	F	143	17	81	6.7	1.6	10.2	0.8	1.3	0.5	0.5	1.1	3.8	2.9
Pregnancy, birth Congenital and perinatal causes	F	10	8	2	0.4	0.7	0.2	–	–	–	1.5	0.6	1.9	0.7
	M	285	278	6	17.5	30.6	0.9	203.9	3.0	1.4	2.0	1.7	1.3	0.7
	F	188	185	3	11.9	21.2	0.2	137.4	3.2	1.5	3.5	1.7	–	0.7
Ill-defined causes	M	522	23	89	54.4	2.3	13.4	8.6	–	–	1.5	1.1	1.9	3.0
	F	874	9	37	46.3	1.0	5.1	5.0	–	–	–	0.6	0.6	0.7
Other medical causes	M	850	169	565	50.5	15.7	79.8	25.1	9.7	4.8	10.4	11.6	18.8	29.7
	F	534	85	334	25.2	7.7	40.4	11.6	4.5	5.5	7.6	6.8	8.9	8.8
ALL NON- MEDICAL CAUSES	M	2588	779	1625	141.1	69.2	215.5	57.3	30.5	30.6	51.3	97.5	98.4	118.7
	F	792	215	437	37.6	20.1	51.8	43.0	13.4	8.9	16.2	15.8	22.9	20.6
Road traffic accidents	M	347	154	163	18.1	13.3	21.4	3.1	6.7	6.7	10.9	21.6	22.0	22.3
	F	102	42	45	4.6	3.8	5.0	2.5	3.2	0.5	3.5	3.4	8.3	5.2
Fire	M	60	15	38	3.4	1.4	5.3	3.9	0.6	0.5	1.5	1.1	0.6	1.5
	F	33	11	9	1.7	1.2	1.2	7.5	–	0.5	–	–	0.6	–
Suicide	M	466	91	333	26.1	8.0	44.5	–	0.6	1.9	6.9	13.3	18.1	14.8
	F	78	14	54	3.7	1.2	6.7	–	–	–	2.0	2.3	2.5	1.5
Homicide	M	312	107	190	16.3	9.6	23.5	3.9	–	1.9	5.4	15.5	21.4	19.3
	F	120	32	65	5.6	2.9	7.4	3.3	1.3	1.0	2.0	3.4	4.5	5.2
POPULATION:			M=male											
(1000s; UN, 2004 revision)			F=female											
					2043.1	1173.4	780.6	127.5	164.2	209.3	202.7	180.5	154.4	134.8
					2231.8	1146.9	919.5	120.8	157.1	201.6	197.6	177.2	156.9	135.7

2000: Republic of MOLDOVA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
426.7	603.3	994.5	1380.6	2205.1	2938.4	4463.7	6095.1	9733.8	17761.3	M	ALL CAUSES	001-999/A00-Y89
150.8	252.2	400.0	654.3	1125.3	1687.2	2709.7	3967.9	7000.0	14441.9	F		
46.2	48.5	73.7	51.9	46.6	59.0	28.1	14.8	3.8	12.9	M	Tuberculosis	010-018, 137/ A15-A19, B90
8.4	7.7	3.7	5.0	5.3	5.6	3.5	7.7	11.5	2.8	F		
-	1.2	-	-	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
0.6	-	-	-	-	-	-	-	-	-	F		
2.0	2.4	2.0	3.9	1.3	3.8	1.7	6.3	3.8	-	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.6	1.1	0.6	1.7	2.1	2.8	3.5	1.3	1.9	2.8	F		
39.6	70.3	135.1	272.0	470.0	576.6	698.0	682.9	669.2	400.0	M	ALL CANCER	140-208/C00-C97
39.0	64.0	117.1	156.4	215.8	293.2	338.7	356.9	375.5	215.3	F		
3.3	4.8	21.1	38.2	42.6	35.2	34.7	42.3	-	32.3	M	Mouth and pharynx cancer	140-149/C00-C14
-	0.6	2.4	1.7	2.1	4.7	4.6	6.4	5.7	2.8	F		
-	1.2	2.0	8.8	8.0	10.1	14.9	8.5	11.4	12.9	M	Oesophagus cancer	150/C15
-	0.6	0.6	0.8	-	2.8	4.6	2.6	5.7	-	F		
5.9	11.5	14.3	40.1	79.9	74.1	74.3	107.8	83.7	51.6	M	Stomach cancer	151/C16
3.6	7.7	6.7	13.5	13.7	27.1	35.7	33.4	42.1	25.5	F		
1.3	4.8	14.3	22.5	49.3	59.0	102.3	105.7	98.9	58.1	M	Colorectal cancer	153, 154/C18-C21
2.4	6.1	10.4	12.6	24.2	37.3	61.1	74.5	72.8	53.8	F		
0.7	4.2	7.5	10.8	28.0	35.2	52.8	46.5	30.4	19.4	M	Liver cancer	155.0, 155.1/C22
-	-	2.4	5.9	10.5	14.0	12.7	16.7	19.2	8.5	F		
2.6	6.7	8.9	10.8	17.3	31.4	39.6	42.3	45.6	25.8	M	Pancreas cancer	157/C25
1.2	1.1	2.4	10.9	10.5	9.3	17.3	28.2	28.7	11.3	F		
1.3	3.6	8.9	13.7	26.6	22.6	36.3	21.1	30.4	-	M	Larynx cancer	161/C32
-	-	-	-	1.1	1.9	1.2	-	1.9	-	F		
5.3	13.3	24.6	71.4	122.5	178.4	171.6	131.1	148.3	38.7	M	Lung cancer	162/C33, C34
1.2	3.3	7.9	5.0	14.7	31.7	27.6	24.4	30.7	8.5	F		
0.7	0.6	1.4	2.9	2.7	2.5	1.7	-	7.6	6.5	M	Malignant melanoma	172/C43
0.6	0.6	2.4	0.8	2.1	3.7	-	2.6	1.9	2.8	F		
4.8	22.1	36.6	42.9	53.7	59.8	40.3	51.3	34.5	34.0	F	Female breast cancer	174/C50
9.6	7.7	7.3	12.6	9.5	16.8	23.0	23.1	26.8	5.7	F	Cervix cancer	180/C53
1.8	4.4	3.7	5.9	9.5	11.2	21.9	19.3	23.0	14.2	F	Other uterine cancer	179, 182/C54, C55
1.2	1.1	8.5	8.4	16.8	13.1	13.8	16.7	11.5	2.8	F	Ovarian cancer	183.0/C56
-	0.6	1.4	2.0	8.0	17.6	33.0	29.6	76.0	45.2	M	Prostate cancer	185/C61
1.3	1.2	2.7	7.8	17.3	25.1	41.3	55.0	45.6	32.3	M	Bladder cancer	188/C67
-	-	0.6	0.8	2.1	0.9	4.6	6.4	7.7	5.7	F		
13.2	10.9	23.2	32.3	49.3	61.6	80.9	74.0	68.4	64.5	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
7.8	6.6	18.3	26.9	31.6	43.9	47.2	39.8	49.8	36.8	F		
-	1.8	1.4	2.0	4.0	5.0	3.3	2.1	-	6.5	M	Hodgkin's disease	201/C81
1.2	0.6	0.6	0.8	3.2	1.9	3.5	1.3	-	-	F		
2.0	1.8	1.4	4.9	1.3	8.8	6.6	4.2	7.6	-	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
0.6	0.6	3.0	2.5	3.2	6.5	12.7	9.0	5.7	2.8	F	Leukaemia	204-208/C91-C95
2.0	3.0	2.0	3.9	13.3	10.1	5.0	12.7	15.2	6.5	M		
3.0	1.1	3.0	4.2	7.4	6.5	6.9	1.3	7.7	-	F		
2.6	3.6	10.2	7.8	30.6	26.4	36.3	50.7	19.0	12.9	M	Diabetes	250/E10-E14
0.6	2.8	7.3	14.3	21.1	46.7	47.2	50.1	38.3	11.3	F		
52.2	121.7	249.0	403.1	818.9	1412.1	2617.2	4052.9	7212.9	13612.9	M	ALL VASCULAR DISEASE	390-459/I00-I99
22.2	57.9	102.4	228.8	485.3	893.6	1731.6	2844.7	5492.3	11325.8	F		
5.9	8.5	14.3	11.7	16.0	11.3	14.9	4.2	3.8	-	M	Rheumatic heart disease and fever	390-398/I00-I09
3.6	7.2	10.4	18.5	23.2	16.8	9.2	12.8	5.7	2.8	F		
0.7	0.6	3.4	7.8	20.0	30.2	39.6	67.7	95.1	45.2	M	Hypertensive disease	401-405/I10-I15
-	1.7	5.5	8.4	8.4	27.1	31.1	38.5	84.3	51.0	F		
22.5	56.9	130.3	208.4	426.1	870.6	1686.5	2856.2	5296.6	10645.2	M	Ischaemic heart disease	410-414/I20-I25
7.8	20.4	36.6	72.3	227.4	488.3	1024.2	1893.5	3888.9	8932.0	F		
0.7	1.8	2.7	2.9	4.0	3.8	6.6	12.7	11.4	6.5	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
1.8	1.1	1.2	1.7	-	-	4.6	-	1.9	5.7	F		
13.2	39.4	81.9	153.6	307.6	457.3	813.5	1035.9	1695.8	2645.2	M	Cerebrovascular disease	430-438/I60-I69
7.2	22.6	45.1	116.1	222.1	352.9	644.0	875.5	1434.9	2167.1	F		
9.2	14.5	16.4	18.6	45.3	38.9	56.1	76.1	110.3	271.0	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
1.8	5.0	3.7	11.8	4.2	8.4	18.4	24.4	76.6	167.1	F		
5.3	6.7	18.4	33.3	86.6	177.1	293.7	380.5	695.8	903.2	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.6	1.1	4.3	11.8	31.6	49.5	84.1	141.2	293.1	484.4	F		
22.5	31.5	58.0	71.4	94.5	75.4	69.3	105.7	72.2	83.9	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
3.6	8.8	12.2	18.5	17.9	21.5	39.2	28.2	47.9	51.0	F		
5.9	12.1	10.2	21.5	24.0	20.1	18.2	25.4	11.4	45.2	M	Peptic ulcer	531-533/K25-K27
1.8	1.1	1.8	2.5	4.2	0.9	4.6	11.6	9.6	8.5	F		
41.6	64.2	115.3	145.8	225.0	234.9	346.5	363.6	361.2	258.1	M	Liver cirrhosis	571/K70, K74
23.4	41.9	73.2	106.0	188.4	229.7	301.8	320.9	289.3	249.3	F		
5.3	6.1	5.5	12.7	14.6	21.4	24.8	38.1	60.8	45.2	M	Renal disease	580-590/N00-N19
3.6	5.0	7.3	6.7	13.7	12.1	23.0	20.5	30.7	36.8	F		
0.6	0.6	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-O99
0.7	0.6	0.7	-	2.7	-	1.7	-	3.8	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
-	1.1	0.6	-	-	-	-	-	-	-	F	Ill-defined causes	780-799/R00-R99
4.0	6.1	11.6	14.7	22.6	15.1	19.8	33.8	296.6	2038.7	M		
0.6	1.1	1.8	5.0	6.3	5.6	15.0	39.8	251.0	1886.7	F		
41.6	45.4	81.2	91.0	90.5	106.8	102.3	118.4	129.3	167.7	M	Other medical causes	Rest of 001-799/ rest of A00-R99
22.8	18.2	26.8	45.4	61.1	64.4	43.8	74.5	69.0	59.5	F		
157.2	182.9	223.7	251.5	277.0	209.8	206.3	222.0	193.9	180.6	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
22.2	39.7	40.9	52.1	72.6	61.6	73.7	70.6	90.0	107.6	F		
19.2	20.0	20.5	22.5	24.0	18.8	24.8	27.5	45.6	32.3	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
3.0	5.0	6.7	3.4	3.2	5.6	8.1	10.3	7.7	8.5	F		
2.6	3.6	4.1	9.8	2.7	6.3	8.3	10.6	7.6	-	M	Fire	E890-E899/X00-X09
-	-	1.8	1.7	-	-	4.6	2.6	9.6	17.0	F		
33.7	38.2	44.3	44.0	62.6	44.0	44.6	50.7	45.6	38.7	M	Suicide	E950-E959/X60-X84
1.8	3.9	3.0	7.6	8.4	13.1	9.2	5.1	5.7	8.5	F		
29.7	19.4	27.3	30.3	29.3	15.1	13.2	25.4	11.4	-	M	Homicide	E960-E969/ X85-X99, Y00-Y09
5.4	8.8	2.4	10.1	9.5	6.5	9.2	15.4	9.6	17.0	F		
151.4	165.1	146.6	102.2	75.1	79.6	60.6	47.3	26.3	15.5	M	POPULATION	
166.5	181.2	164.0	118.9	95.0	107.1	86.8	77.9	52.2	35.3	F	(1000s; UN, 2004 revision)	

NETHERLANDS: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	68773	2299	21653	859.9	61.6	782.0	141.4	15.3	16.0	52.4	71.2	62.6	72.5
	F	71754	1416	13399	551.3	39.8	457.9	121.8	10.7	11.4	26.3	29.5	32.4	46.2
Tuberculosis	M	49	1	10	0.6	0.0	0.3	-	-	0.2	-	-	-	-
	F	42	1	11	0.4	0.0	0.4	-	-	-	-	-	0.2	-
HIV	M	106	11	93	1.2	0.2	2.3	-	-	-	-	-	0.3	1.3
	F	26	9	16	0.3	0.2	0.4	-	-	-	-	-	0.5	0.9
Other infective and parasitic	M	633	44	180	7.9	1.2	6.3	4.6	0.4	0.4	0.2	0.6	0.9	1.2
	F	774	43	121	6.1	1.3	4.3	4.9	0.2	0.8	1.3	0.4	0.5	0.6
ALL CANCER	M	20718	240	8396	259.0	6.1	311.9	4.0	3.3	2.4	4.9	7.3	9.4	11.6
	F	17028	226	6666	157.3	5.9	225.5	3.4	2.7	3.6	3.8	5.9	6.8	15.2
Mouth and pharynx cancer	M	364	4	238	4.6	0.1	8.0	-	-	-	-	0.2	0.5	-
	F	169	-	91	1.7	-	3.2	-	-	-	-	-	-	-
Oesophagus cancer	M	871	3	469	11.0	0.1	16.9	-	-	-	-	-	0.3	0.1
	F	354	2	121	3.1	0.1	4.2	-	-	-	-	0.4	-	-
Stomach cancer	M	1031	3	416	12.9	0.1	15.5	-	-	-	-	0.2	-	0.3
	F	688	3	200	5.8	0.1	6.9	-	-	-	-	0.2	0.2	0.2
Colorectal cancer	M	2140	7	874	26.8	0.2	32.8	-	-	-	-	-	0.5	0.6
	F	2160	9	591	18.1	0.2	20.7	-	-	-	-	0.2	0.2	1.1
Liver cancer	M	216	4	97	2.7	0.1	3.4	-	-	0.4	-	-	-	0.3
	F	129	3	54	1.2	0.1	1.9	-	-	-	-	-	0.2	0.3
Pancreas cancer	M	846	-	412	10.6	-	15.4	-	-	-	-	-	-	-
	F	921	4	270	8.0	0.1	9.7	-	-	-	-	0.2	-	0.5
Larynx cancer	M	202	-	102	2.5	-	3.6	-	-	-	-	-	-	-
	F	50	-	25	0.5	-	0.9	-	-	-	-	-	-	-
Lung cancer	M	6297	7	2675	78.7	0.1	102.6	-	-	-	-	-	-	1.0
	F	2262	4	1307	23.9	0.1	44.4	-	-	-	-	-	0.2	0.5
Malignant melanoma	M	279	20	179	3.4	0.5	5.8	-	-	-	0.2	0.4	1.7	1.0
	F	191	10	97	1.9	0.3	3.1	-	-	-	0.2	0.2	0.7	0.6
Female breast cancer	F	3425	33	1680	33.4	0.8	54.1	-	-	-	-	0.7	0.7	4.0
Cervix cancer	F	258	13	138	2.6	0.3	4.2	-	-	-	-	-	0.7	1.4
Other uterine cancer	F	400	1	121	3.4	0.0	4.3	-	-	-	-	-	-	0.2
Ovarian cancer	F	913	10	406	8.8	0.3	14.0	-	0.2	0.2	0.2	-	0.4	0.8
Prostate cancer	M	2367	-	397	29.5	-	16.6	-	-	-	-	-	-	-
Bladder cancer	M	798	-	214	9.9	-	7.9	-	-	-	-	-	-	-
	F	314	1	71	2.5	0.0	2.5	-	-	-	-	-	-	0.2
Other and ill-defined cancer sites	M	3710	120	1687	46.4	3.1	60.6	2.8	2.0	1.8	3.2	3.4	3.8	5.0
	F	3399	80	1090	30.0	2.2	37.4	3.0	1.8	2.5	2.5	1.1	1.3	3.4
Hodgkin's disease	M	48	10	18	0.6	0.3	0.6	-	-	-	-	1.0	0.3	0.4
	F	38	7	12	0.4	0.2	0.4	-	-	-	-	0.7	0.5	0.2
Myeloma and non- Hodgkin lymphomas	M	966	20	419	12.0	0.5	15.1	-	0.6	-	0.4	0.8	0.7	1.0
	F	842	16	250	7.4	0.4	8.9	0.2	-	0.2	0.4	0.9	0.5	0.8
Leukaemia	M	583	42	199	7.3	1.1	7.1	1.2	0.8	0.2	1.1	1.3	1.4	1.8
	F	515	30	142	4.5	0.8	4.8	0.2	0.6	0.6	0.4	1.3	1.3	1.2
Diabetes	M	1318	7	476	16.5	0.2	17.0	0.2	-	-	-	0.2	0.5	0.3
	F	2027	8	289	14.7	0.2	10.5	-	-	-	0.2	0.2	-	0.9
ALL VASCULAR DISEASE	M	23638	133	6806	294.5	3.4	251.3	2.8	0.4	1.0	4.5	2.5	5.9	6.6
	F	25553	103	2896	179.8	2.6	103.1	1.5	0.6	0.8	0.9	2.8	5.4	6.5
Rheumatic heart disease and fever	M	8	-	2	0.1	-	0.1	-	-	-	-	-	-	-
	F	7	-	2	0.1	-	0.1	-	-	-	-	-	-	-
Hypertensive disease	M	289	-	101	3.6	-	3.7	-	-	-	-	-	-	-
	F	508	1	65	3.7	0.0	2.4	-	-	-	-	-	-	0.2
Ischaemic heart disease	M	9921	29	3493	123.5	0.7	127.5	-	-	-	0.2	0.4	1.6	2.5
	F	7522	17	1051	55.4	0.4	38.1	-	-	-	-	0.2	0.9	1.7
Pulmonary embolism and other venous	M	267	7	70	3.3	0.2	2.5	-	-	-	0.2	-	0.3	0.6
	F	429	17	95	3.4	0.5	3.0	-	-	-	0.2	1.1	1.1	0.8
Cerebrovascular disease	M	4702	21	966	58.5	0.6	36.3	0.4	0.2	0.2	0.9	0.6	0.9	0.7
	F	7482	32	753	51.6	0.8	25.9	-	0.6	0.8	0.2	0.4	2.3	1.4
Other vascular disease	M	8451	76	2174	105.5	2.0	81.2	2.4	0.2	0.8	3.2	1.5	3.1	2.8
	F	9605	36	930	65.6	0.9	33.5	1.5	-	-	0.4	1.1	1.1	2.5
Chronic obstructive pulmonary disease	M	4208	12	603	52.1	0.3	24.4	0.8	0.4	0.4	-	-	0.2	0.4
	F	2550	7	449	19.7	0.2	16.6	0.2	-	-	0.7	-	0.2	0.3
Other respiratory disease	M	3500	31	444	43.8	0.9	17.3	2.0	0.8	0.6	1.1	0.2	0.9	0.4
	F	4419	25	275	28.6	0.7	9.9	1.1	0.4	0.2	0.9	0.9	0.4	1.1
Peptic ulcer	M	165	-	34	2.1	-	1.3	-	-	-	-	-	-	-
	F	227	1	23	1.6	0.0	0.8	-	0.2	-	-	-	-	-
Liver cirrhosis	M	507	3	387	6.3	0.1	12.3	-	-	-	-	-	-	0.4
	F	303	-	192	3.2	-	6.0	-	-	-	-	-	-	-
Renal disease	M	594	5	84	7.4	0.1	3.1	0.2	-	-	-	0.6	-	0.1
	F	745	5	82	5.2	0.1	3.0	0.4	-	-	-	0.2	0.2	0.2
Pregnancy, birth	F	18	13	5	0.2	0.3	0.1	-	-	-	0.2	0.2	0.7	1.1
Congenital and perinatal causes	M	601	531	56	9.3	15.2	1.7	99.5	1.2	1.0	0.6	1.5	0.7	1.6
	F	531	438	76	8.4	13.2	2.2	87.0	0.6	0.8	1.3	1.5	0.2	0.8
Ill-defined causes	M	3564	190	1333	44.8	5.0	46.2	8.4	1.2	0.6	3.4	8.2	5.6	7.6
	F	4180	109	630	30.5	3.1	20.8	7.8	0.8	0.6	2.5	3.5	2.7	3.6
Other medical causes	M	6149	219	1431	76.9	5.9	49.5	10.7	3.1	4.0	4.5	5.9	5.9	6.9
	F	11185	152	1034	76.0	4.2	35.3	9.3	2.7	1.7	2.5	3.7	4.1	5.6
ALL NON- MEDICAL CAUSES	M	3023	872	1320	37.5	23.1	37.1	8.0	4.5	5.3	33.1	44.2	32.3	33.9
	F	2146	276	634	19.4	7.7	19.1	6.3	2.5	2.7	12.1	10.1	10.6	9.6
Road traffic accidents	M	802	392	277	10.2	10.8	7.9	1.2	2.2	3.4	21.2	24.5	13.0	9.8
	F	288	104	109	3.4	3.0	3.3	1.1	1.4	1.7	7.1	4.4	3.6	1.9
Fire	M	37	11	13	0.5	0.3	0.4	0.4	0.6	-	-	0.4	0.2	0.4
	F	29	6	8	0.3	0.2	0.2	0.8	0.2	-	0.2	-	-	-
Suicide	M	999	257	608	12.1	6.5	16.7	-	-	1.0	7.5	11.5	10.9	14.5
	F	501	85	336	5.8	2.1	9.6	-	-	-	1.8	2.2	4.7	6.3
Homicide	M	120	49	67	1.4	1.3	1.6	0.8	-	-	1.5	2.1	2.3	2.2
	F	60	32	22	0.8	0.9	0.6	-	0.4	0.2	2.0	2.2	1.6	0.2
POPULATION: (1000s; UN, 2004 revision)			M=male		7879.1	3704.1	3594.6	497.3	510.4	494.3	467.7	477.2	575.5	681.7
			F=female		8018.5	3544.6	3533.7	473.6	487.0	473.0	448.1	457.6	558.5	646.8

2000: NETHERLANDS

Annual death rates / 100,000

(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK		
99.8	179.7	287.2	462.3	806.4	1317.1	2321.6	3945.6	6742.7	14799.4	M	ALL CAUSES 001-999/A00-Y89
78.4	133.4	232.6	314.3	490.7	742.1	1213.8	2037.8	3611.3	11453.5	F	
0.1	0.2	0.5	0.2	0.7	0.3	-	4.1	7.2	9.6	M	Tuberculosis 010-018, 137/
-	-	0.4	0.2	0.2	1.1	0.9	1.0	4.0	4.5	F	A15-A19, B90
2.3	5.1	3.1	2.7	0.7	1.4	1.0	-	0.6	0.6	M	HIV 279.5, 279.6/B20-B24
0.6	0.8	0.5	0.2	0.5	0.3	-	-	-	0.3	F	
1.0	2.2	4.0	3.9	6.1	6.3	20.6	38.8	56.6	136.3	M	Other infective and parasitic Rest of 001-139/rest of A00-B99 excl A33, A34
0.9	0.7	1.8	1.9	4.4	9.5	10.6	20.7	45.0	118.8	F	
19.3	44.4	89.5	172.6	332.4	548.7	976.4	1412.9	2077.6	3138.3	M	ALL CANCER 140-208/C00-C97
30.1	65.3	121.2	174.2	273.2	385.9	528.4	707.9	944.8	1503.9	F	
0.4	2.1	4.6	7.9	11.6	13.0	16.4	18.8	21.1	24.4	M	Mouth and pharynx cancer 140-149/C00-C14
0.2	0.7	0.7	1.9	4.7	6.8	7.7	5.8	6.5	11.8	F	
0.9	1.9	5.2	12.6	22.5	29.8	45.5	56.8	68.8	87.5	M	Oesophagus cancer 150/C15
-	0.7	1.9	3.3	5.8	6.5	11.2	14.5	21.1	36.0	F	
0.7	2.4	5.9	8.7	12.9	26.5	51.4	68.7	98.2	171.7	M	Stomach cancer 151/C16
1.1	3.0	1.8	4.7	7.2	12.7	17.7	28.8	39.2	81.1	F	
0.9	2.2	9.3	18.0	35.4	64.0	99.8	134.5	212.4	351.8	M	Colorectal cancer 153, 154/C18-C21
0.8	3.3	9.0	14.6	24.7	39.4	52.9	85.9	135.0	259.6	F	
0.3	0.8	1.5	2.9	4.1	5.2	8.8	13.9	21.1	27.7	M	Liver cancer 155.0/C22 excl C221
0.5	0.3	0.7	0.5	1.9	4.1	5.6	4.5	9.4	9.0	F	
0.6	2.9	3.4	7.6	17.7	26.7	49.1	53.6	86.5	94.5	M	Pancreas cancer 157/C25
0.8	1.3	2.3	6.4	9.8	19.2	27.8	47.8	71.1	85.3	F	
-	0.3	1.7	3.0	4.1	8.0	8.2	9.8	23.8	21.2	M	Larynx cancer 161/C32
-	-	0.7	0.7	0.9	2.2	1.5	3.2	1.8	2.8	F	
2.6	8.8	21.5	47.3	108.5	173.1	356.6	494.7	680.0	758.2	M	Lung cancer 162/C33, C34
3.1	11.0	27.5	34.0	53.8	78.3	103.1	113.7	108.2	84.7	F	
1.3	3.7	3.4	5.4	7.3	7.2	12.1	13.5	14.4	13.5	M	Malignant melanoma 172/C43
0.8	1.3	1.9	2.6	5.6	4.1	5.6	5.5	8.3	12.4	F	
12.4	22.9	36.1	52.3	75.5	79.7	99.5	120.5	160.1	252.8	F	Female breast cancer 174/C50
1.7	3.5	5.0	4.0	3.5	3.2	8.3	8.1	10.2	15.2	F	Cervix cancer 180/C53
-	0.7	1.9	2.8	4.9	7.0	12.7	18.1	24.7	43.4	F	Other uterine cancer 179, 182/C54, C55
1.5	2.6	5.7	11.0	16.8	28.1	32.2	40.1	50.5	65.9	F	Ovarian cancer 183/C56, C570-C574
-	0.2	0.3	2.5	11.3	31.7	70.0	159.9	271.8	700.3	M	Prostate cancer 185/C61
0.4	0.5	2.6	4.7	9.1	14.1	24.2	51.5	96.0	183.3	M	Bladder cancer 188/C67
0.2	0.3	1.6	0.9	2.6	5.1	7.1	11.6	20.0	42.5	F	
7.8	13.4	20.3	40.0	61.9	109.5	171.4	233.4	333.3	470.1	M	Other and ill-defined cancer sites Rest of 140-199/rest of C00-C80, C97
5.4	10.7	19.3	25.1	37.3	65.1	99.2	139.9	193.1	355.9	F	
0.3	-	0.3	0.2	1.4	1.4	0.7	2.9	2.8	5.1	M	Hodgkin's disease 201/C81
0.2	-	0.2	0.5	0.2	0.3	1.5	0.6	2.5	2.8	F	
1.9	3.0	5.9	9.4	16.8	24.0	44.5	62.6	90.4	135.7	M	Myeloma and non-Hodgkin lymphomas 200, 202-203/C82-C90, C96
0.6	1.2	2.8	5.1	13.1	15.9	23.3	40.7	55.2	83.9	F	Leukaemia 204-208/C91-C95
1.2	2.2	3.4	2.4	7.9	14.6	18.0	38.4	57.1	93.2	M	
1.1	1.8	1.9	3.8	4.9	8.4	11.5	18.4	27.9	58.8	F	
0.9	4.0	4.8	12.8	21.8	30.3	44.2	77.7	123.1	272.0	M	Diabetes 250/E10-E14
1.2	1.0	3.5	4.2	12.1	18.4	32.8	58.5	116.9	345.4	F	
20.0	42.6	80.5	141.8	249.8	433.7	790.6	1433.0	2544.1	5535.0	M	ALL VASCULAR DISEASE 390-459/I00-I99
15.8	22.9	41.3	51.7	83.9	163.1	342.6	724.1	1393.5	4638.0	F	
-	-	-	-	0.2	-	0.3	0.4	1.7	1.3	M	Rheumatic heart disease and fever 390-398/I00-I09
-	-	-	-	0.5	-	-	0.6	-	0.8	F	
-	0.5	0.5	3.0	4.5	5.5	12.1	14.7	26.6	66.9	M	Hypertensive disease 401-405/I10-I15
-	0.3	0.5	0.9	3.5	3.2	8.3	15.5	30.9	87.0	F	
11.0	23.0	43.4	78.7	132.5	215.9	388.3	644.7	1066.6	1864.3	M	Ischaemic heart disease 410-414/I20-I25
4.0	5.9	15.2	16.4	28.4	65.4	131.4	284.0	475.5	1200.7	F	
0.6	0.8	1.5	0.8	2.0	4.7	6.9	15.9	29.4	63.0	M	Pulmonary embolism and other venous 415.1, 451-453/I26, I80-I82
2.3	2.3	1.2	1.6	2.6	4.1	7.1	11.3	28.7	57.2	F	
2.6	5.6	10.2	17.2	35.6	62.0	121.0	267.8	549.6	1330.5	M	Cerebrovascular disease 430-438/I60-I69
6.0	6.9	12.2	17.6	22.1	37.3	79.4	187.1	398.9	1413.0	F	
5.9	12.8	25.0	42.1	74.9	145.6	262.0	489.4	870.2	2209.0	M	Other vascular disease Rest of 390-459/rest of I00-I99
3.5	7.4	12.0	15.3	26.8	53.2	116.4	225.5	459.5	1879.2	F	
0.9	1.3	2.4	5.6	18.6	44.4	97.8	277.2	559.1	1226.4	M	Chronic obstructive pulmonary disease 490-496/J40-J47, J67
0.5	1.5	3.4	8.5	15.2	26.5	60.8	112.8	160.1	367.1	F	
1.6	2.2	4.6	5.7	10.7	30.3	65.8	145.1	349.4	1311.9	M	Other respiratory disease Rest of 460-519/rest of J00-J98
1.7	1.8	4.4	3.8	7.0	16.7	33.7	65.9	181.9	961.1	F	
-	0.2	0.3	0.7	0.9	3.6	3.3	9.0	19.4	47.6	M	Peptic ulcer 531-533/K25-K27
0.2	0.5	0.2	0.9	0.7	-	3.0	5.8	13.1	41.9	F	
2.2	7.0	9.5	12.8	14.7	18.2	21.6	19.6	22.2	18.6	M	Liver cirrhosis 571/K70, K74
1.1	3.3	3.5	9.1	6.8	8.1	10.0	12.6	9.8	12.7	F	
0.6	0.3	0.7	1.5	3.2	5.2	10.5	25.3	65.4	209.0	M	Renal disease 580-590/N00-N19
-	0.5	0.9	1.0	2.6	5.1	11.2	17.8	31.2	145.6	F	
0.6	0.2	-	-	-	-	-	-	-	-	F	Pregnancy, birth 630-676/A34, O00-O99
0.9	1.3	1.4	1.3	2.5	1.7	2.9	2.9	2.2	1.9	M	Congenital and perinatal causes 740-779/A33, P00-P96, Q00-Q99
1.5	1.8	1.4	2.4	3.7	2.4	2.4	2.6	1.5	1.4	F	III-defined causes 780-799/R00-R99
8.8	16.4	20.0	30.3	53.8	76.9	117.1	173.3	249.0	751.1	M	
5.2	7.4	14.4	16.4	23.5	29.2	49.3	77.5	154.3	781.5	F	
10.2	16.0	25.0	32.8	53.8	79.7	129.2	268.6	564.1	1816.7	M	Other medical causes Rest of 001-799/rest of A00-R99
6.9	12.7	17.0	22.5	36.8	52.4	98.9	193.9	481.7	2272.5	F	
30.9	36.5	41.0	37.7	36.8	36.4	40.6	58.1	102.6	324.1	M	ALL NON-MEDICAL CAUSES E800-E999/V01-Y89
12.0	13.0	18.8	17.2	20.0	23.5	29.2	36.8	73.7	258.7	F	
7.3	6.4	7.7	7.4	9.1	6.9	10.8	15.9	22.2	34.7	M	Road traffic accidents E810-E819, E826-E829/part of V01-V99, Y850
2.5	2.3	2.1	3.1	3.5	3.8	5.9	8.4	9.8	6.2	F	
0.1	0.5	0.5	0.3	0.5	0.3	0.3	0.8	0.6	6.4	M	Fire E890-E899/X00-X09
0.3	0.2	0.2	0.2	-	0.3	0.6	0.6	2.5	1.7	F	
13.8	19.3	20.7	17.5	15.7	16.0	13.7	15.9	19.4	38.6	M	Suicide E950-E959/X60-X84
7.4	8.1	13.5	8.4	10.7	11.1	8.3	10.0	6.9	8.4	F	
3.1	2.9	2.1	1.7	0.9	0.6	-	-	1.7	0.6	M	Homicide E960-E969/
0.8	0.5	0.7	0.9	0.7	-	0.6	0.6	1.1	0.3	F	X85-X99, Y00-Y09
683.4	626.6	581.1	594.4	440.7	362.7	305.7	244.6	180.3	155.5	M	POPULATION (1000s; UN, 2004 revision)
650.8	606.6	564.4	574.0	429.0	370.3	338.6	309.5	275.5	355.2	F	

NEW ZEALAND: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	13813	960	4198	753.0	101.9	717.3	177.2	16.6	28.6	87.8	125.5	139.3	138.3
	F	12905	483	2834	501.2	50.2	467.6	139.5	19.9	11.6	37.6	34.8	54.5	53.4
Tuberculosis	M	13	1	3	0.7	0.1	0.5	-	-	-	-	-	-	0.7
	F	12	-	1	0.4	-	0.1	-	-	-	-	-	-	-
HIV	M	19	7	12	1.0	0.7	1.3	-	-	-	-	-	0.8	4.3
	F	3	-	3	0.2	-	0.4	-	-	-	-	-	-	-
Other infective and parasitic	M	67	10	22	3.7	1.0	3.5	4.2	0.7	-	0.7	0.8	-	0.7
	F	59	10	19	2.7	1.0	3.1	4.4	-	0.7	0.8	-	-	1.3
ALL CANCER	M	4120	66	1574	228.1	6.9	278.6	6.2	4.0	4.6	5.9	7.4	6.5	13.7
	F	3500	69	1425	158.6	7.0	232.1	2.2	5.0	2.7	6.1	5.7	8.8	18.5
Mouth and pharynx cancer	M	98	-	56	5.6	-	10.1	-	-	-	-	-	-	-
	F	35	2	8	1.5	0.2	1.4	-	-	0.7	-	-	-	0.7
Oesophagus cancer	M	127	-	52	7.1	-	9.4	-	-	-	-	-	-	-
	F	60	-	10	2.2	-	1.8	-	-	-	-	-	-	-
Stomach cancer	M	186	1	71	10.3	0.1	12.2	-	-	-	-	-	-	0.7
	F	123	3	39	5.2	0.3	6.1	-	-	-	-	-	0.7	1.3
Colorectal cancer	M	571	3	223	31.8	0.3	41.5	-	-	-	-	-	-	0.8
	F	563	2	197	24.8	0.2	34.7	-	-	-	-	-	-	1.3
Liver cancer	M	80	3	47	4.6	0.3	7.9	-	-	-	0.7	-	0.8	0.7
	F	23	1	11	1.1	0.1	1.9	-	-	-	-	0.8	-	-
Pancreas cancer	M	168	-	74	9.4	-	12.8	-	-	-	-	-	-	-
	F	144	-	51	6.2	-	9.2	-	-	-	-	-	-	-
Larynx cancer	M	29	-	16	1.7	-	2.8	-	-	-	-	-	-	-
	F	2	-	2	0.1	-	0.3	-	-	-	-	-	-	-
Lung cancer	M	860	-	363	48.0	-	65.4	-	-	-	-	-	-	-
	F	546	2	239	25.8	0.2	41.8	-	-	-	-	0.8	-	0.7
Malignant melanoma	M	155	7	78	8.8	0.8	12.7	-	-	-	-	1.7	0.8	2.9
	F	98	4	50	4.7	0.4	7.8	-	-	-	0.8	0.8	-	1.3
Female breast cancer	F	622	14	338	29.8	1.4	49.1	-	-	-	-	-	2.9	6.6
Cervix cancer	F	66	4	44	3.4	0.4	6.3	-	-	-	-	0.8	-	2.0
Other uterine cancer	F	91	1	43	4.4	0.1	7.2	-	-	-	-	-	-	0.7
Ovarian cancer	F	183	1	88	8.9	0.1	13.8	-	-	-	-	-	-	0.7
Prostate cancer	M	594	-	107	31.8	-	21.7	-	-	-	-	-	-	-
Bladder cancer	M	103	-	26	5.6	-	5.3	-	-	-	-	-	-	-
	F	56	-	8	2.0	-	1.6	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	732	34	313	40.6	3.5	51.6	4.8	2.7	2.6	2.9	3.3	1.6	6.5
	F	630	28	211	27.2	2.9	34.5	2.2	4.3	2.1	4.6	2.4	2.9	2.0
Hodgkin's disease	M	5	1	2	0.3	0.1	0.3	-	-	-	-	-	0.8	-
	F	3	-	-	0.1	-	-	-	-	-	-	-	-	-
Myeloma and non-Hodgkin lymphomas	M	247	3	86	13.5	0.3	14.4	-	-	-	-	0.8	-	1.4
	F	160	3	52	6.9	0.3	9.1	-	-	-	-	-	1.5	0.7
Leukaemia	M	165	14	60	9.0	1.4	10.5	1.4	1.3	2.0	2.2	1.7	1.6	-
	F	95	4	34	4.2	0.4	5.4	-	0.7	-	0.8	-	0.7	0.7
Diabetes	M	408	3	142	22.6	0.3	24.9	-	-	-	-	-	-	2.4
	F	394	4	103	16.0	0.4	17.8	-	-	-	-	-	-	0.7
ALL VASCULAR DISEASE	M	5349	49	1470	290.3	5.3	256.8	2.1	0.7	-	3.7	2.5	11.4	16.6
	F	5571	29	677	192.5	2.9	116.5	2.9	-	-	1.5	0.8	7.4	7.9
Rheumatic heart disease and fever	M	67	4	23	3.6	0.5	3.2	-	-	-	-	0.8	2.4	-
	F	105	4	38	4.6	0.4	6.2	-	-	-	0.8	-	1.5	0.7
Hypertensive disease	M	84	1	18	4.5	0.1	3.2	-	-	-	-	-	-	0.7
	F	134	-	23	4.9	-	3.9	-	-	-	-	-	-	-
Ischaemic heart disease	M	3269	8	1021	178.6	0.9	178.2	-	-	-	-	0.8	1.6	3.6
	F	2704	3	339	94.4	0.3	60.6	-	-	-	-	-	-	2.0
Pulmonary embolism and other venous	M	29	1	8	1.6	0.1	1.4	-	-	-	-	-	-	0.7
	F	36	3	16	1.6	0.3	2.1	-	-	-	-	0.8	0.7	0.7
Cerebrovascular disease	M	1048	12	187	55.9	1.3	33.7	0.7	-	-	-	0.8	3.3	4.3
	F	1620	9	165	54.5	0.9	27.7	-	-	-	-	-	2.9	3.3
Other vascular disease	M	852	23	213	46.0	2.4	37.0	1.4	0.7	-	3.7	-	4.1	7.2
	F	972	10	96	32.6	1.0	16.0	2.9	-	-	0.8	-	2.2	1.3
Chronic obstructive pulmonary disease	M	867	7	174	46.5	0.7	33.2	0.7	-	0.7	0.7	-	1.6	1.4
	F	693	4	167	28.1	0.4	31.0	-	-	-	-	1.6	0.7	0.7
Other respiratory disease	M	225	10	33	11.9	1.0	6.1	6.2	-	-	-	-	-	0.7
	F	268	7	23	8.6	0.7	3.8	3.7	0.7	-	-	-	-	-
Peptic ulcer	M	50	1	6	2.7	0.1	1.3	-	-	-	-	-	-	0.7
	F	58	-	6	1.9	-	1.3	-	-	-	-	-	-	-
Liver cirrhosis	M	67	-	43	3.9	-	7.3	-	-	-	-	-	-	-
	F	47	-	27	2.4	-	4.2	-	-	-	-	-	-	-
Renal disease	M	140	-	24	7.5	-	4.2	-	-	-	-	-	-	-
	F	129	1	15	4.4	0.1	2.4	-	-	-	-	-	0.7	-
Pregnancy, birth Congenital and perinatal causes	F	5	4	1	0.2	0.4	0.1	-	-	-	-	0.8	1.5	0.7
	M	187	162	19	10.3	16.1	2.9	95.5	1.3	4.6	2.2	2.5	4.1	2.9
Ill-defined causes	F	156	126	21	8.8	13.2	3.1	79.6	1.4	1.4	1.5	4.0	2.2	2.0
	M	64	47	5	3.5	4.7	0.8	31.1	-	-	0.7	-	0.8	-
	F	54	33	-	2.5	3.4	-	23.4	0.7	-	-	-	-	-
Other medical causes	M	1112	66	240	59.4	6.8	39.6	9.0	4.6	3.9	6.6	5.8	3.3	14.4
	F	1467	30	206	51.7	3.1	33.2	8.0	1.4	1.4	3.1	1.6	3.7	2.6
ALL NON-MEDICAL CAUSES	M	1125	531	431	61.1	58.1	56.3	22.1	5.3	15.0	67.3	106.5	108.3	82.1
	F	489	166	140	22.1	17.4	18.5	15.3	10.6	5.5	24.6	20.2	28.0	17.8
Road traffic accidents	M	302	167	113	16.4	18.1	15.0	6.2	2.7	4.6	27.1	32.2	26.1	28.1
	F	148	71	49	7.3	7.5	6.2	2.2	5.0	4.1	13.0	10.5	9.6	7.9
Fire	M	13	5	3	0.7	0.5	0.4	2.1	-	-	-	-	1.6	-
	F	6	2	2	0.3	0.2	0.3	-	-	-	-	0.8	0.7	-
Suicide	M	375	189	157	20.5	21.0	20.0	-	-	2.0	22.7	41.3	47.2	33.9
	F	83	37	42	4.3	3.9	5.2	-	-	0.7	8.4	3.2	9.6	5.3
Homicide	M	33	21	11	1.8	2.3	1.2	2.8	0.7	-	0.7	5.0	4.9	2.2
	F	22	13	7	1.1	1.4	0.8	1.5	2.1	-	-	2.4	1.5	2.0
POPULATION: (1000s; UN, 2004 revision)			M=male		1871.8	968.4	766.3	144.5	150.8	153.8	136.6	121.1	122.8	138.8
			F=female		1946.4	965.3	791.6	136.9	140.9	146.3	130.3	123.6	135.7	151.6

2000: NEW ZEALAND

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
134.8	192.1	285.8	419.2	720.2	1131.8	2136.9	3278.7	5521.6	11748.0	M	ALL CAUSES	001-999/A00-Y89
70.4	124.9	196.1	308.5	517.8	787.9	1267.4	1955.3	3204.8	9115.5	F		
0.6	-	-	-	1.1	-	-	5.2	7.2	7.9	M	Tuberculosis	010-018, 137/ A15-A19, B90
3.3	2.1	-	2.5	1.1	-	-	1.6	5.5	9.6	F		
0.6	-	-	0.8	-	1.3	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
0.7	-	3.2	4.2	5.4	1.3	9.6	8.7	19.2	57.7	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
-	0.7	-	4.1	3.2	7.7	6.2	9.6	12.9	23.4	F		
19.4	42.1	93.2	162.5	304.8	448.0	880.6	1290.9	1867.8	2524.9	M	ALL CANCER	140-208/C00-C97
30.8	66.5	96.5	174.1	268.1	424.2	564.1	757.2	911.4	1427.8	F		
0.7	2.1	-	5.8	14.1	15.8	31.8	24.4	38.5	31.5	M	Mouth and pharynx cancer	140-149/C00-C14
-	0.7	-	0.8	2.2	1.3	4.6	9.6	12.9	16.5	F		
0.7	1.4	0.8	7.5	6.5	18.4	30.3	47.0	50.5	70.9	M	Oesophagus cancer	150/C15
-	-	-	1.7	1.1	3.9	6.2	8.0	25.8	42.6	F		
0.7	2.1	4.8	6.7	18.4	21.1	31.8	59.2	103.4	97.1	M	Stomach cancer	151/C16
3.1	0.7	1.5	6.6	5.4	11.6	13.9	22.4	40.6	61.9	F		
0.7	2.1	6.4	20.0	39.0	87.0	135.4	181.2	300.5	304.5	M	Colorectal cancer	153, 154/C18-C21
1.9	2.0	10.0	15.8	37.8	79.7	95.8	140.6	151.3	266.9	F		
-	1.4	6.4	5.0	7.6	14.5	20.7	19.2	21.6	26.2	M	Liver cancer	155.0/C22 excl C221
-	-	1.5	-	3.2	3.9	4.6	6.4	3.7	6.9	F		
0.7	3.6	5.6	5.8	15.2	22.4	36.6	50.5	76.9	86.6	M	Pancreas cancer	157/C25
0.6	1.4	1.5	4.1	7.6	15.4	34.0	27.2	36.9	77.0	F		
-	-	1.6	2.5	3.3	2.6	9.6	12.2	4.8	10.5	M	Larynx cancer	161/C32
-	-	-	0.8	-	-	1.5	-	-	-	F		
2.0	8.6	19.1	41.7	61.8	98.8	226.1	318.8	382.2	406.8	M	Lung cancer	162/C33, C34
0.6	4.8	8.5	28.2	49.7	78.4	122.1	134.2	177.1	171.9	F		
2.7	2.9	8.8	7.5	18.4	19.8	28.7	40.1	31.3	89.2	M	Malignant melanoma	172/C43
1.9	2.0	2.3	7.5	13.0	15.4	12.4	11.2	29.5	28.9	F		
13.8	26.5	38.6	53.1	63.8	63.0	85.0	113.4	118.1	185.7	F	Female breast cancer	174/C50
1.3	4.1	6.2	6.6	9.7	5.1	10.8	6.4	9.2	12.4	F	Cervix cancer	180/C53
1.3	1.4	0.8	5.0	8.6	16.7	17.0	25.6	22.1	26.1	F	Other uterine cancer	179, 182/C54, C55
1.3	4.1	6.9	13.3	19.5	27.0	24.7	62.3	36.9	48.1	F	Ovarian cancer	183/C56, C570-C574
-	0.7	-	3.3	20.6	23.7	103.5	188.2	317.3	648.3	M	Prostate cancer	185/C61
-	-	-	0.8	4.3	7.9	23.9	38.3	55.3	84.0	M	Bladder cancer	188/C67
-	-	-	-	1.1	2.6	7.7	8.0	22.1	42.6	F		
6.7	13.6	30.3	35.0	74.8	68.5	132.2	191.6	293.3	401.6	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
3.1	15.6	12.4	21.6	34.6	70.7	83.5	113.4	167.9	315.0	F	Hodgkin's disease	201/C81
-	-	-	0.8	-	-	1.6	-	2.4	2.6	M		
-	-	-	-	-	-	-	-	1.8	2.8	F		
2.0	2.1	8.0	10.0	17.4	27.7	33.4	81.9	113.0	168.0	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.3	1.4	3.1	2.5	7.6	23.1	24.7	41.5	38.7	79.8	F	Leukaemia	204-208/C91-C95
2.7	1.4	1.6	10.0	3.3	19.8	35.0	38.3	76.9	97.1	M		
0.6	2.0	3.1	6.6	3.2	6.4	15.5	27.2	16.6	42.6	F		
0.7	4.3	7.2	16.7	24.9	54.0	66.9	120.2	161.1	333.3	M	Diabetes	250/E10-E14
1.9	3.4	8.5	7.5	14.1	30.8	58.7	91.1	105.2	238.0	F		
24.0	56.4	102.7	147.5	245.1	426.9	794.6	1217.8	2288.5	5719.2	M	ALL VASCULAR DISEASE	390-459/I00-I99
11.3	22.4	42.5	58.9	135.1	169.7	375.6	702.9	1402.2	5041.3	F		
2.0	2.1	1.6	4.2	4.3	5.3	3.2	8.7	16.8	73.5	M	Rheumatic heart disease and fever	390-398/I00-I09
1.3	2.0	3.1	1.7	10.8	7.7	17.0	16.0	27.7	52.3	F		
0.7	0.7	-	1.7	3.3	6.6	9.6	20.9	48.1	86.6	M	Hypertensive disease	401-405/I10-I15
-	0.7	0.8	4.1	5.4	3.9	12.4	19.2	35.1	110.0	F		
12.0	38.6	73.2	104.2	176.8	305.7	536.6	790.9	1423.1	3133.9	M	Ischaemic heart disease	410-414/I20-I25
3.1	6.8	18.5	21.6	68.1	100.3	205.6	377.0	708.5	2396.1	F		
-	-	1.6	0.8	1.1	-	6.4	12.2	9.6	23.6	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
-	2.7	3.1	3.3	2.2	-	3.1	3.2	5.5	16.5	F		
2.7	6.4	11.9	15.8	26.0	55.3	117.8	212.5	483.2	1380.6	M	Cerebrovascular disease	430-438/I60-I69
4.4	6.1	10.0	18.2	31.4	36.0	88.1	174.1	411.4	1532.3	F		
6.7	8.6	14.3	20.8	33.6	54.0	121.0	172.5	307.7	1021.0	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
2.5	4.1	6.9	10.0	17.3	21.9	49.5	113.4	214.0	934.0	F		
2.0	5.7	4.8	8.3	22.8	56.7	132.2	254.4	442.3	934.4	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
-	2.0	5.4	13.3	22.7	57.8	115.9	148.6	256.5	398.9	F		
0.7	2.1	-	3.3	4.3	6.6	25.5	31.4	103.4	317.6	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.3	2.7	0.8	0.8	2.2	5.1	13.9	14.4	36.9	287.5	F		
-	-	-	-	-	2.6	6.4	12.2	21.6	70.9	M	Peptic ulcer	531-533/K25-K27
-	-	-	-	1.1	-	7.7	1.6	16.6	57.8	F		
1.3	1.4	5.6	2.5	6.5	14.5	19.1	20.9	14.4	15.7	M	Liver cirrhosis	571/K70, K74
0.6	0.7	3.9	2.5	6.5	10.3	4.6	12.8	14.8	5.5	F		
-	1.4	0.8	3.3	2.2	9.2	12.7	20.9	55.3	212.6	M	Renal disease	580-590/N00-N19
0.6	0.7	1.5	2.5	1.1	3.9	6.2	11.2	38.7	116.9	F		
0.6	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
0.7	1.4	2.4	1.7	5.4	4.0	4.8	5.2	4.8	2.6	M	Ill-defined causes	780-799/R00-R99
-	1.4	1.5	3.3	7.6	5.1	3.1	3.2	5.5	5.5	F		
-	0.7	0.8	0.8	-	1.3	1.6	1.7	4.8	23.6	M		
-	-	-	-	-	-	-	1.6	1.8	26.1	F		
15.4	17.1	15.9	16.7	39.0	63.2	109.9	219.5	435.1	1309.7	M	Other medical causes	Rest of 001-799/ rest of A00-R99
7.5	8.8	14.7	25.7	34.6	59.1	81.9	166.1	348.7	1290.2	F		
66.8	56.4	49.4	49.2	57.5	43.5	71.7	69.7	96.2	217.8	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
14.4	15.6	20.8	14.9	21.6	12.9	29.4	33.5	48.0	187.1	F		
15.4	16.4	14.3	10.0	15.2	14.5	19.1	17.4	12.0	18.4	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
5.7	7.5	7.7	5.0	5.4	1.3	10.8	16.0	11.1	16.5	F		
0.7	-	0.8	-	-	-	1.6	3.5	2.4	5.2	M	Fire	E890-E899/X00-X09
-	-	0.8	-	-	-	1.5	-	3.7	-	F		
26.7	17.9	18.3	20.8	22.8	14.5	19.1	22.6	12.0	28.9	M	Suicide	E950-E959/X60-X84
6.9	4.1	5.4	5.0	5.4	6.4	3.1	-	-	5.5	F		
2.0	2.9	1.6	0.8	1.1	-	-	1.7	-	-	M	Homicide	E960-E969/ X85-X99, Y00-Y09
0.6	0.7	2.3	0.8	1.1	-	-	-	-	2.8	F		
149.8	140.0	125.6	120.0	92.2	75.9	62.8	57.4	41.6	38.1	M	POPULATION	
159.2	147.3	129.5	120.6	92.5	77.8	64.7	62.6	54.2	72.7	F	(1000s; UN, 2004 revision)	

NORWAY: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	21676	885	5292	791.0	80.7	710.4	109.3	15.0	10.8	77.4	111.5	120.6	120.3
	F	22342	389	3121	507.8	37.2	408.4	82.9	11.9	12.8	34.0	33.3	38.2	47.0
Tuberculosis	M	29	-	3	1.0	-	0.4	-	-	-	-	-	-	-
	F	24	-	2	0.5	-	0.3	-	-	-	-	-	-	-
HIV	M	8	2	6	0.3	0.2	0.5	-	-	-	-	-	-	1.1
	F	7	2	5	0.3	0.2	0.5	-	-	0.7	-	-	0.6	-
Other infective and parasitic	M	204	6	31	7.1	0.6	4.3	2.6	-	-	1.5	-	-	-
	F	266	9	29	6.0	0.9	3.8	2.7	0.7	-	0.8	1.5	0.6	-
ALL CANCER	M	5532	59	1848	210.9	5.3	255.7	2.6	5.0	2.0	6.6	5.0	4.8	11.1
	F	4915	55	1594	146.4	5.0	207.2	5.5	4.0	2.1	3.9	-	4.3	15.1
Mouth and pharynx cancer	M	88	3	52	3.8	0.2	6.8	-	-	-	-	-	0.6	1.1
	F	52	1	23	1.7	0.1	2.9	-	-	0.7	-	-	-	-
Oesophagus cancer	M	105	-	45	4.2	-	6.0	-	-	-	-	-	-	-
	F	40	-	11	1.1	-	1.5	-	-	-	-	-	-	-
Stomach cancer	M	266	3	79	10.1	0.2	11.3	-	-	-	-	-	-	1.7
	F	197	-	41	5.0	-	5.4	-	-	-	-	-	-	-
Colorectal cancer	M	777	2	233	29.2	0.2	33.7	-	-	-	-	-	0.6	0.6
	F	817	2	201	21.7	0.2	26.8	-	-	-	-	-	-	1.2
Liver cancer	M	51	-	13	1.9	-	2.0	-	-	-	-	-	-	-
	F	32	1	5	0.9	0.1	0.7	0.7	-	-	-	-	-	-
Pancreas cancer	M	262	1	97	10.0	0.1	12.5	-	-	-	-	-	-	0.6
	F	309	1	62	8.2	0.1	8.5	-	-	-	-	-	-	0.6
Larynx cancer	M	33	-	17	1.4	-	2.5	-	-	-	-	-	-	-
	F	8	-	2	0.2	-	0.3	-	-	-	-	-	-	-
Lung cancer	M	1121	-	478	44.9	-	66.5	-	-	-	-	-	-	-
	F	652	1	295	23.0	0.1	39.3	-	-	-	-	-	-	0.6
Malignant melanoma	M	147	2	90	6.2	0.2	11.1	-	-	-	-	-	-	1.1
	F	66	2	27	2.2	0.2	3.1	-	-	-	-	-	-	1.2
Female breast cancer	F	761	7	320	24.5	0.6	39.6	-	-	-	-	-	-	4.1
Cervix cancer	F	99	4	54	3.6	0.3	6.2	-	-	-	-	-	1.2	1.2
Other uterine cancer	F	124	-	35	3.5	-	4.4	-	-	-	-	-	-	-
Ovarian cancer	F	295	-	124	9.7	-	16.1	-	-	-	-	-	-	-
Prostate cancer	M	1094	-	172	38.0	-	27.2	-	-	-	-	-	-	-
Bladder cancer	M	265	1	46	9.2	0.1	7.0	-	-	-	-	-	-	0.6
	F	123	-	16	2.8	-	2.4	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	863	31	359	34.2	2.8	46.8	2.0	2.5	1.4	2.2	2.9	3.0	5.6
	F	922	22	270	26.7	2.1	35.4	2.7	3.3	0.7	2.3	-	1.2	4.1
Hodgkin's disease	M	9	1	5	0.4	0.1	0.5	-	-	-	0.7	-	-	-
	F	9	2	1	0.2	0.2	0.1	-	-	-	-	-	0.6	0.6
Myeloma and non- Hodgkin lymphomas	M	297	4	111	11.5	0.4	14.9	0.7	-	-	0.7	1.4	-	-
	F	270	2	70	7.4	0.2	9.7	-	-	-	0.8	-	-	0.6
Leukaemia	M	154	11	51	6.0	1.1	7.0	-	2.5	0.7	2.9	0.7	0.6	-
	F	139	10	37	4.1	0.9	4.8	2.1	0.7	0.7	0.8	-	1.2	1.2
Diabetes	M	316	9	73	11.5	0.8	9.5	-	-	-	0.7	-	2.4	2.2
	F	339	3	37	7.3	0.3	5.2	-	-	-	-	-	1.2	0.6
ALL VASCULAR DISEASE	M	8659	30	1574	302.2	2.5	225.0	0.7	-	0.7	0.7	1.4	3.6	10.6
	F	9532	19	597	184.8	1.8	82.2	0.7	-	0.7	3.1	3.0	-	5.2
Rheumatic heart disease and fever	M	34	-	7	1.2	-	1.0	-	-	-	-	-	-	-
	F	64	-	5	1.3	-	0.8	-	-	-	-	-	-	-
Hypertensive disease	M	155	-	46	5.8	-	6.7	-	-	-	-	-	-	-
	F	191	1	13	3.9	0.1	1.7	-	-	-	0.8	-	-	-
Ischaemic heart disease	M	4398	10	990	157.3	0.8	140.5	-	-	-	-	0.7	0.6	4.5
	F	3784	1	302	77.1	0.1	41.9	-	-	-	-	-	-	0.6
Pulmonary embolism and other venous	M	76	4	15	2.7	0.3	2.2	-	-	-	-	-	1.2	1.1
	F	107	3	15	2.6	0.2	2.0	-	-	-	-	-	-	1.7
Cerebrovascular disease	M	1851	8	252	62.7	0.7	36.0	-	-	0.7	0.7	-	0.6	2.8
	F	2630	4	139	49.5	0.4	18.7	-	-	-	-	1.5	-	1.2
Other vascular disease	M	2145	8	264	72.5	0.7	38.5	0.7	-	-	-	0.7	1.2	2.2
	F	2756	10	123	50.4	1.0	17.2	0.7	-	0.7	2.3	1.5	-	1.7
Chronic obstructive pulmonary disease	M	945	2	156	33.2	0.2	24.8	0.7	-	-	-	0.7	-	-
	F	781	1	166	20.6	0.1	23.3	-	0.7	-	-	-	-	-
Other respiratory disease	M	1107	6	73	35.8	0.5	10.5	2.6	-	-	-	-	1.2	-
	F	1551	2	37	26.7	0.2	5.0	0.7	0.7	-	-	-	-	-
Peptic ulcer	M	113	-	26	4.0	-	3.8	-	-	-	-	-	-	-
	F	148	-	12	3.0	-	1.7	-	-	-	-	-	-	-
Liver cirrhosis	M	139	1	110	6.2	0.1	12.8	-	-	-	-	-	0.6	-
	F	85	1	57	3.4	0.1	6.9	-	-	-	-	-	-	0.6
Renal disease	M	210	2	15	6.8	0.2	2.4	-	-	-	0.7	-	-	0.6
	F	182	-	9	3.4	-	1.1	-	-	-	-	-	-	-
Pregnancy, birth	F	2	2	-	0.1	0.2	-	-	-	-	-	0.7	-	0.6
Congenital and perinatal causes	M	135	120	13	6.8	11.1	1.3	73.5	1.3	-	-	0.7	1.2	1.1
	F	106	90	12	5.5	8.7	1.3	53.4	0.7	1.4	-	1.5	3.1	1.2
Ill-defined causes	M	913	52	268	34.3	4.9	34.0	14.3	0.6	-	3.7	8.6	2.4	4.5
	F	1083	16	83	21.2	1.5	11.1	8.2	0.7	-	-	0.7	0.6	0.6
Other medical causes	M	1940	195	552	72.1	17.3	66.0	6.5	0.6	2.0	12.5	21.4	42.8	35.1
	F	2379	58	310	53.2	5.5	39.4	5.5	-	0.7	4.6	10.4	7.4	9.9
ALL NON- MEDICAL CAUSES	M	1426	401	544	58.6	37.1	59.4	5.9	7.5	6.1	50.8	73.6	61.5	54.0
	F	942	131	171	25.4	12.7	19.3	6.2	4.6	7.1	21.7	15.6	20.3	13.3
Road traffic accidents	M	256	140	81	11.4	13.2	8.5	4.6	2.5	-	22.1	30.0	19.9	13.4
	F	94	38	27	3.7	3.7	2.7	1.4	1.3	2.1	8.5	4.4	5.5	2.9
Fire	M	40	10	18	1.7	0.9	1.9	-	-	0.7	0.7	2.9	1.2	1.1
	F	16	6	2	0.5	0.6	0.3	-	0.7	0.7	0.8	-	0.6	1.2
Suicide	M	409	154	207	18.0	14.3	21.5	-	-	2.7	20.6	30.0	24.7	21.7
	F	131	40	74	5.7	3.7	8.1	-	-	-	6.2	4.4	8.6	7.0
Homicide	M	29	11	16	1.3	1.0	1.7	0.7	1.3	-	1.5	0.7	1.2	1.7
	F	24	15	7	1.1	1.5	0.7	1.4	0.7	0.7	1.5	3.0	1.8	1.2
POPULATION: (1000s; UN, 2004 revision)			M=male		2231.3	1082.8	939.2	153.7	160.0	148.1	135.7	139.9	165.8	179.6
			F=female		2271.1	1037.3	920.8	146.0	151.5	140.8	129.3	135.0	162.2	172.5

2000: NORWAY

Annual death rates / 100,000 (zero denoted by -)											9th ICD/10th ICD categories	
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
155.4	206.6	276.1	466.1	713.9	1132.4	2022.4	3381.4	5693.8	13868.5	M	ALL CAUSES	001-999/A00-Y89
76.5	101.9	177.3	288.7	461.7	709.7	1043.2	1909.2	3309.4	10765.7	F		
-	-	-	0.6	-	-	2.5	3.9	10.4	24.5	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	-	-	-	-	-	2.3	4.4	4.3	10.7	F		
1.8	0.6	-	0.6	0.8	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
0.6	0.6	0.7	-	1.7	-	-	-	-	-	F		
1.8	0.6	1.3	3.8	0.8	6.6	14.9	38.0	51.8	157.5	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
-	1.3	0.7	2.6	5.9	10.6	5.7	21.0	41.3	130.9	F		
24.1	39.2	76.6	175.6	276.2	440.9	757.5	1124.5	1627.2	2548.9	M	ALL CANCER	140-208/C00-C97
29.0	49.0	98.3	153.6	260.7	394.1	465.3	726.5	866.4	1387.4	F		
-	1.2	1.9	7.0	10.7	12.0	14.9	13.1	14.8	19.9	M	Mouth and pharynx cancer	140-149/C00-C14
-	0.6	2.7	1.3	5.0	6.4	4.6	3.3	4.3	16.1	F		
-	0.6	3.9	6.3	4.1	10.9	16.2	26.2	25.1	35.2	M	Oesophagus cancer	150/C15
-	-	-	2.6	0.8	2.1	4.6	4.4	9.8	12.3	F		
1.2	1.2	3.2	5.7	11.5	17.5	38.6	73.4	75.4	117.7	M	Stomach cancer	151/C16
-	3.2	2.0	4.0	3.4	10.6	14.8	28.8	29.3	78.9	F		
1.8	1.2	10.9	14.6	35.4	62.4	109.5	162.5	244.1	386.9	M	Colorectal cancer	153, 154/C18-C21
1.9	4.5	12.0	17.2	31.1	58.3	62.6	91.9	158.5	294.8	F		
-	-	-	0.6	2.5	2.2	8.7	9.2	19.2	27.5	M	Liver cancer	155.0/C22 excl C221
-	-	-	-	0.8	2.1	2.3	8.9	6.5	9.2	F		
1.2	2.5	2.6	14.6	21.4	16.4	28.6	51.1	96.2	91.7	M	Pancreas cancer	157/C25
0.6	0.6	2.7	5.3	8.4	18.0	23.9	57.6	71.7	98.0	F		
-	0.6	1.3	-	0.8	8.8	6.2	7.9	7.4	7.6	M	Larynx cancer	161/C32
-	-	-	-	-	1.1	1.1	2.2	3.3	0.8	F		
1.2	7.4	20.6	45.7	80.0	121.4	189.1	264.7	360.9	301.2	M	Lung cancer	162/C33, C34
1.9	7.0	12.7	26.5	57.2	72.0	97.8	153.9	121.6	80.4	F		
2.4	3.1	3.2	15.9	14.0	20.8	18.7	17.0	29.6	33.6	M	Malignant melanoma	172/C43
2.5	1.9	4.0	0.7	5.0	5.3	2.3	12.2	8.7	13.8	F		
6.2	14.6	24.1	38.4	60.6	58.3	75.1	94.1	110.7	189.1	F	Female breast cancer	174/C50
1.9	5.1	8.7	6.6	3.4	8.5	9.1	12.2	14.1	13.0	F	Cervix cancer	180/C53
-	-	2.0	4.6	10.1	7.4	6.8	15.5	23.9	40.6	F	Other uterine cancer	179, 182/C54, C55
3.7	2.5	4.7	15.2	18.5	38.1	29.6	41.0	63.0	58.2	F	Ovarian cancer	183/C56, C570-C574
-	-	2.6	7.0	15.7	47.0	118.2	205.8	340.2	818.0	M	Prostate cancer	185/C61
-	0.6	-	1.9	8.2	13.1	24.9	41.9	91.7	189.6	M	Bladder cancer	188/C67
8.8	14.1	19.3	40.6	53.6	75.5	115.7	169.1	213.0	305.8	F		
9.3	7.6	17.4	21.2	37.0	64.6	91.0	132.9	150.9	284.1	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
1.2	0.6	-	0.6	-	1.1	-	-	1.5	3.1	M	Hodgkin's disease	201/C81
-	-	-	0.7	-	-	-	1.1	1.1	3.1	F		
4.1	4.3	5.1	11.4	12.4	19.7	47.3	59.0	72.5	134.6	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/ C82-C90, C96
0.6	-	3.3	5.3	9.3	27.5	21.6	33.2	46.7	95.7	F	Leukaemia	204-208/C91-C95
2.4	1.8	1.9	3.8	5.8	12.0	21.1	23.6	35.5	76.5	M		
0.6	1.3	2.0	3.3	7.6	11.7	6.8	15.5	18.5	46.7	F		
2.4	5.5	3.2	5.7	9.9	19.7	19.9	69.5	84.3	189.6	M	Diabetes	250/E10-E14
0.6	-	2.0	2.6	4.2	7.4	19.3	29.9	55.4	169.2	F		
11.8	38.6	59.2	126.8	195.4	391.7	751.2	1349.9	2476.3	6652.9	M	ALL VASCULAR DISEASE	390-459/I00-I99
8.6	12.1	22.1	49.7	73.2	137.7	271.9	653.4	1393.1	5392.8	F		
-	-	-	0.6	1.6	-	5.0	9.2	8.9	21.4	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	-	-	3.2	2.3	8.9	8.7	32.9	F		
0.6	1.2	0.6	3.8	3.3	16.4	21.1	27.5	32.5	100.9	M	Hypertensive disease	401-405/I10-I15
-	0.6	-	2.0	2.5	4.2	2.3	23.3	22.8	103.4	F		
5.9	24.5	40.5	82.4	129.4	244.0	456.5	732.6	1312.1	2984.7	M	Ischaemic heart disease	410-414/I20-I25
3.7	4.5	7.4	25.8	40.4	76.3	135.4	342.2	621.1	1990.8	F		
0.6	-	-	1.3	1.6	4.4	7.5	14.4	20.7	48.9	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.6	-	1.3	1.3	2.5	1.1	6.8	13.3	25.0	41.3	F		
4.1	4.9	12.9	19.0	29.7	46.0	135.6	260.8	559.2	1550.5	M	Cerebrovascular disease	430-438/I60-I69
3.1	3.2	8.7	12.6	15.1	25.4	62.6	144.0	386.5	1532.2	F		
0.6	8.0	5.1	19.7	29.7	81.0	125.6	305.4	542.9	1946.5	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
1.2	3.8	4.7	7.9	12.6	27.5	62.6	121.8	329.0	1692.2	F		
1.2	1.2	3.2	3.2	14.0	36.1	114.4	205.8	331.4	620.8	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.6	1.9	2.7	13.9	24.4	42.4	77.4	126.2	190.0	248.9	F		
1.2	2.5	0.6	4.4	12.4	15.3	37.3	93.1	218.9	1237.0	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
0.6	1.9	0.7	3.3	4.2	9.5	14.8	48.7	141.2	1024.5	F		
0.6	-	-	1.9	5.8	3.3	14.9	14.4	29.6	85.6	M	Peptic ulcer	531-533/K25-K27
-	0.6	-	-	1.7	4.2	5.7	12.2	22.8	79.6	F		
4.1	4.3	9.0	18.4	19.0	19.7	14.9	19.7	8.9	10.7	M	Liver cirrhosis	571/K70, K74
-	2.5	2.7	9.9	13.5	11.7	8.0	7.8	8.7	9.2	F		
-	-	0.6	-	1.6	4.4	10.0	19.7	57.7	212.5	M	Renal disease	580-590/N00-N19
-	-	0.7	2.0	0.8	-	4.6	6.6	32.6	104.9	F		
-	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34, O00-O99
0.6	1.2	0.6	3.2	2.5	1.1	-	-	3.0	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
1.2	0.6	1.3	1.3	1.7	3.2	-	3.3	-	0.8	F		
9.4	15.3	13.5	26.0	45.3	62.4	65.9	118.0	201.2	561.2	M	Ill-defined causes	780-799/R00-R99
1.2	3.8	4.0	6.0	13.5	15.9	33.0	43.2	103.1	650.8	F		
45.9	40.5	48.3	45.0	64.3	76.6	141.8	222.8	454.1	1094.8	M	Other medical causes	Rest of 001-799/ rest of A00-R99
18.5	14.0	20.1	25.2	40.4	49.8	108.1	178.3	360.5	1162.3	F		
50.6	57.0	59.8	50.7	66.0	54.7	77.1	102.2	139.1	472.5	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
15.4	13.4	21.4	18.5	16.0	23.3	27.3	47.6	90.1	393.6	F		
12.4	8.0	7.7	5.7	10.7	6.6	8.7	14.4	10.4	26.0	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
4.3	2.5	4.7	2.6	1.7	1.1	2.3	6.6	14.1	7.7	F		
1.2	1.8	0.6	4.4	1.6	3.3	-	7.9	-	9.2	M	Fire	E890-E899/X00-X09
-	-	-	-	-	1.1	1.1	-	3.3	3.8	F		
23.0	23.9	28.3	18.4	20.6	16.4	19.9	27.5	13.3	27.5	M	Suicide	E950-E959/X60-X84
8.0	7.0	10.7	6.6	6.7	8.5	9.1	5.5	8.7	3.1	F		
1.2	2.5	2.6	1.3	0.8	-	3.7	1.3	-	1.5	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.2	0.6	0.7	0.7	0.8	-	1.1	1.1	1.1	-	F		
169.9	163.1	155.4	157.7	121.3	91.4	80.4	76.3	67.6	65.4	M	POPULATION	
162.1	157.0	149.5	151.0	118.9	94.4	87.9	90.3	92.1	130.6	F	(1000s; UN, 2004 revision)	

POLAND: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by –)							
		All ages	0–34	35–69	All ages	0–34	35–69	0–4	5–9	10–14	15–19	20–24	25–29	30–34	
ALL CAUSES	M	195390	10005	95195	1247.3	106.8	1521.2	193.9	20.6	23.5	73.5	119.5	132.6	184.1	
	F	172638	4035	44182	698.4	48.1	609.8	159.4	13.2	13.8	28.8	30.5	37.7	53.5	
Tuberculosis	M	828	22	554	5.0	0.2	8.0	–	–	–	–	0.1	0.3	1.3	
	F	288	9	98	1.2	0.1	1.3	–	–	–	–	–	0.4	0.3	
HIV	M	90	37	53	0.5	0.4	0.6	–	–	–	–	0.1	1.0	1.7	
	F	25	17	8	0.1	0.2	0.1	–	–	–	0.1	0.1	0.7	0.4	
Other infective and parasitic	M	646	130	333	4.1	1.6	5.2	7.9	0.4	0.4	0.2	0.4	1.2	0.9	
	F	553	90	217	2.6	1.2	2.9	6.2	0.4	0.3	0.2	0.6	0.3	0.2	
ALL CANCER	M	48019	674	27197	300.9	6.9	463.0	3.9	4.3	3.7	6.4	7.1	9.2	13.4	
	F	36537	528	17787	158.8	5.8	242.1	4.1	2.7	1.7	3.9	4.9	8.0	14.9	
Mouth and pharynx cancer	M	1359	10	1085	8.2	0.1	16.4	–	0.1	–	0.2	0.1	0.1	0.2	
	F	331	4	173	1.5	0.0	2.3	–	–	–	0.1	0.1	0.1	–	
Oesophagus cancer	M	1111	2	761	7.0	0.0	12.5	–	–	–	–	0.1	0.1	–	
	F	271	2	116	1.2	0.0	1.6	–	–	–	–	–	0.1	0.1	
Stomach cancer	M	3874	33	2032	24.4	0.4	34.7	–	–	–	–	0.2	0.6	1.7	
	F	2162	21	806	8.9	0.2	11.2	–	–	–	0.1	–	0.6	0.9	
Colorectal cancer	M	4373	19	2132	27.8	0.2	37.7	–	–	–	0.1	0.2	0.5	0.6	
	F	4144	16	1509	17.1	0.2	21.5	–	–	–	0.1	0.1	0.1	1.0	
Liver cancer	M	980	16	522	6.1	0.2	9.0	0.3	–	–	0.2	0.1	0.4	0.2	
	F	1061	5	406	4.4	0.1	5.7	–	0.1	–	–	0.1	0.1	0.1	
Pancreas cancer	M	1917	12	1202	11.8	0.1	19.5	–	–	–	–	–	0.1	0.8	
	F	1847	4	782	7.8	0.0	11.2	–	–	–	–	0.1	0.1	0.2	
Larynx cancer	M	1465	1	1076	9.1	0.0	17.9	–	–	–	–	0.1	–	–	
	F	165	–	100	0.8	–	1.3	–	–	–	–	–	–	–	
Lung cancer	M	15984	16	10009	99.2	0.2	173.9	–	–	0.1	–	0.2	0.4	0.5	
	F	4018	10	2357	18.1	0.1	32.1	–	–	–	0.1	0.1	0.3	0.3	
Malignant melanoma	M	463	18	290	2.8	0.2	4.3	–	0.1	–	0.1	0.2	0.4	0.6	
	F	465	14	259	2.1	0.2	3.3	0.1	–	–	0.1	0.3	–	0.7	
Female breast cancer	M	4712	33	2873	21.5	0.4	37.7	–	–	–	–	0.1	0.3	2.3	
	F	1987	38	1384	9.3	0.4	17.2	–	–	–	–	0.3	0.7	2.0	
Cervix cancer	M	1268	3	629	5.5	0.0	8.9	–	–	–	–	0.1	0.1	0.1	
	F	2053	25	1343	9.5	0.3	18.0	–	0.1	–	0.2	0.2	0.5	0.8	
Prostate cancer	M	3147	1	850	21.1	0.0	16.2	–	–	–	0.1	–	–	–	
	F	2000	3	861	12.9	0.0	15.6	–	0.1	–	–	–	0.1	0.1	
Bladder cancer	M	493	3	144	2.0	0.0	2.0	–	–	–	–	–	–	0.3	
	F	8707	325	4979	54.1	3.3	82.3	2.7	2.6	1.9	3.1	3.3	4.5	5.3	
Other and ill-defined cancer sites	M	9338	214	3938	39.7	2.3	54.4	2.5	1.9	1.3	2.0	1.7	2.5	4.4	
	F	217	29	133	1.2	0.3	1.9	–	–	0.1	0.2	0.4	0.4	0.9	
Hodgkin's disease	M	154	28	71	0.7	0.3	0.9	–	–	–	0.2	0.5	0.8	0.5	
	F	1198	45	691	7.4	0.5	11.4	0.1	0.2	0.5	0.4	0.6	0.3	1.1	
Myeloma and non- Hodgkin lymphomas	M	1016	31	475	4.4	0.3	6.8	0.1	0.2	–	0.2	0.7	0.7	0.4	
	F	1224	144	574	7.5	1.4	9.6	0.8	1.2	1.3	2.2	1.7	1.4	1.5	
Leukaemia	M	1052	77	422	4.5	0.8	5.8	1.3	0.5	0.4	0.9	0.8	1.2	0.8	
	F	2045	35	1058	12.9	0.4	17.5	–	0.1	0.1	–	0.2	0.8	1.5	
Diabetes	M	3145	14	955	12.6	0.1	14.0	–	0.1	0.1	0.1	0.1	0.2	0.4	
	F	83678	595	34743	555.4	6.3	583.0	2.9	0.7	1.3	2.7	6.1	9.2	21.0	
ALL VASCULAR DISEASE	M	91729	228	15005	353.2	2.5	215.7	2.3	0.6	0.8	1.5	2.0	3.6	6.7	
	F	568	12	340	3.5	0.1	5.6	0.1	0.1	–	–	0.1	0.3	0.4	
Rheumatic heart disease and fever	M	743	1	349	3.2	0.0	5.0	–	–	–	0.1	–	–	–	
	F	1888	9	962	12.1	0.1	16.0	–	–	–	–	0.1	0.1	0.4	
Hypertensive disease	M	2807	2	635	11.0	0.0	9.2	–	–	–	–	–	–	0.2	
	F	30972	102	15897	199.6	1.1	263.2	–	–	–	0.1	0.6	1.5	5.7	
Ischaemic heart disease	M	24603	18	5008	95.7	0.2	72.7	–	–	–	–	–	0.5	0.9	
	F	1386	27	715	8.6	0.3	11.8	–	0.2	–	0.1	0.4	0.6	0.7	
Pulmonary embolism and other venous	M	1357	14	513	5.6	0.1	7.2	–	0.1	–	0.1	0.2	0.3	0.4	
	F	17867	154	7029	118.0	1.6	120.4	0.7	0.2	0.5	0.4	1.8	2.3	5.4	
Cerebrovascular disease	M	23576	80	4553	91.3	0.9	64.7	0.4	0.1	0.4	0.3	0.6	1.7	2.7	
	F	30997	291	9800	213.5	3.0	166.2	2.1	0.3	0.7	2.1	3.1	4.5	8.4	
Other vascular disease	M	38643	113	3947	146.3	1.2	56.9	1.9	0.4	0.4	1.1	1.2	1.2	2.5	
	F	5252	24	1833	34.3	0.2	34.2	0.3	0.1	0.1	0.3	0.2	0.2	0.6	
Chronic obstructive pulmonary disease	M	2295	11	710	9.3	0.1	10.4	0.1	0.1	–	0.1	0.2	0.1	0.3	
	F	5239	200	1633	35.8	2.3	26.7	7.4	0.9	0.3	1.3	1.2	1.8	3.2	
Other respiratory disease	M	5524	128	772	21.5	1.5	10.8	4.7	0.5	0.6	0.9	0.6	1.4	1.9	
	F	875	12	478	5.5	0.1	7.2	–	0.1	–	–	0.1	0.2	0.6	
Peptic ulcer	M	649	6	162	2.5	0.1	2.2	–	–	–	–	0.1	0.1	0.3	
	F	3846	111	3121	22.3	1.2	43.6	0.1	–	–	0.1	0.5	2.0	5.8	
Liver cirrhosis	M	1571	47	961	7.3	0.5	12.4	0.1	–	0.1	0.1	0.1	0.9	2.3	
	F	1920	36	729	12.8	0.4	12.1	0.6	–	–	0.2	0.2	0.8	0.9	
Renal disease	M	1930	38	531	7.7	0.4	7.5	0.4	0.1	–	0.2	0.4	0.7	1.2	
	F	30	17	13	0.2	0.2	0.1	–	–	–	–	0.3	0.6	0.3	
Pregnancy, birth Congenital and perinatal causes	M	1607	1542	55	12.0	20.9	0.7	140.3	1.8	1.1	1.1	0.4	0.8	0.7	
	F	1293	1223	52	10.1	17.5	0.6	118.2	1.4	1.2	0.6	0.5	0.3	0.5	
Ill-defined causes	M	13757	717	7253	89.0	7.6	104.4	7.7	0.6	0.9	3.9	9.0	10.9	20.0	
	F	12303	214	1891	48.5	2.5	25.0	7.3	0.6	0.4	1.8	1.5	2.5	3.5	
Other medical causes	M	8556	611	4756	52.5	6.6	69.9	9.6	2.8	2.9	4.4	4.4	7.6	14.2	
	F	8035	344	2593	33.3	3.8	35.3	6.9	1.7	2.5	3.0	3.5	3.8	5.2	
ALL NON- MEDICAL CAUSES	M	19032	5259	11399	104.3	51.7	145.2	13.2	8.8	12.7	53.0	89.5	86.4	98.3	
	F	6731	1121	2427	29.5	11.6	29.3	9.1	5.1	5.9	16.2	15.6	14.1	14.9	
Road traffic accidents	M	4976	1925	2591	26.4	18.6	33.2	3.2	3.6	4.5	21.4	36.8	33.1	27.6	
	F	1441	503	606	6.7	5.0	7.5	1.7	3.5	2.7	9.2	7.2	6.0	4.8	
Fire	M	316	40	227	1.8	0.4	3.0	0.2	0.2	0.2	0.3	0.5	0.4	1.1	
	F	102	12	34	0.4	0.1	0.4	0.2	0.1	0.1	–	0.2	0.1	0.3	
Suicide	M	4869	1375	3142	26.0	13.4	39.0	–	–	2.5	14.0	25.0	23.5	28.6	
	F	972	197	641	4.6	2.0	7.4	–	–	0.6	2.7	3.3	3.1	4.1	
Homicide	M	586	174	366	3.2	1.8	4.5	1.0	0.2	0.1	0.9	2.5	3.6	4.2	
	F	214	62	125	1.1	0.7	1.4	1.0	0.1	0.1	0.8	0.7	0.9	1.2	
POPULATION: (1000s; UN, 2004 revision)			M=male												
			F=female												
					18779										

2000: POLAND

Annual death rates / 100,000 (zero denoted by -)											9th ICD/10th ICD categories	
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
291.5	482.1	752.7	1142.4	1690.3	2546.0	3743.4	5478.3	7989.9	15180.1	M	ALL CAUSES	001-999/A00-Y89
92.3	169.9	286.6	442.0	659.2	986.0	1632.5	2766.8	4934.7	13398.0	F		
1.8	4.2	6.3	9.4	8.1	13.4	13.0	19.3	21.1	35.0	M	Tuberculosis	010-018, 137/
0.4	0.8	1.3	0.5	1.3	1.9	2.5	4.3	10.6	15.1	F		A15-A19, B90
1.8	0.8	0.6	0.3	0.3	0.1	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
0.2	0.2	0.2	-	-	-	-	-	-	-	F		
1.0	1.8	2.9	4.2	6.2	8.8	11.7	15.0	15.6	22.7	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33, A34
0.5	1.4	1.6	1.9	3.3	5.1	6.6	9.1	12.1	18.1	F		
27.2	71.0	157.7	303.9	542.5	897.4	1241.4	1654.5	1991.8	2087.9	M	ALL CANCER	140-208/C00-C97
33.0	72.4	131.3	211.4	297.3	397.4	552.2	717.2	951.8	1208.8	F		
1.4	4.9	11.7	19.8	24.8	25.3	27.3	21.5	26.6	27.1	M	Mouth and pharynx cancer	140-149/C00-C14
0.2	1.2	1.5	2.5	3.7	3.8	3.1	5.0	7.0	13.0	F	Oesophagus cancer	150/C15
0.1	2.0	5.4	11.5	18.7	25.6	24.2	30.1	27.2	42.9	M		
-	0.5	0.8	1.6	1.9	2.6	3.6	4.9	7.0	13.0	F		
2.5	5.5	11.2	21.4	39.8	67.6	95.0	142.7	187.7	188.5	M	Stomach cancer	151/C16
1.3	3.7	5.1	6.7	10.7	19.3	31.4	49.8	66.1	97.0	F		
1.9	3.8	10.1	17.9	37.6	72.4	120.3	159.9	242.1	251.0	M	Colorectal cancer	153, 154/C18-C21
2.0	3.4	7.0	13.4	25.1	39.4	60.5	93.9	132.7	192.8	F		
0.6	1.8	2.4	4.9	8.4	18.7	26.1	32.5	49.8	45.9	M	Liver cancer	155.0/C22 excl C221
0.5	0.9	2.1	4.0	6.4	9.4	16.9	24.5	34.1	44.6	F		
2.0	5.0	8.9	15.9	24.4	34.7	45.4	57.4	75.1	65.6	M	Pancreas cancer	157/C25
0.4	1.3	3.7	7.3	15.2	20.8	30.1	39.3	57.6	71.7	F		
0.7	2.5	7.3	15.2	25.6	34.8	39.1	36.3	37.2	31.5	M	Larynx cancer	161/C32
0.2	0.5	0.6	1.9	2.6	1.7	1.9	3.6	2.4	3.8	F		
4.3	18.8	49.2	108.5	206.9	352.8	476.9	589.6	563.8	419.3	M	Lung cancer	162/C33, C34
2.2	7.6	18.0	32.4	42.1	51.6	71.2	76.3	90.3	87.2	F		
1.4	2.0	3.5	3.7	4.9	6.5	7.8	10.8	15.3	20.6	M	Malignant melanoma	172/C43
1.2	2.3	2.3	3.6	4.6	3.8	5.2	7.7	10.1	12.4	F		
7.1	14.0	28.2	41.9	51.2	56.0	65.5	69.3	95.5	121.3	F	Female breast cancer	174/C50
5.5	11.7	16.4	19.6	20.1	23.8	23.6	26.4	29.9	30.5	F	Cervix cancer	180/C53
0.5	1.6	3.2	6.1	12.1	15.4	23.7	30.3	33.5	33.7	F	Other uterine cancer	179, 182/C54, C55
2.8	5.9	11.4	18.2	23.7	28.7	35.1	35.4	35.3	32.8	F	Ovarian cancer	183/C56, C570-C574
0.1	0.4	0.9	3.8	13.0	33.0	62.2	133.5	234.4	355.9	M	Prostate cancer	185/C61
0.3	1.0	2.5	6.6	15.5	33.5	50.0	84.9	106.5	145.6	M	Bladder cancer	188/C67
0.1	0.2	1.0	1.2	1.5	3.9	6.3	9.4	18.6	29.0	F		
8.1	17.2	34.9	60.1	97.8	148.9	209.3	276.4	319.3	384.3	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
7.1	14.2	25.6	41.6	61.6	93.9	136.9	192.7	272.0	360.8	F	Hodgkin's disease	201/C81
1.2	1.2	1.4	1.3	1.9	3.2	3.0	4.7	6.1	4.4	M		
0.2	0.3	0.6	1.1	1.2	1.7	1.4	2.8	2.9	2.6	F		
1.0	2.6	4.2	8.7	13.1	23.5	27.1	38.9	51.0	38.0	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
1.3	1.1	1.5	4.3	6.9	13.5	19.0	25.6	29.2	22.2	F	Leukaemia	204-208/C91-C95
1.7	2.4	4.0	4.5	10.0	16.9	27.7	35.3	49.8	67.3	M		
0.7	2.1	2.3	4.1	6.8	8.0	16.9	20.3	27.6	40.5	F		
2.2	3.8	7.6	11.5	18.4	31.2	48.2	68.4	98.9	114.6	M	Diabetes	250/E10-E14
0.9	1.5	2.6	6.0	12.4	23.6	51.0	78.6	112.0	157.4	F		
49.2	115.7	225.6	396.1	629.7	1004.9	1659.8	2607.3	4185.3	9044.6	M	ALL VASCULAR DISEASE	390-459/I00-I99
15.9	32.4	63.1	114.9	195.3	366.7	721.4	1448.8	2891.9	8796.6	F		
0.3	1.3	2.3	4.8	7.3	9.3	13.8	19.3	20.5	20.1	M	Rheumatic heart disease and fever	390-398/I00-I09
0.2	0.8	1.5	3.5	6.0	8.5	14.5	18.3	22.9	19.0	F	Hypertensive disease	401-405/I10-I15
1.1	3.0	7.1	11.4	19.8	29.9	39.5	62.3	83.6	135.5	M		
0.2	1.0	1.9	7.0	9.1	16.4	28.3	51.7	97.3	215.4	F		
20.3	54.5	111.6	200.7	307.8	448.8	698.4	958.3	1357.4	2361.6	M	Ischaemic heart disease	410-414/I20-I25
3.6	8.7	19.5	33.5	66.2	134.1	243.3	449.7	802.0	2056.1	F		
1.5	2.8	5.2	8.2	12.1	19.7	32.7	49.2	68.7	68.2	M	Pulmonary embolism and other venous	415.1, 451-453/I26, I80-I82
1.1	1.3	3.0	3.9	8.1	13.1	20.2	29.8	44.1	58.7	F		
9.8	20.2	39.8	72.0	121.3	212.1	367.3	601.3	999.1	1834.3	M	Cerebrovascular disease	430-438/I60-I69
6.3	12.1	21.4	39.7	61.3	100.1	211.6	426.8	840.8	1927.9	F		
16.2	33.9	59.6	99.0	161.4	285.1	507.9	917.0	1656.0	4624.8	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
4.5	8.4	15.7	27.3	44.6	94.5	203.3	472.6	1084.9	4519.5	F		
0.7	2.0	3.5	10.0	30.3	68.3	124.5	233.4	336.7	456.5	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
0.7	0.9	2.3	6.0	12.9	16.1	33.7	54.1	74.3	126.0	F	Other respiratory disease	Rest of 460-519/ rest of J00-J98
4.5	10.0	11.8	14.5	23.5	43.5	78.9	145.3	273.8	757.3	M		
2.1	3.0	4.1	5.8	11.8	15.3	33.8	63.4	154.8	592.7	F		
1.3	3.1	4.9	7.7	6.2	10.5	16.6	21.7	36.6	65.2	M	Peptic ulcer	531-533/K25-K27
0.3	0.8	1.0	1.9	1.4	2.6	7.4	11.8	22.9	45.8	F		
14.6	29.0	40.4	45.7	55.9	58.7	60.9	57.4	59.5	49.0	M	Liver cirrhosis	571/K70, K74
3.0	7.2	8.7	13.9	18.6	17.2	18.4	25.9	31.0	29.6	F		
1.6	2.8	5.6	7.5	11.5	20.6	34.8	58.2	94.3	233.9	M	Renal disease	580-590/N00-N19
1.0	1.4	2.6	4.2	7.1	11.7	24.9	37.1	65.3	122.8	F		
0.7	0.2	0.1	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34, O00-O99
0.3	1.0	0.9	0.5	0.7	0.6	0.7	0.6	1.5	0.9	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.8	0.4	0.7	0.5	0.7	0.2	1.0	1.1	1.0	0.6	F	Ill-defined causes	780-799/R00-R99
35.0	59.2	82.4	106.7	123.6	150.3	173.9	230.7	377.3	1450.4	M		
5.8	11.4	17.1	20.9	28.9	38.7	52.0	107.1	235.7	1480.3	F		
25.1	38.3	49.1	64.1	81.8	93.5	137.2	211.1	294.0	479.7	M	Other medical causes	Rest of 001-799/ rest of A00-R99
6.6	11.3	19.2	26.4	39.8	54.3	89.8	151.1	254.7	429.3	F		
125.2	139.4	153.6	160.2	151.7	144.1	142.1	155.6	203.6	382.6	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
20.4	24.4	30.8	27.7	28.5	35.4	38.1	57.2	116.7	375.1	F	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
32.5	28.9	32.6	38.0	32.4	33.0	35.3	35.2	43.3	56.8	M		
5.5	6.2	6.3	6.3	7.7	9.5	10.6	12.5	20.1	19.8	F	Fire	E890-E899/X00-X09
1.4	2.3	3.5	3.6	3.2	3.0	3.9	3.6	5.2	5.7	M		
0.2	0.2	0.4	0.6	0.4	0.5	0.8	0.8	3.1	5.6	F		
35.9	42.0	43.8	44.0	43.0	35.2	29.1	27.7	34.5	39.8	M	Suicide	E950-E959/X60-X84
6.7	6.9	10.8	6.5	6.9	7.5	6.5	5.9	8.8	5.8	F		
4.9	5.1	4.6	5.0	4.8	3.0	4.3	4.5	2.7	5.7	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.6	1.8	1.2	1.9	1.1	1.5	1.1	0.6	1.3	2.6	F		
1322	1586	1531	1214	753	770	693	535	328	229	M	POPULATION	
1302	1589	1577	1294	856	944	924	833	613	531	F	(1000s; UN, 2004 revision)	

PORTUGAL: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	55346	3202	17760	967.7	126.9	945.4	170.0	24.9	30.6	93.3	147.2	183.9	238.2
	F	50467	1180	8991	572.0	51.7	420.4	136.5	20.2	17.5	34.1	41.3	41.0	71.1
Tuberculosis	M	254	15	122	4.6	0.6	6.1	0.3	-	-	-	0.7	0.5	2.4
	F	86	6	23	1.1	0.2	1.0	-	-	-	-	0.5	0.5	0.5
HIV	M	777	360	401	14.9	13.2	17.7	-	-	-	1.7	11.6	34.1	45.3
	F	174	88	82	3.2	3.3	3.3	0.4	-	-	0.6	4.6	6.2	11.2
Other infective and parasitic	M	550	85	200	10.2	3.7	10.3	11.5	1.8	1.7	1.1	1.2	3.4	5.1
	F	484	52	130	6.5	2.5	6.1	10.0	1.9	0.7	0.9	0.8	1.0	2.1
ALL CANCER	M	12706	182	5431	223.5	7.1	294.5	3.1	2.5	3.1	7.1	7.7	11.8	14.3
	F	8755	158	3458	116.1	6.5	161.0	4.4	4.2	4.0	5.3	4.8	8.1	14.4
Mouth and pharynx cancer	M	459	9	341	8.9	0.3	17.6	-	0.4	-	0.3	0.5	0.7	0.5
	F	100	1	43	1.4	0.1	1.9	0.4	-	-	-	-	-	-
Oesophagus cancer	M	424	-	265	7.9	-	13.9	-	-	-	-	-	-	-
	F	103	-	23	1.2	-	1.1	-	-	-	-	-	-	-
Stomach cancer	M	1577	5	710	27.8	0.2	38.1	-	-	-	-	0.2	0.2	0.8
	F	1040	8	354	13.1	0.3	16.5	-	-	0.4	-	0.5	0.7	0.5
Colorectal cancer	M	1598	4	595	27.5	0.2	33.0	-	-	-	-	-	0.2	0.8
	F	1265	9	413	15.7	0.3	19.5	-	-	-	-	-	0.2	2.1
Liver cancer	M	249	2	127	4.4	0.1	7.0	0.3	-	-	-	0.2	-	-
	F	93	3	32	1.2	0.2	1.5	0.4	0.4	0.4	-	-	-	-
Pancreas cancer	M	482	4	216	8.4	0.2	11.8	-	-	-	-	-	-	1.1
	F	397	-	120	4.8	-	5.7	-	-	-	-	-	-	-
Larynx cancer	M	367	-	227	6.8	-	11.9	-	-	-	-	-	-	-
	F	20	-	3	0.2	-	0.1	-	-	-	-	-	-	-
Lung cancer	M	2337	6	1260	41.8	0.2	68.9	-	-	-	-	0.2	0.2	1.1
	F	533	3	257	7.4	0.1	12.0	-	-	-	-	-	0.2	0.5
Malignant melanoma	M	82	4	52	1.5	0.1	2.6	-	-	-	-	0.2	0.2	0.5
	F	77	2	37	1.1	0.1	1.7	-	-	-	-	0.3	0.2	-
Female breast cancer	F	1524	15	798	22.2	0.6	36.5	-	-	0.4	-	-	0.5	3.2
Cervix cancer	F	227	6	140	3.6	0.2	6.2	-	-	-	-	-	0.7	0.8
Other uterine cancer	F	366	2	157	4.9	0.1	7.4	-	-	-	-	-	-	0.5
Ovarian cancer	F	371	7	205	5.4	0.3	9.6	-	-	-	-	0.3	0.5	1.1
Prostate cancer	M	1805	-	269	29.8	-	15.6	-	-	-	-	-	-	-
Bladder cancer	M	456	2	125	7.6	0.1	7.1	-	-	-	-	-	0.2	0.3
	F	190	1	29	2.1	0.1	1.4	-	0.4	-	-	-	-	-
Other and ill-defined cancer sites	M	2003	86	897	35.7	3.4	48.1	1.7	2.2	1.4	3.7	3.7	6.9	4.0
	F	1686	63	555	21.6	2.7	26.2	2.2	1.9	2.6	3.9	2.0	2.5	3.7
Hodgkin's disease	M	33	8	16	0.6	0.3	0.7	-	-	-	0.3	0.5	0.7	0.5
	F	30	5	15	0.4	0.2	0.7	-	-	-	-	0.8	0.5	-
Myeloma and non- Hodgkin lymphomas	M	441	13	190	7.7	0.5	10.5	0.3	-	-	0.6	0.5	-	2.2
	F	451	8	192	6.0	0.3	9.1	0.4	0.4	-	-	0.5	0.7	0.3
Leukaemia	M	393	39	141	6.9	1.5	7.6	0.7	-	1.7	2.3	1.5	2.2	2.4
	F	282	25	85	3.7	1.1	4.0	1.1	1.1	0.4	1.5	0.5	1.2	1.6
Diabetes	M	1293	5	352	21.6	0.2	19.7	-	-	-	-	-	0.2	1.1
	F	1845	3	333	20.4	0.1	16.1	-	-	-	-	-	0.2	0.5
ALL VASCULAR DISEASE	M	18675	146	4392	316.3	5.6	241.8	2.1	0.7	1.7	2.0	4.9	9.1	18.6
	F	22319	69	2208	230.2	2.8	105.4	3.3	-	0.7	1.2	2.8	3.0	8.3
Rheumatic heart disease and fever	M	44	1	20	0.8	0.0	1.0	-	-	0.3	-	-	-	-
	F	141	3	42	1.8	0.1	2.0	-	-	0.4	-	-	0.2	0.3
Hypertensive disease	M	383	1	78	6.5	0.0	4.3	-	-	0.3	-	-	-	-
	F	619	-	58	6.3	-	2.8	-	-	-	-	-	-	-
Ischaemic heart disease	M	4914	37	1720	84.7	1.4	94.0	-	-	-	-	0.7	3.7	5.1
	F	4104	4	622	44.2	0.1	29.8	-	-	-	-	0.3	0.2	0.5
Pulmonary embolism and other venous	M	420	8	115	7.2	0.3	6.3	-	-	-	0.3	0.2	-	1.6
	F	499	8	99	5.6	0.3	4.7	-	-	-	0.3	0.3	0.2	1.3
Cerebrovascular disease	M	9110	49	1753	152.8	1.9	97.2	0.7	0.4	1.0	0.3	2.2	3.2	5.4
	F	11885	30	1026	121.3	1.2	48.9	0.7	-	0.4	0.3	1.5	1.0	4.3
Other vascular disease	M	3804	50	706	64.3	1.9	38.9	1.4	0.4	-	1.4	1.7	2.2	6.5
	F	5071	24	361	51.0	1.0	17.2	2.6	-	-	0.6	0.8	1.2	1.9
Chronic obstructive pulmonary disease	M	1730	5	352	28.7	0.2	19.8	-	-	-	-	0.5	0.5	0.3
	F	892	5	132	9.7	0.2	6.3	0.4	-	-	0.3	0.3	0.2	0.3
Other respiratory disease	M	3863	67	693	65.3	2.7	37.6	5.6	0.4	0.3	1.4	1.5	3.2	6.7
	F	3794	28	304	38.7	1.2	14.4	2.2	0.4	0.7	0.6	1.5	1.7	1.1
Peptic ulcer	M	181	-	58	3.2	-	3.1	-	-	-	-	-	-	-
	F	163	1	19	1.7	0.0	0.9	-	-	-	-	-	0.2	-
Liver cirrhosis	M	1347	32	941	25.5	1.2	49.2	-	-	-	0.3	0.2	1.0	7.0
	F	475	14	305	7.5	0.5	13.8	-	-	-	-	0.3	1.7	1.6
Renal disease	M	753	9	164	12.8	0.3	9.0	0.3	-	-	-	0.2	0.7	1.1
	F	622	7	94	6.8	0.3	4.4	0.4	-	-	-	0.3	0.2	1.1
Pregnancy, birth Congenital and perinatal causes	F	3	2	1	0.1	0.1	0.0	-	-	-	-	-	-	0.5
	M	295	281	14	8.0	13.9	0.7	91.1	2.2	1.0	0.3	0.7	1.0	0.8
	F	213	204	9	6.1	10.6	0.4	70.3	0.4	0.4	0.6	1.3	0.7	0.5
Ill-defined causes	M	6741	725	2330	120.6	28.3	119.4	25.5	5.8	6.6	23.9	32.4	46.6	57.1
	F	6410	195	891	70.4	8.4	41.2	18.1	3.4	2.2	7.7	7.9	7.2	12.0
Other medical causes	M	2714	178	788	47.5	7.5	41.8	14.7	4.0	3.1	7.7	4.0	7.1	11.9
	F	2930	117	544	34.2	5.4	25.4	13.3	5.7	3.6	4.1	5.1	1.5	4.3
ALL NON- MEDICAL CAUSES	M	3467	1112	1522	65.0	42.4	74.5	15.7	7.6	12.9	47.8	81.5	64.7	66.6
	F	1302	231	458	19.3	9.7	20.7	13.7	4.2	5.1	12.7	11.4	8.4	12.6
Road traffic accidents	M	1098	511	431	20.7	19.2	20.7	2.8	3.6	4.2	23.6	46.2	29.7	24.3
	F	278	91	117	4.7	3.7	5.3	2.6	1.5	2.9	5.6	5.8	4.0	3.7
Fire	M	58	8	32	1.1	0.3	1.5	0.7	0.4	-	-	0.5	0.7	-
	F	28	3	9	0.4	0.1	0.4	-	0.4	-	-	0.3	-	0.3
Suicide	M	417	68	197	7.6	2.5	9.8	-	-	-	2.6	4.7	4.4	5.9
	F	107	16	51	1.6	0.6	2.3	-	-	-	0.9	1.0	-	2.4
Homicide	M	67	28	37	1.3	1.0	1.7	0.3	-	-	1.1	2.7	2.0	1.1
	F	30	12	15	0.6	0.5	0.6	0.7	0.4	-	0.3	0.5	0.7	0.8
POPULATION: (1000s; UN, 2004 revision)			M=male		4933.6	2386.0	2096.9	286.4	276.6	287.5	351.6	404.9	407.9	371.1
			F=female		5291.6	2318.8	2297.0	270.4	262.4	274.5	337.4	394.9	405.0	374.2

2000: PORTUGAL

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
277.3	347.5	489.3	637.4	962.5	1494.8	2409.2	3893.4	6605.7	15173.0	M	ALL CAUSES	001-999/A00-Y89
102.7	145.4	214.7	306.3	416.2	662.8	1094.5	2078.2	3955.8	12405.3	F		
4.7	4.3	4.3	4.3	7.6	6.3	11.4	16.4	27.9	39.8	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.5	0.5	1.7	0.3	0.7	1.4	2.1	6.6	6.5	12.4	F		
40.0	22.3	19.8	12.8	11.5	9.5	8.0	5.6	2.9	0.9	M	HIV	279.5, 279.6/B20-B24
8.7	7.1	2.3	1.2	2.0	1.4	0.3	0.8	1.0	-	F		
4.7	6.0	7.3	8.2	8.8	15.9	21.1	35.4	50.7	108.1	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.6	2.5	3.2	1.8	5.1	10.9	17.7	29.2	37.3	69.9	F		
35.9	70.1	125.2	219.3	351.4	492.9	766.9	1126.1	1527.1	2385.8	M	ALL CANCER	140-208/C00-C97
32.6	57.7	94.7	142.0	187.6	262.7	349.4	517.3	700.9	1102.5	F		
3.0	4.9	18.0	22.0	21.4	26.6	27.0	26.7	15.7	30.3	M	Mouth and pharynx cancer	140-149/C00-C14
0.3	1.1	3.7	2.4	1.0	1.7	3.1	5.8	4.5	14.7	F		
1.9	6.0	7.6	14.1	22.2	17.5	28.3	32.3	28.6	48.4	M	Oesophagus cancer	150/C15
-	-	0.6	1.2	0.7	2.0	3.1	6.2	10.4	19.8	F		
5.8	13.5	17.7	27.3	46.3	62.3	94.2	134.8	206.4	268.2	M	Stomach cancer	151/C16
3.2	5.5	8.1	15.8	20.4	23.6	39.2	58.8	91.9	157.2	F		
2.5	6.3	7.6	18.1	34.4	61.9	100.5	157.9	212.1	340.8	M	Colorectal cancer	153, 154/C18-C21
2.4	5.5	7.8	16.1	23.8	33.8	46.9	71.2	109.3	202.2	F		
0.8	0.6	3.7	3.3	8.4	14.3	17.7	25.6	28.6	26.0	M	Liver cancer	155.0/C22 excl C221
0.3	1.1	0.3	0.3	1.4	3.4	3.8	8.2	6.0	11.5	F		
0.3	2.6	2.4	12.2	13.4	17.1	35.1	48.2	61.4	70.9	M	Pancreas cancer	157/C25
0.5	0.5	2.0	4.6	3.4	12.6	16.3	30.4	38.7	55.6	F		
1.1	2.6	9.7	14.5	14.5	17.5	23.6	26.1	33.6	36.3	M	Larynx cancer	161/C32
-	-	-	-	-	0.3	0.7	0.8	2.5	4.6	F		
5.5	13.2	24.4	48.3	96.0	119.4	175.3	239.4	249.3	220.6	M	Lung cancer	162/C33, C34
2.9	4.1	6.6	10.3	13.6	18.8	27.4	33.9	41.7	46.9	F		
1.4	1.7	1.5	3.3	1.1	4.4	5.1	6.7	5.0	5.2	M	Malignant melanoma	172/C43
0.8	0.8	1.4	1.8	1.7	1.4	3.8	4.3	3.5	9.2	F		
10.0	17.5	27.9	42.9	48.9	57.4	50.7	72.4	106.8	142.5	F	Female breast cancer	174/C50
3.2	5.2	7.5	7.0	7.1	7.9	5.6	12.5	11.4	11.9	F	Cervix cancer	180/C53
1.6	1.6	4.9	3.0	10.9	12.0	17.7	21.8	25.3	46.0	F	Other uterine cancer	179, 182/C54, C55
1.1	3.3	5.2	10.9	10.5	14.3	21.5	20.2	25.3	25.7	F	Ovarian cancer	183/C56, C570-C574
-	0.9	0.9	2.3	10.3	29.4	65.5	138.9	284.3	750.0	M	Prostate cancer	185/C61
0.3	0.6	1.5	2.3	5.7	11.9	27.4	48.7	62.1	127.2	M	Bladder cancer	188/C67
-	0.3	0.3	0.3	1.0	3.8	4.2	11.3	19.4	42.3	F		
8.5	11.2	23.4	42.7	55.4	79.4	116.1	168.1	219.3	333.0	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
3.7	6.0	12.7	15.2	30.9	48.5	66.7	109.0	141.1	231.6	F		
0.8	0.9	0.9	0.7	0.4	1.2	0.4	2.1	2.1	1.7	M	Hodgkin's disease	201/C81
0.5	0.3	0.9	0.3	-	0.3	2.4	1.2	1.0	2.3	F		
1.9	2.6	3.0	3.6	13.4	18.7	30.0	39.5	67.1	58.0	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.3	3.0	2.6	7.3	8.8	14.0	26.4	31.9	37.3	43.2	F	Leukaemia	204-208/C91-C95
2.2	2.9	2.7	4.6	8.4	11.5	20.7	31.3	51.4	69.2	M		
1.1	1.9	2.3	2.4	3.4	6.8	9.7	17.5	24.8	35.4	F		
1.1	3.7	5.8	6.2	17.6	34.9	68.8	120.5	225.7	333.0	M	Diabetes	250/E10-E14
0.8	0.8	2.6	9.4	12.9	24.6	61.5	124.2	205.7	356.6	F		
26.6	49.5	89.5	140.7	217.6	415.5	753.4	1364.9	2672.9	6688.6	M	ALL VASCULAR DISEASE	390-459/I00-I99
13.7	19.9	30.5	56.6	86.3	170.5	360.5	824.1	1853.5	6523.0	F		
0.3	0.3	0.9	1.3	0.4	2.4	1.7	3.6	5.7	6.9	M	Rheumatic heart disease and fever	390-398/I00-I09
0.3	0.8	1.2	1.5	1.7	4.4	3.8	9.0	16.4	18.4	F		
0.5	0.9	1.8	2.6	3.4	7.9	12.7	20.5	53.6	163.5	M	Hypertensive disease	401-405/I10-I15
-	0.3	0.6	0.6	1.7	5.8	10.8	16.7	53.7	188.4	F		
9.6	22.6	37.8	64.1	92.2	152.4	279.6	401.8	657.1	1256.9	M	Ischaemic heart disease	410-414/I20-I25
2.6	3.8	8.6	15.5	27.5	46.8	103.9	209.8	378.5	1000.5	F		
0.5	1.4	1.8	3.9	6.1	11.5	19.0	33.8	57.1	130.6	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
1.3	1.6	2.3	1.8	4.1	6.1	15.3	20.6	47.7	111.7	F		
9.1	16.9	34.1	48.3	82.2	174.2	315.9	662.7	1397.9	3510.4	M	Cerebrovascular disease	430-438/I60-I69
6.6	9.3	13.2	30.1	40.1	74.5	168.8	421.6	1011.4	3543.2	F		
6.6	7.4	13.1	20.4	33.3	67.1	124.6	242.4	501.4	1620.2	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
2.9	4.1	4.6	7.0	11.2	32.8	58.0	146.4	345.8	1660.8	F		
1.4	4.6	3.0	8.2	16.1	30.2	75.2	166.1	282.9	564.9	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.3	0.8	3.7	4.3	5.1	8.2	21.5	45.5	77.5	221.5	F		
10.7	15.5	14.3	15.8	20.3	63.5	123.3	240.4	508.6	1662.6	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
3.9	3.8	3.7	6.4	12.2	24.3	46.5	122.2	277.7	1189.8	F		
0.5	1.1	2.1	1.0	4.2	6.3	6.3	10.3	19.3	65.7	M	Peptic ulcer	531-533/K25-K27
0.3	0.5	0.6	0.9	0.7	0.7	2.4	7.4	15.9	42.3	F		
11.5	17.5	37.8	40.8	65.8	79.8	91.6	95.3	76.4	70.1	M	Liver cirrhosis	571/K70, K74
5.8	6.8	12.4	16.4	15.6	23.2	16.3	25.3	23.8	19.8	F		
1.6	2.0	2.4	4.9	10.3	16.7	24.9	46.6	95.7	307.1	M	Renal disease	580-590/N00-N19
0.8	0.8	2.6	2.1	3.7	8.5	12.5	31.5	51.2	154.9	F		
0.3	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
0.8	0.5	0.3	0.3	0.3	-	0.3	-	-	-	F	Ill-defined causes	780-799/R00-R99
64.5	67.8	84.3	87.8	117.0	173.0	241.6	352.1	604.3	1862.5	M		
14.5	21.0	25.3	27.7	38.4	62.2	99.0	171.3	373.1	1899.4	F		
12.9	15.5	25.0	26.0	44.7	59.9	109.0	185.5	352.9	771.6	M	Other medical causes	Rest of 001-799/ rest of A00-R99
6.3	10.1	14.4	17.6	24.1	36.2	68.8	124.2	253.4	661.8	F		
60.3	67.3	67.6	60.8	68.8	89.3	107.7	128.1	158.6	312.3	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
11.8	12.3	16.7	19.2	21.4	28.0	35.4	48.7	78.5	151.7	F		
17.3	23.8	19.8	18.7	18.0	23.4	24.1	32.8	29.3	44.1	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
2.6	4.1	3.2	6.7	5.4	6.1	8.7	6.2	12.4	13.3	F		
1.9	1.1	1.2	1.6	1.9	-	3.0	2.1	1.4	10.4	M	Fire	E890-E899/X00-X09
-	0.3	0.3	-	-	1.0	1.4	1.6	2.0	3.7	F		
6.6	10.6	5.8	6.9	5.4	17.1	16.5	24.1	32.9	51.0	M	Suicide	E950-E959/X60-X84
1.6	0.5	2.6	1.5	2.4	3.8	3.8	3.5	6.0	8.7	F		
1.9	2.6	2.1	0.3	2.3	0.8	2.1	-	-	1.7	M	Homicide	E960-E969/ X85-X99, Y00-Y09
0.3	0.5	1.2	1.2	-	1.4	-	0.4	0.5	0.5	F		
364.6	349.4	328.4	304.2	261.5	252.0	236.8	195.1	140.0	115.6	M	POPULATION	
379.9	366.0	347.4	328.8	294.3	292.7	287.9	256.9	201.3	217.6	F	(1000s; UN, 2004 revision)	

ROMANIA: 2000

		No. of deaths <small>(Source: WHO)</small>			Standardised rates <small>(defined overleaf)</small>			Annual death rates / 100,000 <small>(zero denoted by -)</small>						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	136325	8709	63947	1358.0	167.9	1612.8	518.9	52.6	70.0	85.3	106.6	143.8	197.8
	F	119495	4714	33962	868.9	102.1	755.6	420.2	35.8	46.7	41.0	42.5	49.1	79.1
Tuberculosis	M	1776	177	1442	17.0	2.8	32.8	0.7	0.5	0.2	0.5	1.9	5.4	10.8
	F	354	66	219	2.9	1.2	4.6	1.3	0.3	0.5	0.9	0.6	1.0	3.5
HIV	M	260	229	31	2.2	3.8	0.7	0.4	1.9	21.2	0.7	0.2	0.8	1.4
	F	226	202	23	2.0	3.5	0.5	0.9	1.7	18.7	0.4	0.8	0.9	1.1
Other infective and parasitic	M	279	149	90	3.1	3.4	2.1	18.9	1.0	1.0	0.7	0.8	0.6	0.9
	F	275	148	69	2.9	3.5	1.5	19.5	1.2	1.6	0.5	1.2	0.3	0.5
ALL CANCER	M	23733	636	15000	223.9	10.9	382.9	7.4	8.9	5.9	8.1	10.9	13.0	21.8
	F	17236	563	9583	130.1	9.9	210.4	6.0	6.6	5.1	7.5	7.6	11.6	24.6
Mouth and pharynx cancer	M	1271	17	1035	12.3	0.3	25.0	-	0.3	0.1	0.1	0.5	0.2	0.7
	F	217	8	130	1.7	0.1	2.8	-	-	-	0.2	0.2	-	0.5
Oesophagus cancer	M	405	1	300	3.9	0.0	7.5	-	-	-	0.1	-	-	-
	F	99	1	48	0.7	0.0	1.1	-	-	-	-	-	0.1	-
Stomach cancer	M	2570	30	1523	23.8	0.5	39.6	-	-	-	-	0.2	0.8	2.3
	F	1349	19	600	9.5	0.3	13.4	-	-	0.1	0.1	0.5	0.5	0.9
Colorectal cancer	M	2028	35	1042	19.0	0.6	27.2	-	-	0.1	0.5	0.6	1.1	1.5
	F	1780	24	767	12.6	0.4	17.1	-	-	-	0.4	0.1	0.8	1.5
Liver cancer	M	1310	13	772	12.2	0.2	20.0	0.4	-	0.1	0.2	0.2	0.1	0.5
	F	787	9	371	5.6	0.2	8.4	0.2	0.3	-	0.1	0.2	-	0.3
Pancreas cancer	M	1186	13	730	11.3	0.2	18.7	-	-	-	-	-	0.2	1.2
	F	818	5	413	5.8	0.1	9.3	0.2	-	-	-	0.2	-	0.2
Larynx cancer	M	793	3	614	7.6	0.1	15.3	-	0.2	-	-	-	-	0.2
	F	51	1	31	0.4	0.0	0.7	-	-	-	-	0.1	-	-
Lung cancer	M	6959	46	5218	65.1	0.7	133.4	0.2	0.2	-	0.1	0.4	1.5	2.9
	F	1548	17	874	11.4	0.3	19.4	-	-	0.1	0.1	0.3	0.3	1.0
Malignant melanoma	M	174	9	109	1.7	0.1	2.7	-	-	-	-	0.2	0.1	0.7
	F	160	6	86	1.3	0.1	1.8	-	-	0.1	-	0.1	0.3	0.1
Female breast cancer	F	2949	33	1925	23.1	0.5	41.9	-	-	-	0.1	0.1	1.0	2.5
Cervix cancer	F	1784	82	1274	14.7	1.3	26.9	-	-	-	-	0.4	2.2	6.7
Other uterine cancer	F	745	12	443	5.7	0.2	9.7	-	-	-	-	-	-	1.4
Ovarian cancer	F	870	25	621	6.9	0.4	13.6	-	-	0.1	0.4	0.1	0.8	1.5
Prostate cancer	M	1512	3	405	14.8	0.0	11.2	-	-	-	0.1	-	0.1	0.1
Bladder cancer	M	980	1	490	9.3	0.0	13.1	-	0.2	-	-	-	-	-
	F	252	-	98	1.8	-	2.2	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	3377	254	2117	32.0	4.4	53.1	4.2	3.2	2.0	4.2	4.7	5.2	7.1
	F	2898	189	1408	21.8	3.5	31.2	3.5	3.1	2.7	3.9	2.8	3.5	4.7
Hodgkin's disease	M	92	23	54	0.8	0.4	1.3	-	0.2	0.1	0.2	0.6	0.9	0.5
	F	69	14	42	0.6	0.2	0.9	-	0.2	0.1	0.1	0.2	0.3	0.7
Myeloma and non-Hodgkin lymphomas	M	489	57	312	4.5	1.0	7.8	0.5	0.8	1.0	0.8	0.9	1.0	1.6
	F	361	33	201	2.7	0.6	4.4	0.4	0.2	0.1	0.6	0.5	0.9	1.2
Leukaemia	M	587	131	279	5.4	2.4	7.1	2.1	3.9	2.4	1.7	2.5	1.7	2.3
	F	499	85	251	3.9	1.6	5.6	1.7	2.9	1.6	1.4	1.6	0.7	1.5
Diabetes	M	794	14	446	7.4	0.2	11.4	-	-	-	-	0.2	0.7	0.7
	F	1077	17	507	7.6	0.3	11.4	0.2	-	-	-	0.4	0.5	0.9
ALL VASCULAR DISEASE	M	75512	537	28663	767.3	8.7	744.0	3.4	0.6	1.7	3.2	7.4	13.0	31.3
	F	81895	216	16405	569.0	3.7	370.7	2.2	1.5	0.1	1.2	4.2	5.7	10.9
Rheumatic heart disease and fever	M	318	18	215	3.1	0.3	5.4	0.2	-	0.1	0.2	0.5	0.2	0.8
	F	419	16	244	3.2	0.3	5.4	-	0.2	-	0.2	0.2	0.7	0.6
Hypertensive disease	M	6270	16	2099	63.1	0.2	55.8	-	-	-	-	0.3	0.5	1.0
	F	9035	10	1802	61.9	0.2	40.9	-	-	-	-	0.1	0.3	0.7
Ischaemic heart disease	M	28051	232	12289	282.1	3.6	314.4	-	-	-	0.8	2.7	6.1	15.9
	F	26376	43	5686	183.2	0.7	128.5	-	-	-	-	0.9	0.9	3.1
Pulmonary embolism and other venous	M	414	15	234	4.0	0.2	5.9	-	-	-	-	0.3	0.7	0.7
	F	425	11	191	3.1	0.2	4.2	-	-	-	0.1	0.4	0.2	0.5
Cerebrovascular disease	M	23848	117	9018	237.0	1.9	238.1	0.4	-	0.2	1.0	1.6	2.6	7.3
	F	28150	75	6522	193.9	1.3	147.5	0.6	0.3	-	0.1	1.6	2.3	3.8
Other vascular disease	M	16611	139	4808	178.1	2.4	124.3	2.8	0.6	1.4	1.2	2.0	2.9	5.7
	F	17490	61	1960	123.8	1.1	44.2	1.7	1.0	0.1	0.7	1.0	1.2	2.3
Chronic obstructive pulmonary disease	M	4094	27	1536	41.0	0.5	40.6	0.5	-	0.6	0.4	0.1	0.9	0.8
	F	2446	14	461	17.0	0.2	10.4	0.2	-	0.1	-	0.2	0.3	0.8
Other respiratory disease	M	4819	1153	2069	51.4	26.5	50.4	150.8	5.0	4.4	4.5	5.4	6.1	9.2
	F	3463	897	779	30.6	22.1	17.2	131.6	4.4	3.6	3.1	4.4	3.5	4.1
Peptic ulcer	M	461	16	290	4.4	0.3	7.1	-	-	-	0.2	0.4	0.1	1.0
	F	238	1	77	1.7	0.0	1.7	-	-	-	-	-	-	0.1
Liver cirrhosis	M	6144	134	4667	58.3	2.1	113.5	-	0.2	0.8	1.1	1.2	2.9	8.7
	F	3685	63	2307	28.2	1.0	50.6	0.2	-	0.4	0.9	0.8	1.6	3.5
Renal disease	M	1042	51	508	10.1	0.9	12.8	0.5	0.8	0.1	0.4	0.8	1.5	2.0
	F	970	33	463	7.0	0.6	10.2	0.2	0.2	0.4	0.2	0.8	1.3	0.9
Pregnancy, birth	F	76	55	21	0.7	0.9	0.4	-	-	-	1.2	1.5	2.0	1.6
Congenital and perinatal causes	M	1452	1428	23	20.2	35.7	0.5	245.0	1.8	0.7	0.6	0.7	0.6	0.5
	F	1052	1032	17	15.3	27.1	0.4	185.0	2.2	0.7	0.9	0.6	0.3	0.2
Ill-defined causes	M	215	61	129	2.1	1.1	2.9	1.9	0.2	0.3	0.8	1.2	1.0	2.0
	F	105	21	55	0.9	0.4	1.2	1.3	-	-	0.2	0.3	0.1	0.9
Other medical causes	M	4781	693	2684	47.0	13.7	64.8	45.0	6.9	4.9	6.8	8.0	11.6	12.5
	F	2948	404	1300	23.4	8.4	28.6	29.6	4.1	4.6	4.5	4.5	4.4	7.5
ALL NON-MEDICAL CAUSES	M	10963	3404	6369	102.6	57.4	146.2	44.4	24.9	28.2	57.2	67.3	85.8	94.1
	F	3449	982	1676	29.7	19.1	35.8	42.0	13.6	10.9	19.4	14.5	15.4	18.1
Road traffic accidents	M	1930	671	1045	17.8	11.2	23.9	4.1	8.4	4.9	10.9	15.8	17.0	17.4
	F	718	243	324	6.0	4.5	6.9	3.5	5.6	2.8	6.9	5.1	4.2	3.3
Fire	M	313	84	156	3.0	1.4	3.6	1.6	0.5	0.8	1.7	1.0	2.4	2.2
	F	171	38	65	1.5	0.8	1.4	3.5	0.3	0.1	0.4	0.4	0.1	0.9
Suicide	M	2325	575	1530	21.6	9.1	34.9	-	0.2	2.5	8.6	11.9	19.6	20.9
	F	511	96	303	4.2	1.6	6.4	-	-	0.7	2.2	1.5	2.8	3.8
Homicide	M	588	211	323	5.4	3.4	7.3							

2000: ROMANIA

Annual death rates / 100,000 (zero denoted by -)											9th ICD/10th ICD categories	
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
347.0	581.8	882.3	1252.5	1872.4	2654.6	3699.4	5446.0	8277.1	16708.9	M	ALL CAUSES	001-999/A00-Y89
148.7	233.6	364.8	500.4	811.8	1220.6	2009.4	3516.6	6300.0	15285.1	F		
22.2	32.0	39.1	36.7	40.3	30.1	29.3	25.9	15.4	15.6	M	Tuberculosis	010-018, 137/ A15-A19, B90
4.2	3.7	6.4	2.7	4.7	4.0	6.9	7.1	5.8	4.6	F		
1.4	1.3	0.6	0.5	0.8	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
1.8	0.3	0.4	0.4	0.4	0.1	0.2	0.2	-	-	F		
1.4	2.0	1.7	2.0	1.2	3.0	3.3	4.7	6.0	5.7	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.6	1.4	0.5	1.6	1.4	2.2	2.6	4.7	4.7	6.5	F		
41.0	95.9	184.5	313.0	500.3	685.9	859.9	1027.3	1118.0	1112.6	M	ALL CANCER	140-208/C00-C97
59.1	90.9	139.5	176.9	252.9	323.7	429.7	555.9	676.3	688.9	F		
2.4	10.7	22.4	34.0	37.7	36.5	30.9	30.7	30.0	22.7	M	Mouth and pharynx cancer	140-149/C00-C14
0.5	1.9	2.9	2.2	3.8	2.5	5.9	3.5	6.3	14.5	F		
0.6	2.4	2.8	11.0	11.8	11.7	12.3	13.4	14.6	13.5	M	Oesophagus cancer	150/C15
0.3	0.3	0.2	0.9	1.3	1.5	3.1	2.9	5.5	5.7	F		
4.1	7.8	16.3	23.7	47.5	69.7	108.1	131.6	153.2	111.9	M	Stomach cancer	151/C16
2.1	3.7	6.4	7.7	15.1	23.8	34.9	54.8	74.1	69.5	F		
3.0	6.1	8.5	16.6	30.5	50.7	74.7	117.1	130.4	141.6	M	Colorectal cancer	153, 154/C18-C21
3.1	3.9	7.4	11.7	17.4	32.0	44.2	68.2	97.2	110.3	F		
2.2	4.0	6.9	15.7	25.9	35.8	49.6	70.2	73.8	60.2	M	Liver cancer	155.0/C22 excl C221
1.0	2.4	2.5	4.4	14.2	12.1	22.4	34.6	41.3	30.9	F		
2.2	4.9	8.0	16.5	25.1	31.0	43.2	51.1	65.6	67.3	M	Pancreas cancer	157/C25
0.8	1.9	3.1	4.6	10.8	16.3	27.7	30.8	38.6	39.3	F		
1.0	4.7	9.4	17.6	22.9	25.2	26.6	23.3	27.0	17.0	M	Larynx cancer	161/C32
0.3	0.4	-	0.4	0.9	1.0	1.8	1.6	1.4	2.3	F		
7.6	27.9	64.3	110.5	183.1	258.8	281.6	267.3	208.5	133.9	M	Lung cancer	162/C33, C34
3.2	4.9	10.8	13.9	23.0	35.1	44.7	58.3	65.0	47.3	F		
0.8	1.3	2.1	2.0	3.8	4.3	4.5	6.3	5.6	13.5	M	Malignant melanoma	172/C43
1.3	1.1	1.1	3.1	1.3	3.1	1.8	4.5	6.1	8.8	F		
9.0	21.3	33.0	44.1	55.4	62.0	68.2	78.2	95.3	94.3	F	Female breast cancer	174/C50
19.9	24.1	32.3	26.2	29.1	27.0	29.7	35.9	43.8	32.8	F	Cervix cancer	180/C53
3.7	3.8	7.0	8.1	11.3	14.8	19.3	26.1	22.6	28.6	F	Other uterine cancer	179, 182/C54, C55
2.4	5.6	10.0	14.5	15.6	20.8	26.0	20.2	20.7	17.6	F	Ovarian cancer	183/C56, C570-C574
-	0.1	0.8	1.9	9.6	20.4	45.7	90.1	176.3	247.2	M	Prostate cancer	185/C61
0.6	1.3	2.4	8.3	15.8	23.9	38.9	53.5	68.6	88.5	M	Bladder cancer	188/C67
0.3	0.4	0.2	1.6	2.7	3.7	6.6	10.4	15.4	17.2	F		
10.8	18.8	31.4	42.7	68.8	90.4	109.2	130.2	119.3	163.6	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
6.4	10.7	17.3	26.5	39.7	49.1	68.4	97.8	111.8	151.5	F		
1.0	0.6	0.9	1.3	1.8	1.9	1.6	1.6	3.9	-	M	Hodgkin's disease	201/C81
1.0	0.9	0.9	0.1	0.9	1.9	0.5	0.8	1.9	0.8	F		
2.4	2.3	5.4	6.0	8.0	14.2	16.2	18.3	14.2	12.0	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.4	1.4	1.7	3.6	3.1	7.9	12.0	12.8	12.1	6.9	F	Leukaemia	204-208/C91-C95
2.2	2.9	2.8	5.3	7.8	11.5	16.8	22.5	27.0	19.8	M		
2.4	2.3	2.6	3.0	7.4	9.0	12.5	14.3	17.1	10.7	F		
1.6	2.9	5.7	7.4	11.2	20.4	30.9	43.0	44.2	47.5	M	Diabetes	250/E10-E14
2.1	1.6	2.6	6.4	11.3	21.8	34.3	45.4	55.9	45.4	F		
75.3	166.8	291.2	480.0	801.0	1314.4	2079.5	3467.2	5947.7	13609.8	M	ALL VASCULAR DISEASE	390-459/I00-I99
25.1	57.5	105.7	185.6	362.0	635.3	1223.6	2464.9	4911.6	13319.1	F		
1.3	2.2	3.6	4.1	8.8	6.9	10.9	9.7	11.6	14.9	M	Rheumatic heart disease and fever	390-398/I00-I09
1.4	1.5	2.9	5.5	6.8	9.7	9.9	10.8	15.7	17.9	F		
3.8	7.8	13.3	25.7	52.0	105.6	182.7	320.8	569.3	1136.0	M	Hypertensive disease	401-405/I10-I15
1.3	3.9	8.9	16.3	34.7	73.5	147.8	298.2	585.1	1366.8	F		
40.7	91.3	146.6	235.7	362.7	533.0	791.1	1229.6	2008.6	4359.8	M	Ischaemic heart disease	410-414/I20-I25
8.8	21.7	33.9	64.6	128.5	226.9	414.7	817.1	1585.4	4096.2	F		
1.4	1.7	3.6	3.5	7.0	9.9	14.5	17.3	21.5	34.7	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.8	1.8	2.1	2.4	4.1	7.9	10.4	15.1	17.4	31.7	F		
11.8	33.4	69.9	135.3	248.3	443.5	724.6	1229.6	2022.3	3758.5	M	Cerebrovascular disease	430-438/I60-I69
6.6	20.5	43.8	74.7	148.5	245.7	493.2	958.8	1803.0	3865.3	F		
16.4	30.4	54.3	75.8	122.2	215.5	355.7	660.4	1314.5	4305.9	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
6.1	8.1	14.2	22.2	39.4	71.6	147.6	365.0	905.0	3941.2	F		
2.9	6.0	12.0	20.7	41.9	75.7	124.9	204.4	335.5	686.3	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.3	1.9	3.0	5.3	8.4	18.8	34.8	69.7	143.8	417.6	F		
16.4	29.3	37.1	42.8	55.4	79.9	92.0	129.2	186.6	473.8	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
6.1	7.5	9.5	12.3	17.1	26.1	41.7	69.3	138.8	355.0	F		
3.3	2.4	5.3	7.4	7.6	10.6	13.1	16.8	20.6	30.5	M	Peptic ulcer	531-533/K25-K27
0.3	0.5	0.7	1.3	2.2	2.4	4.6	10.8	11.6	24.0	F		
25.1	58.7	92.8	112.3	149.4	168.0	188.4	191.3	179.3	138.1	M	Liver cirrhosis	571/K70, K74
11.6	21.7	34.4	41.9	65.4	83.8	95.4	117.5	119.8	107.6	F		
2.1	4.5	6.9	11.3	16.4	18.8	29.9	49.3	62.6	105.5	M	Renal disease	580-590/N00-N19
1.6	3.4	5.7	6.1	10.2	18.5	26.0	31.4	42.4	61.1	F		
1.8	1.3	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
0.6	0.5	0.5	0.8	0.4	-	0.8	-	0.4	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.5	0.3	0.6	0.3	0.2	0.3	0.3	0.2	0.3	0.4	F		
3.7	2.9	2.6	4.6	2.2	2.1	2.3	2.1	4.3	5.0	M	Ill-defined causes	780-799/R00-R99
1.0	1.0	1.0	0.9	0.7	1.5	2.1	1.0	2.2	6.1	F		
26.2	36.1	54.3	62.3	76.0	91.6	106.9	137.1	203.8	287.5	M	Other medical causes	Rest of 001-799/ rest of A00-R99
9.8	13.6	18.8	21.5	35.8	42.1	58.3	82.5	112.4	158.8	F		
123.8	140.5	148.0	150.6	168.1	153.8	138.2	147.8	152.7	191.2	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
22.8	27.1	35.9	37.2	39.2	39.7	48.8	56.0	74.4	90.1	F		
21.6	24.2	23.9	24.2	26.7	23.6	23.3	28.3	27.9	29.0	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
4.7	5.9	7.0	5.5	7.7	8.4	9.2	13.4	12.4	14.5	F		
3.0	3.2	3.9	2.8	3.8	4.4	4.1	4.7	13.3	17.0	M	Fire	E890-E899/X00-X09
0.6	0.9	0.5	1.2	2.0	1.5	3.5	3.7	3.9	13.4	F		
27.0	36.4	38.7	34.8	44.9	30.3	32.2	27.8	27.0	36.1	M	Suicide	E950-E959/X60-X84
3.4	4.8	8.1	8.1	6.3	7.5	6.4	9.2	8.8	12.6	F		
8.4	7.4	7.6	7.1	7.8	6.6	6.6	4.7	9.0	10.6	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.4	2.8	3.5	2.7	1.6	2.1	2.8	2.2	6.1	5.3	F		
629	782	777	637	499	564	488	382	233	141	M	POPULATION	
622	792	802	675	556	669	607	509	363	262	F	(1000s; UN, 2004 revision)	

RUSSIAN FEDERATION: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	1179775	124173	699439	2121.6	358.7	2893.4	418.2	57.4	56.5	206.8	484.4	593.8	693.5
	F	1045557	39282	311351	1014.4	125.0	1017.6	318.3	34.4	29.9	78.2	111.3	132.4	170.6
Tuberculosis	M	26070	4112	20763	38.9	11.6	69.5	0.9	0.0	0.1	1.4	12.5	27.0	39.3
	F	3730	812	2473	4.5	2.3	6.9	0.5	0.1	0.0	0.7	3.1	5.0	6.6
(HIV*)	M	9933	4166	5743	13.6	11.8	16.3	2.3	0.0	-	3.0	12.0	24.1	41.2
	F	1588	951	634	2.2	2.7	1.6	2.3	0.0	-	0.7	4.3	7.1	4.9
Other infective and parasitic	M	3816	1918	1658	6.4	6.5	5.9	25.9	1.5	0.8	2.3	4.9	5.4	4.8
	F	2598	1103	1062	3.9	4.1	3.2	19.0	1.1	0.8	1.6	2.0	2.0	1.9
ALL CANCER	M	162853	3282	107779	291.2	9.3	495.4	6.8	5.2	4.6	7.7	9.5	12.6	18.4
	F	132472	3123	68517	137.5	9.1	222.4	6.6	4.1	3.8	5.7	7.5	12.4	23.3
Mouth and pharynx cancer	M	7403	52	5912	12.8	0.1	25.9	0.1	0.0	0.1	0.1	0.1	0.2	0.4
	F	1577	34	736	1.6	0.1	2.4	0.1	-	0.1	0.1	0.1	0.1	0.2
Oesophagus cancer	M	5514	9	3926	10.0	0.0	18.4	-	0.0	-	-	0.0	0.0	0.1
	F	1720	4	586	1.6	0.0	2.0	-	-	-	-	0.0	-	0.1
Stomach cancer	M	25035	190	16440	44.9	0.5	75.7	0.1	0.0	0.0	0.2	0.3	1.1	2.0
	F	18712	204	8473	18.6	0.6	28.0	-	-	0.0	0.0	0.5	1.0	2.5
Colorectal cancer	M	15375	125	8569	28.9	0.4	41.0	-	-	0.0	0.1	0.3	0.5	1.5
	F	19466	108	8619	19.2	0.3	28.9	-	0.0	0.0	0.0	0.3	0.5	1.3
Liver cancer	M	4745	65	3156	8.5	0.2	14.6	0.2	0.0	0.1	0.1	0.2	0.2	0.4
	F	3605	45	1722	3.6	0.1	5.7	0.2	0.1	0.1	0.1	0.1	0.1	0.3
Pancreas cancer	M	6752	65	4754	12.0	0.2	21.3	-	-	-	-	0.1	0.3	0.9
	F	6266	35	2771	6.2	0.1	9.3	-	-	0.0	-	0.1	0.2	0.4
Larynx cancer	M	5770	12	4400	10.0	0.0	19.7	0.0	-	-	0.0	-	0.0	0.2
	F	283	5	149	0.3	0.0	0.5	0.0	0.0	-	-	0.0	0.0	-
Lung cancer	M	50087	147	35007	88.2	0.4	163.9	-	0.1	0.0	0.3	0.4	0.5	1.6
	F	8785	81	4011	8.7	0.2	13.3	0.1	-	0.0	0.1	0.3	0.4	0.8
Malignant melanoma	M	1125	56	805	1.9	0.2	3.2	-	-	-	0.0	0.1	0.4	0.5
	F	1416	85	823	1.5	0.2	2.5	-	-	0.0	0.2	0.2	0.4	0.9
Female breast cancer	F	21707	228	14200	24.1	0.7	44.7	-	0.1	-	0.0	0.1	0.9	3.6
Cervix cancer	F	6288	281	3825	6.9	0.8	11.6	-	0.0	-	-	0.4	2.0	3.1
Other uterine cancer	F	6089	69	3306	6.3	0.2	11.0	-	-	-	0.0	0.1	0.4	0.9
Ovarian cancer	F	7321	145	4716	8.0	0.4	15.1	-	0.0	0.2	0.3	0.3	0.7	1.3
Prostate cancer	M	6680	6	2959	13.3	0.0	15.1	-	-	-	0.0	0.0	0.0	0.0
Bladder cancer	M	5691	9	2996	11.0	0.0	14.7	0.0	0.0	0.0	-	-	0.0	0.1
	F	1376	4	421	1.3	0.0	1.4	0.1	-	-	-	-	0.0	0.0
Other and ill-defined cancer sites	M	22320	1697	15045	38.6	4.8	65.0	3.6	2.9	2.6	4.0	5.3	7.0	8.1
	F	21693	1192	10833	22.8	3.5	35.1	3.9	2.6	2.0	3.0	3.3	4.0	5.7
Hodgkin's disease	M
	F
Myeloma and non-Hodgkin lymphomas	M	2279	219	1516	3.9	0.6	6.7	0.4	0.5	0.5	0.7	0.7	0.9	0.6
	F	2222	137	1279	2.4	0.4	4.2	0.3	0.1	0.2	0.3	0.4	0.6	0.8
Leukaemia	M	4077	630	2294	7.1	1.8	10.2	2.4	1.6	1.2	2.2	1.9	1.3	2.0
	F	3946	466	2047	4.3	1.4	6.5	1.9	1.2	1.3	1.5	1.3	1.1	1.4
Diabetes	M	3471	378	2280	5.8	1.0	9.6	0.0	0.2	0.1	0.4	1.3	2.6	2.7
	F	8014	441	4075	8.2	1.2	13.7	0.0	0.1	0.3	0.9	2.3	2.2	2.6
ALL VASCULAR DISEASE	M	545162	9270	298979	1060.3	26.1	1338.7	3.5	0.9	1.8	7.6	27.3	49.6	92.1
	F	686211	2646	153562	623.1	7.6	522.4	3.4	1.2	0.9	3.6	7.0	12.8	24.2
Rheumatic heart disease and fever	M	3378	215	2810	5.4	0.6	11.1	0.2	0.0	0.1	0.2	0.6	1.3	1.8
	F	5032	94	3566	5.6	0.3	11.6	0.0	0.1	0.0	0.1	0.2	0.4	1.1
Hypertensive disease	M	10798	146	7334	19.3	0.4	32.9	0.1	-	0.0	0.0	0.3	0.7	1.8
	F	15695	51	6289	15.2	0.1	21.3	0.1	0.0	0.0	0.1	0.1	0.3	0.4
Ischaemic heart disease	M	284284	3202	164289	546.5	9.1	734.2	-	0.0	-	1.3	7.6	16.0	38.8
	F	293973	556	64834	265.7	1.6	222.6	-	-	-	0.4	1.2	2.7	6.8
Pulmonary embolism and other venous	M
	F
Cerebrovascular disease	M	172083	1200	80047	350.5	3.4	381.4	0.4	0.2	0.4	1.5	3.4	5.9	11.7
	F	291555	552	60287	262.1	1.6	207.3	0.3	0.2	0.2	0.8	1.6	2.6	5.3
Other vascular disease, incl. venous	M	74619	4507	44499	138.6	12.6	179.0	2.8	0.7	1.3	4.6	15.3	25.7	38.0
	F	79956	1393	18586	74.5	4.0	59.6	3.0	1.0	0.7	2.2	3.9	6.9	10.6
Chronic obstructive pulmonary disease	M	38844	274	19875	74.8	0.8	97.8	0.3	0.2	0.3	0.5	0.8	1.6	1.8
	F	18041	131	4802	16.6	0.4	16.4	0.2	0.2	0.1	0.2	0.5	0.5	0.9
Other respiratory disease	M	33386	4221	24795	56.1	14.0	93.9	47.1	2.3	1.3	3.8	8.7	13.6	21.3
	F	11870	2221	5574	14.7	8.3	16.9	39.4	2.0	1.0	1.9	3.2	4.3	6.3
Peptic ulcer	M	6247	274	4564	10.7	0.8	18.8	-	0.0	0.0	0.3	0.7	1.2	3.1
	F	2388	49	1014	2.4	0.1	3.3	0.0	0.1	0.1	0.1	0.1	0.2	0.5
Liver cirrhosis & other liver disease	M	17339	1088	14026	27.9	3.1	54.1	0.5	0.2	0.3	0.8	2.3	5.5	11.9
	F	11896	493	8376	13.8	1.4	26.5	0.3	0.2	0.2	0.6	1.0	2.9	4.8
Renal disease	M
	F
Pregnancy, birth	F	503	346	157	0.6	0.9	0.4	-	-	0.0	0.5	2.1	2.0	1.9
Congenital and perinatal causes	M	9074	8610	422	20.6	35.6	1.4	238.6	3.7	1.7	1.5	1.4	1.1	1.3
	F	6593	6088	453	15.3	26.3	1.3	175.8	2.9	1.7	1.3	0.9	0.9	0.9
Ill-defined causes	M	43087	6642	21545	88.4	19.0	78.7	18.9	1.3	1.7	9.6	27.3	35.9	38.4
	F	59845	1868	5801	54.6	6.0	17.8	15.7	1.2	1.1	3.5	5.9	6.3	8.2
Other medical causes	M	40417	6129	26130	67.9	17.9	100.1	22.1	7.6	5.7	10.5	19.6	26.5	33.1
	F	32689	3192	16316	35.8	9.7	51.1	17.1	5.6	4.2	7.0	8.8	11.5	14.1
ALL NON-MEDICAL CAUSES	M	250009	77975	156623	372.6	212.9	529.4	53.6	34.1	37.9	160.3	368.1	411.4	425.3
	F	68707	16769	39169	83.3	47.6	115.3	40.3	15.8	15.8	50.5	67.0	69.3	74.6
Road traffic accidents	M	32566	13906	17131	46.3	37.4	56.7	5.3	9.4	9.1	34.8	71.6	68.0	63.8
	F	11578	4044	5484	13.9	11.0	16.1	4.0	4.9	5.0	16.6	17.7	15.6	13.4
Fire	M	7700	1420	5534	12.2	4.2	19.4	5.1	1.7	1.2	1.6	4.0	6.4	9.4
	F	2933	473	1480	3.4	1.5	4.5	3.7	1.1	0.4	0.6	1.2	1.7	2.0
Suicide	M	47806	15636	28667	70.3	41.9	97.7	-	0.5	6.3	35.4	78.1	86.1	86.9
	F	9128	2145	4719	10.5	5.7	13.9	-	0.1	1.7	8.3	9.2	10.1	10.6
Homicide	M	30753	10320	18942	45.0	28.3	60.9	3.4	1.4	2.2	17.5	44.9	60.7	67.7
	F	10337	3015	5786	12.6	8.4	16.5	3.7	1.1	1.9	7.7	12.6		

2000: RUSSIAN FEDERATION

Annual death rates / 100,000 (zero denoted by -)											9th ICD/10th ICD categories	
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
910.0	1263.4	1788.1	2432.7	3391.2	4456.5	6012.1	8110.9	10572.4	18625.0	M	ALL CAUSES	001-999/A00-Y89
231.3	334.1	506.3	753.4	1147.0	1570.6	2580.1	4154.6	6792.4	15559.2	F		
55.2	73.1	86.1	81.6	79.7	66.5	44.4	33.1	24.1	56.8	M	Tuberculosis	010-018/A15-A19
7.3	8.8	8.2	7.1	6.5	5.1	5.2	4.8	4.6	6.1	F		
34.6	24.4	21.7	17.2	9.5	3.7	3.1	1.0	0.4	-	M	HIV*	279.5, 279.6/B20-B24)
3.2	2.6	2.3	1.8	1.0	0.2	0.2	0.1	-	-	F		
5.0	5.1	4.8	6.9	6.3	6.3	6.5	6.9	7.3	7.1	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.9	2.2	2.7	3.6	3.9	3.9	4.3	4.2	5.7	5.4	F		
37.8	79.3	184.3	358.1	659.9	914.7	1233.8	1531.1	1647.4	1342.1	M	ALL CANCER	140-208/C00-C97
41.4	73.0	123.7	190.5	277.3	360.1	490.8	650.5	789.8	671.5	F		
1.6	5.1	13.9	27.9	40.4	44.5	48.1	46.8	39.2	31.0	M	Mouth and pharynx cancer	140-149/C00-C14
0.4	0.6	1.7	2.5	3.1	3.0	5.4	6.8	9.1	13.5	F		
0.3	1.6	5.9	15.4	29.0	34.1	42.7	47.7	51.7	35.6	M	Oesophagus cancer	150/C15
0.1	0.2	0.7	1.2	1.9	2.8	7.3	10.1	14.4	16.0	F		
5.8	12.8	29.1	51.2	96.4	138.7	195.5	246.2	274.6	216.4	M	Stomach cancer	151/C16
4.6	7.4	12.1	18.8	32.8	46.7	73.8	108.0	134.6	105.2	F		
2.5	5.1	11.4	21.8	48.4	74.9	122.9	179.4	228.8	214.9	M	Colorectal cancer	153, 154/C18-C21
3.0	6.0	10.4	19.2	35.7	50.8	76.8	109.4	141.4	125.8	F		
1.0	2.3	5.3	9.7	20.2	27.2	36.5	44.2	52.8	36.7	M	Liver cancer	155.0, 155.1/C22
0.6	1.2	2.2	3.9	6.7	10.5	14.7	20.4	24.7	18.1	F		
2.1	4.8	9.7	16.7	29.4	37.7	48.3	56.3	59.4	55.6	M	Pancreas cancer	157/C25
0.7	1.3	3.3	6.2	11.6	17.5	24.3	37.9	43.8	37.8	F		
0.9	3.1	9.6	17.3	29.3	37.0	40.9	44.0	42.2	23.0	M	Larynx cancer	161/C32
0.1	0.1	0.4	0.4	0.5	0.7	1.3	1.2	1.9	1.5	F		
6.0	17.8	51.9	112.9	227.9	321.9	409.3	493.1	430.3	265.2	M	Lung cancer	162/C33, C34
1.5	2.8	6.1	9.5	16.2	22.6	34.6	52.1	65.3	44.2	F		
1.0	1.6	2.5	3.4	3.8	4.6	5.6	6.8	9.7	8.5	M	Malignant melanoma	172/C43
1.1	1.4	2.6	2.6	2.1	3.3	4.3	5.0	6.0	7.0	F		
9.4	19.9	34.6	51.8	61.8	66.8	68.7	76.6	90.6	86.4	F	Female breast cancer	174/C50
5.4	8.7	10.2	12.0	13.4	14.4	17.0	23.0	28.8	24.1	F	Cervix cancer	180/C53
1.5	2.2	4.7	8.1	14.7	19.3	26.4	30.2	34.2	29.0	F	Other uterine cancer	179, 182/C54, C55
2.4	5.4	10.1	16.4	20.4	24.0	27.1	31.9	29.7	19.8	F	Ovarian cancer	183.0/C56
0.2	0.5	1.6	4.5	12.9	29.4	56.9	90.0	135.3	142.9	M	Prostate cancer	185/C61
0.5	1.3	3.0	6.5	16.8	27.8	46.9	68.5	88.9	103.1	M	Bladder cancer	188/C67
0.1	0.2	0.3	0.7	1.3	2.4	5.0	7.4	13.9	13.8	F		
12.3	18.6	33.6	58.4	84.8	108.8	138.3	159.4	176.7	164.7	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
7.6	11.8	18.2	28.5	42.5	58.2	79.0	102.7	121.9	111.7	F	Hodgkin's disease	Not given separately
...	M		
...	F		
1.2	1.9	2.9	5.1	8.2	11.6	15.7	16.0	19.0	12.1	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C85, C90
0.6	1.1	2.2	3.3	5.0	6.7	10.5	10.0	10.9	6.0	F	Leukaemia	204-208/C91-C95
2.3	2.9	4.0	7.2	12.5	16.5	26.2	32.6	38.7	32.5	M		
2.1	2.6	3.7	5.3	7.3	10.2	14.5	17.7	18.7	11.5	F		
3.1	3.5	5.0	8.3	10.5	14.9	22.2	24.5	25.4	20.1	M	Diabetes	250/E10-E14
1.7	2.5	4.2	8.0	14.9	24.3	40.2	45.9	45.9	23.6	F		
177.6	337.7	594.2	959.5	1510.0	2305.4	3486.6	5174.4	7317.3	12786.8	M	ALL VASCULAR DISEASE	390-459/I00-199
42.6	81.4	155.8	287.1	532.6	875.7	1681.9	3000.7	5264.8	12068.2	F		
3.1	5.7	9.0	12.0	14.5	16.5	17.1	12.3	8.4	6.5	M	Rheumatic heart disease and fever	390-398/I00-I09
1.5	3.3	6.1	9.9	16.3	21.4	22.9	18.8	17.3	8.6	F		
3.7	7.7	13.8	25.3	38.5	58.1	83.2	92.2	99.1	114.8	M	Hypertensive disease	401-404/I10-I13
1.1	2.7	6.7	14.6	24.3	37.7	62.1	81.3	112.5	144.4	F		
83.9	177.8	334.5	556.7	863.9	1280.8	1842.2	2617.3	3669.1	5992.2	M	Ischaemic heart disease	410-414/I20-I25
13.0	26.9	55.9	109.1	223.4	380.0	750.0	1333.9	2309.4	5097.2	F		
...	M	Pulmonary embolism and other venous	Not given separately
...	F		
25.3	53.2	109.0	202.8	393.4	694.4	1191.9	1937.8	2809.0	5058.7	M	Cerebrovascular disease	430-438/I60-I69
10.0	22.9	50.2	105.0	202.6	353.1	707.3	1300.4	2335.3	5219.0	F		
61.6	93.2	127.9	162.7	199.7	255.6	352.2	514.8	731.7	1614.7	M	Other vascular disease, incl. venous	Rest of 390-459/rest of I00-199
17.1	25.8	36.9	48.6	66.0	83.4	139.6	266.3	490.2	1598.9	F	Chronic obstructive pulmonary disease	490-494, 496/J40-J47
4.3	8.3	19.6	41.0	94.3	184.4	333.1	476.9	606.0	733.1	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
1.2	2.4	4.9	7.9	16.2	27.3	54.9	90.9	141.2	258.7	F		
37.9	57.5	86.2	110.3	123.5	125.3	116.7	106.6	109.0	230.9	M		
8.8	11.4	15.9	18.8	19.9	19.7	23.6	32.6	42.5	74.4	F		
4.9	7.8	12.6	19.0	24.7	27.6	34.5	40.2	41.5	45.9	M	Peptic ulcer	531-533/K25-K27
0.7	1.4	1.9	2.7	3.8	4.8	7.5	10.9	17.5	19.9	F		
20.8	32.1	44.9	58.0	70.3	76.9	75.9	70.7	61.1	53.1	M	Liver cirrhosis & other liver disease	570-573/K70-K76
8.2	13.4	19.4	27.7	44.1	37.1	35.5	35.5	38.9	28.4	F	Renal disease	Not given separately
...	M		
...	F		
1.8	0.7	0.1	-	0.1	0.0	-	-	-	-	F	Pregnancy, birth	630-676/O00-O99
1.3	1.5	1.7	1.4	1.9	1.2	1.0	1.0	1.7	1.4	M	Congenital and perinatal causes	740-779/P00-P96, Q00-Q99
0.9	1.1	1.9	1.3	1.9	1.1	1.0	0.8	0.5	0.4	F	Ill-defined causes	780-799/R00-R99
44.3	59.0	73.1	90.0	102.7	100.6	81.5	94.4	194.1	1953.9	M		
8.9	11.2	14.9	18.4	24.1	22.7	24.3	44.4	148.5	1995.6	F		
47.1	63.1	84.3	100.7	117.2	130.2	158.0	197.6	259.3	363.2	M	Other medical causes	Rest of 001-799/rest of A00-R99
20.2	26.1	36.3	49.2	61.5	71.1	93.3	118.7	160.2	194.8	F		
470.8	535.3	591.5	597.9	590.2	502.4	417.9	353.3	278.4	1030.6	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
85.7	98.4	116.4	131.0	140.2	117.7	117.6	114.8	132.3	212.3	F	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
62.4	61.5	61.0	57.1	56.7	52.5	45.9	46.1	40.0	47.6	M		
14.6	13.9	14.7	16.6	16.7	16.3	19.5	22.6	25.1	23.0	F		
12.7	17.9	20.9	21.4	21.7	22.1	19.3	16.2	17.0	48.3	M	Fire	E890-E899/X00-X09
2.4	3.2	3.7	4.6	6.0	5.4	6.4	8.0	10.4	17.5	F		
88.6	98.3	106.3	107.0	103.6	83.5	96.7	100.3	75.7	148.3	M	Suicide	E950-E959/X60-X84
10.7	12.2	13.5	14.9	13.9	13.9	17.9	21.2	23.7	36.0	F		
70.4	71.2	72.9	68.6	61.8	47.4	33.8	27.1	23.2	129.3	M	Homicide	E960-E969/X85-X99, Y00-Y09
16.3	17.4	18.4	17.8	17.8	14.3	13.3	14.5	16.7	23.5	F		
5706	6065	5330	4095	2304	3622	2269	2045	765	588	M	POPULATION	
5885	6450	5927	4778	3013	5184	3651	4021	2395	2347	F	(1000s; UN, 2004 revision)	

SERBIA and MONTENEGRO: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	61656	2883	28251	1281.3	113.3	1496.4	356.6	27.4	27.3	58.5	98.7	102.9	121.7
	F	56422	1650	16986	932.3	70.7	810.7	269.3	17.2	20.5	28.2	40.7	43.7	75.1
Tuberculosis	M	273	3	180	5.4	0.1	9.2	-	-	-	-	-	0.3	0.5
	F	109	10	45	1.7	0.4	2.1	-	0.3	-	0.5	0.5	0.5	0.8
HIV	M	32	5	27	0.6	0.2	1.2	0.6	-	-	-	0.2	0.3	0.3
	F	11	8	3	0.2	0.3	0.1	-	0.3	-	-	-	0.3	1.7
Other infective and parasitic	M	223	92	91	4.8	3.9	4.7	22.9	1.1	0.5	0.5	1.0	1.0	0.3
	F	179	78	64	3.6	3.5	3.0	18.7	1.2	1.1	1.0	0.8	0.3	1.4
ALL CANCER	M	11481	210	7141	223.4	7.8	378.7	4.6	3.6	6.5	4.7	9.7	8.4	17.0
	F	8475	179	4837	139.2	7.1	226.8	3.6	1.8	2.1	2.3	7.0	8.4	24.5
Mouth and pharynx cancer	M	386	5	291	7.7	0.2	15.1	-	-	0.2	-	0.2	-	0.8
	F	80	-	38	1.3	-	1.8	-	-	-	-	-	-	-
Oesophagus cancer	M	218	-	155	4.2	-	8.3	-	-	-	-	-	-	-
	F	53	1	29	0.9	0.0	1.4	-	-	-	-	-	0.3	-
Stomach cancer	M	904	9	523	17.5	0.3	27.6	-	-	0.2	0.2	0.2	0.3	1.4
	F	520	4	260	8.2	0.2	12.4	-	-	-	-	-	0.3	0.8
Colorectal cancer	M	1276	11	700	24.7	0.4	37.6	-	-	-	-	0.5	1.0	1.4
	F	921	9	421	14.5	0.4	20.1	-	-	-	-	0.8	0.3	1.4
Liver cancer	M	545	2	314	10.6	0.1	17.0	-	-	-	0.2	-	-	0.3
	F	372	5	187	5.8	0.2	9.0	0.7	-	-	-	-	-	0.8
Pancreas cancer	M	481	1	314	9.5	0.0	16.9	-	-	-	-	-	-	0.3
	F	378	2	196	6.0	0.1	9.5	-	-	-	-	-	0.3	0.3
Larynx cancer	M	472	1	346	9.2	0.0	18.3	-	-	-	-	-	-	0.3
	F	42	-	23	0.7	-	1.1	-	-	-	-	-	-	-
Lung cancer	M	3586	11	2497	68.9	0.4	131.8	-	-	0.2	-	-	0.5	2.2
	F	972	8	626	16.0	0.3	29.4	-	-	-	-	0.3	-	2.0
Malignant melanoma	M	115	4	83	2.3	0.2	4.0	-	-	-	-	-	0.3	0.8
	F	84	8	47	1.4	0.3	2.1	-	-	-	-	0.5	0.5	1.1
Female breast cancer	F	1600	15	1091	27.7	0.6	50.3	-	-	-	-	0.3	-	3.9
Cervix cancer	F	496	20	333	8.5	0.8	15.0	-	-	-	-	0.3	0.5	4.8
Other uterine cancer	F	335	6	191	5.5	0.2	9.0	-	-	-	-	0.5	0.5	0.6
Ovarian cancer	F	341	9	244	5.8	0.4	11.4	-	-	0.3	-	0.5	0.3	1.4
Prostate cancer	M	646	-	221	13.2	-	12.5	-	-	-	-	-	-	-
Bladder cancer	M	386	1	192	7.6	0.0	10.7	0.3	-	-	-	-	-	-
	F	141	-	46	2.2	-	2.2	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	1936	103	1205	38.0	3.8	63.2	3.7	1.1	3.5	1.9	5.6	4.1	7.0
	F	1736	51	884	28.0	2.0	41.8	2.3	0.9	1.1	1.5	2.1	1.9	4.5
Hodgkin's disease	M	43	7	28	0.9	0.2	1.4	-	-	-	0.2	0.7	0.5	0.3
	F	18	6	7	0.3	0.2	0.3	-	-	-	-	-	1.1	0.6
Myeloma and non-Hodgkin lymphomas	M	201	14	125	3.8	0.5	6.5	-	0.8	0.5	0.2	1.0	0.5	0.5
	F	165	9	99	2.7	0.3	4.7	-	-	0.5	0.3	0.5	0.8	0.3
Leukaemia	M	286	41	147	5.5	1.5	7.6	0.6	1.7	1.7	1.9	1.5	1.3	1.9
	F	221	26	115	3.7	1.0	5.4	0.7	0.9	0.3	0.5	1.3	1.6	2.0
Diabetes	M	1240	9	645	24.5	0.3	35.1	0.3	-	-	-	0.5	0.8	0.8
	F	1666	21	589	25.2	0.8	28.8	-	-	0.3	0.8	1.3	1.4	2.0
ALL VASCULAR DISEASE	M	31567	176	12510	673.5	6.5	677.0	4.0	0.8	2.0	4.3	8.5	10.7	15.4
	F	34420	116	7954	562.1	4.6	384.5	3.3	0.9	3.5	2.5	3.4	6.5	12.1
Rheumatic heart disease and fever	M	96	4	50	1.9	0.1	2.6	-	-	-	0.5	-	0.5	-
	F	117	6	56	2.0	0.2	2.7	-	-	0.5	-	-	-	1.1
Hypertensive disease	M	619	2	257	13.0	0.1	13.8	-	-	-	-	0.2	-	0.3
	F	890	-	215	14.3	-	10.3	-	-	-	-	-	-	-
Ischaemic heart disease	M	7763	52	4271	157.9	1.9	226.5	-	-	-	0.9	1.0	4.3	7.3
	F	5613	13	1846	89.5	0.5	89.2	-	-	-	0.3	-	1.6	1.7
Pulmonary embolism and other venous	M	231	4	129	4.6	0.2	6.9	-	-	-	-	-	0.3	0.8
	F	285	4	130	4.7	0.2	6.1	-	-	-	-	0.3	0.3	0.6
Cerebrovascular disease	M	8616	42	3442	178.2	1.5	188.4	0.6	0.3	1.0	0.9	2.7	2.3	3.0
	F	10644	39	2938	167.2	1.6	141.7	1.6	0.6	0.8	0.5	1.3	2.4	3.7
Other vascular disease	M	14242	72	4361	317.9	2.7	238.8	3.4	0.6	1.0	1.9	4.6	3.3	4.1
	F	16871	54	2769	284.5	2.1	134.5	1.6	0.3	2.1	1.8	1.8	2.2	5.1
Chronic obstructive pulmonary disease	M	1931	8	751	38.9	0.3	42.1	0.3	0.3	0.5	-	0.5	0.5	-
	F	1058	7	307	17.0	0.3	14.9	-	-	-	0.5	0.8	0.3	0.3
Other respiratory disease	M	1260	137	463	26.7	5.6	24.8	26.3	4.7	1.2	2.4	2.9	0.8	1.1
	F	1066	116	253	18.3	5.2	12.2	28.6	3.0	0.8	2.0	0.3	0.8	1.1
Peptic ulcer	M	362	6	174	7.2	0.2	9.4	-	-	0.2	0.2	0.5	0.3	0.3
	F	210	1	73	3.2	0.0	3.5	-	-	-	-	0.3	-	-
Liver cirrhosis	M	777	11	587	15.2	0.4	30.1	-	-	-	0.2	0.2	1.3	1.1
	F	250	2	159	4.0	0.1	7.6	-	-	-	-	-	0.3	0.3
Renal disease	M	806	17	401	16.2	0.6	21.5	0.3	0.6	-	-	0.5	1.3	1.9
	F	811	15	352	12.7	0.6	16.9	0.3	-	0.3	0.5	0.8	1.1	1.1
Pregnancy, birth	F	7	3	4	0.1	0.1	0.2	-	-	-	-	0.5	0.3	-
Congenital and perinatal causes	M	810	797	11	19.7	34.7	0.5	240.1	1.7	0.5	0.2	-	0.3	0.3
	F	557	544	11	14.4	25.4	0.5	173.6	1.2	0.5	0.8	1.0	0.5	0.3
Ill-defined causes	M	5322	417	2327	115.6	16.0	118.9	33.6	4.4	4.2	6.9	16.3	22.7	24.1
	F	4700	207	1094	82.1	8.6	51.7	25.6	2.1	4.0	3.8	6.7	8.1	10.1
Other medical causes	M	2171	151	1088	43.8	5.8	55.5	12.5	1.9	2.7	5.9	4.4	6.9	5.9
	F	1660	110	658	26.7	4.5	31.1	7.9	2.7	2.9	3.8	3.9	4.6	5.3
ALL NON-MEDICAL CAUSES	M	3401	844	1855	65.9	30.7	87.7	11.0	8.3	8.9	33.2	53.6	47.5	52.7
	F	1243	233	583	21.5	9.1	26.9	7.6	3.9	5.1	9.7	13.5	10.3	14.1
Road traffic accidents	M	670	239	357	12.7	8.7	16.2	2.7	4.2	2.5	7.1	19.9	12.8	11.6
	F	179	79	81	3.3	3.1	3.6	2.3	3.0	1.9	4.3	4.2	3.0	3.1
Fire	M	50	10	26	1.0	0.4	1.2	0.9	0.3	-	0.2	0.2	0.3	0.8
	F	30	4	12	0.5	0.2	0.6	1.0	-	-	-	-	-	0.3
Suicide	M	1176	214	640	23.0	7.7	30.9	-	-	1.2	8.1	15.3	13.0	16.5
	F	521	67	282	8.9	2.6	13.1	-	-	1.3	2.8	3.9	3.5	6.5
Homicide	M	184	71	96	3.5	2.6	4.2	-	-	-	2.6	3.9	6.6	4.9
	F	57	13	31	1.0	0.5	1.4	-	-	0.3	0.3	1.3	0.5	1.1
POPULATION:			M=male											
(1000s; UN, 2004 revision)			F=female											
			5244.1	2686.5	2									

2000: SERBIA and MONTENEGRO

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
199.7	355.7	597.8	1026.6	1620.3	2549.5	4125.6	6059.3	8934.4	15974.9	M	ALL CAUSES	001-999/A00-Y89
106.9	173.5	310.5	490.5	826.5	1371.7	2395.5	4163.9	7325.0	16691.2	F		
3.0	4.5	4.2	7.1	10.8	14.8	19.8	25.5	25.7	26.6	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.9	1.1	0.8	1.5	0.8	3.8	5.8	8.6	13.1	12.6	F		
1.6	1.3	1.5	0.6	1.7	0.8	0.8	-	-	-	M	HIV	279.5, 279.6/B20-B24
0.6	0.3	-	-	-	-	-	-	-	-	F		
0.5	2.1	2.5	4.3	4.5	7.4	11.2	7.8	11.4	21.9	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.7	0.6	1.5	2.4	3.8	4.8	6.2	4.1	8.1	14.7	F		
28.2	69.5	159.2	295.9	441.3	669.8	987.2	1187.4	1272.8	1017.2	M	ALL CANCER	140-208/C00-C97
42.0	79.3	131.5	192.2	272.4	377.2	493.1	606.3	749.5	820.4	F		
1.1	5.1	6.7	14.8	22.3	28.0	27.7	28.8	20.0	26.6	M	Mouth and pharynx cancer	140-149/C00-C14
-	0.3	1.0	3.1	1.9	2.0	4.1	5.4	11.2	11.6	F		
0.3	0.5	4.0	5.6	11.2	17.5	19.0	19.4	19.0	12.5	M	Oesophagus cancer	150/C15
0.3	0.3	0.3	1.8	1.5	1.0	4.5	4.5	3.1	7.4	F		
1.9	6.1	11.4	22.9	28.5	48.3	74.4	100.3	133.1	79.9	M	Stomach cancer	151/C16
2.0	1.9	5.5	6.7	15.0	22.5	33.3	43.7	59.0	57.8	F		
1.6	5.6	15.1	24.1	36.8	66.6	113.2	150.2	196.8	136.4	M	Colorectal cancer	153, 154/C18-C21
2.9	3.0	8.5	11.6	20.0	38.9	55.7	79.1	110.6	127.1	F		
0.3	1.9	6.4	10.2	19.4	33.1	47.5	64.3	75.1	53.3	M	Liver cancer	155.0/C22 excl C221
0.3	1.1	3.8	3.1	11.9	16.1	27.1	37.5	38.5	28.4	F		
1.4	3.7	4.4	11.4	24.8	30.8	41.7	49.3	45.6	45.5	M	Pancreas cancer	157/C25
-	1.7	2.3	6.4	11.5	16.7	27.8	34.6	33.6	44.1	F		
0.3	2.7	7.4	18.2	22.7	32.7	44.2	39.9	31.4	31.3	M	Larynx cancer	161/C32
0.6	0.3	0.8	0.9	1.9	1.4	1.7	3.3	4.4	4.2	F		
7.4	23.8	61.1	109.3	155.1	237.1	328.9	365.9	297.5	164.6	M	Lung cancer	162/C33, C34
3.7	9.9	18.0	24.7	38.5	47.5	63.6	65.9	77.1	56.7	F		
1.6	1.9	2.7	5.9	4.5	5.1	6.6	7.8	9.5	6.3	M	Malignant melanoma	172/C43
1.4	1.4	1.5	3.1	1.2	3.8	2.4	5.4	5.0	8.4	F		
12.3	24.0	37.8	59.2	68.9	72.8	77.0	80.7	101.9	140.8	F	Female breast cancer	174/C50
7.4	10.5	13.8	17.4	16.5	19.8	19.2	28.8	32.3	22.1	F	Cervix cancer	180/C53
1.4	2.8	3.8	7.3	10.0	15.4	22.7	28.4	21.8	35.7	F	Other uterine cancer	179, 182/C54, C55
2.9	3.9	7.8	8.8	16.9	17.4	22.3	17.3	21.8	11.6	F	Ovarian cancer	183/C56, C570-C574
0.3	-	1.2	4.3	9.1	21.8	50.8	88.1	144.5	178.7	M	Prostate cancer	185/C61
-	0.8	2.0	3.7	8.7	20.2	39.7	49.9	58.9	64.3	M	Bladder cancer	188/C67
0.3	-	0.8	1.8	0.8	7.2	4.5	14.4	19.9	29.4	F		
8.5	12.3	28.2	55.6	79.0	106.3	152.9	175.7	183.5	185.0	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
4.3	13.8	21.3	27.8	43.5	73.5	108.2	129.3	176.5	213.2	F		
1.1	-	1.0	1.2	4.1	0.4	2.1	1.1	3.8	3.1	M	Hodgkin's disease	201/C81
-	0.3	0.3	0.3	0.8	0.7	-	1.2	1.2	-	F		
1.1	1.1	4.0	4.9	4.5	10.9	19.0	18.3	23.8	6.3	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
0.9	1.1	2.8	2.7	5.0	12.6	7.6	10.7	13.7	9.5	F		
1.4	4.0	3.7	3.7	10.3	10.9	19.4	28.3	30.4	23.5	M	Leukaemia	204-208/C91-C95
1.4	3.0	2.0	5.5	6.5	7.9	11.3	16.1	18.0	12.6	F		
3.3	4.5	9.6	19.5	38.5	59.6	110.7	153.5	172.1	200.6	M	Diabetes	250/E10-E14
1.1	3.9	3.5	8.2	28.9	58.4	97.6	182.5	236.2	244.7	F		
50.9	112.2	207.9	387.9	711.3	1197.4	2071.1	3358.6	5468.6	11079.9	M	ALL VASCULAR DISEASE	390-459/I00-I99
22.6	45.3	96.8	179.4	345.1	664.8	1337.8	2626.0	5078.3	12398.1	F		
0.8	1.1	0.7	0.9	3.7	5.1	6.2	9.4	18.1	9.4	M	Rheumatic heart disease and fever	390-398/I00-I09
-	0.8	0.8	2.4	4.6	4.8	5.5	8.2	11.2	17.9	F		
1.4	1.3	4.7	12.0	14.5	21.0	41.3	73.7	102.7	186.5	M	Hypertensive disease	401-405/I10-I15
0.6	3.0	3.8	3.7	8.8	18.1	34.0	65.9	147.9	291.0	F		
21.1	48.6	90.2	168.6	279.6	407.3	569.8	788.8	992.4	1525.1	M	Ischaemic heart disease	410-414/I20-I25
4.9	12.2	25.0	39.4	88.9	169.1	285.2	479.4	753.3	1447.5	F		
2.2	-	2.2	6.2	9.9	7.8	19.8	22.2	33.3	36.1	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.9	1.9	3.0	5.8	6.9	9.9	14.4	22.7	29.2	51.5	F		
12.3	30.2	48.0	80.9	182.4	345.4	619.8	1031.0	1622.6	2453.0	M	Cerebrovascular disease	430-438/I60-I69
9.1	17.1	37.0	73.5	122.0	237.8	495.5	940.7	1704.2	2774.2	F		
13.1	31.0	62.1	119.2	221.3	410.8	814.0	1433.5	2699.6	6869.9	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
7.1	10.2	27.3	54.6	113.9	225.1	503.1	1109.1	2432.6	7816.2	F		
1.6	2.7	6.4	13.3	31.0	70.9	169.0	256.7	385.0	476.5	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
1.1	1.7	3.3	7.6	16.9	27.7	46.0	90.6	149.2	298.3	F		
3.8	4.5	7.2	15.4	21.1	48.7	73.1	117.0	207.2	362.1	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
2.3	1.4	3.5	5.5	13.1	20.2	39.5	74.1	139.8	306.7	F		
1.9	1.3	2.2	5.9	9.5	13.6	31.4	38.2	71.3	59.6	M	Peptic ulcer	531-533/K25-K27
0.3	-	1.5	1.2	3.5	7.2	11.0	17.7	35.4	37.8	F		
2.2	11.2	17.8	28.1	44.3	47.5	59.9	55.4	58.0	28.2	M	Liver cirrhosis	571/K70, K74
1.1	2.2	2.8	4.6	8.8	14.7	18.9	21.8	12.4	16.8	F		
2.5	5.3	5.7	14.2	22.7	40.5	59.5	88.7	123.6	153.6	M	Renal disease	580-590/N00-N19
1.1	4.1	5.0	10.4	17.3	25.6	54.6	66.7	106.9	115.5	F		
1.1	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34, O00-O99 740-779/A33, P00-P96, Q00-Q99
0.5	0.5	0.5	0.3	-	0.4	1.2	-	-	3.1	M	III-defined causes	780-799/R00-R99
0.3	-	0.8	0.6	0.4	0.7	0.7	0.8	-	-	F		
28.5	45.7	66.7	99.1	132.8	188.1	271.5	384.1	635.0	1907.5	M		
11.7	14.4	25.0	34.2	53.5	81.0	141.9	262.8	520.8	2020.0	F		
12.3	21.6	30.7	49.7	57.1	93.1	124.0	204.0	308.9	374.6	M	Other medical causes	Rest of 001-799/ rest of A00-R99
5.7	6.4	16.8	20.1	29.6	43.7	95.2	132.6	193.9	271.0	F		
58.6	68.4	75.6	85.2	93.9	97.0	135.1	182.4	194.9	263.3	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
13.1	13.0	18.0	22.6	32.3	42.0	47.1	69.2	81.4	134.5	F		
11.8	20.3	16.3	15.8	16.1	17.5	15.3	23.8	20.0	15.7	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
1.1	2.2	4.3	3.7	4.2	3.1	6.9	4.5	3.7	2.1	F		
0.8	1.1	1.2	1.5	0.8	1.2	1.7	2.8	2.9	9.4	M	Fire	E890-E899/X00-X09
-	-	0.3	0.6	0.8	1.0	1.4	0.8	3.1	7.4	F		
17.8	19.0	23.7	31.8	35.6	33.5	55.0	81.5	88.4	128.5	M	Suicide	E950-E959/X60-X84
8.0	6.4	6.8	10.1	15.0	22.5	22.7	28.8	36.0	46.2	F		
4.9	5.9	4.4	3.7	4.5	1.9	4.1	2.2	4.8	12.5	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.1	1.4	2.0	0.3	1.9	1.0	1.7	2.9	1.2	4.2	F		
365.1	374.2	404.5	323.8	241.8	256.8	242.0	180.4	105.2	63.8	M	POPULATION	
350.0	361.9	400.0	327.8	259.9	292.7	291.0	242.8	160.9	95.2	F	(1000s; UN, 2004 revision)	

SLOVAKIA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	28157	1424	13004	1323.6	106.1	1611.1	228.0	20.7	29.9	57.9	109.2	125.8	171.1
	F	24567	576	5937	750.2	47.4	621.1	160.8	19.4	14.6	33.5	26.6	38.0	39.1
Tuberculosis	M	38	2	24	1.8	0.2	2.8	-	-	-	-	-	-	1.1
	F	16	1	3	0.5	0.1	0.4	-	-	-	-	-	-	0.6
HIV	M	2	1	1	0.1	0.1	0.1	-	-	-	-	-	0.5	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	56	12	28	2.7	1.1	3.5	6.8	-	-	-	-	-	1.1
	F	56	12	12	2.0	1.1	1.3	5.7	0.6	0.5	0.5	-	0.5	-
ALL CANCER	M	6985	106	3932	326.4	7.5	505.2	5.4	1.1	4.3	4.4	7.4	12.4	17.2
	F	4886	83	2267	157.5	6.1	230.1	2.1	4.0	2.5	3.7	3.4	10.4	16.5
Mouth and pharynx cancer	M	511	1	426	22.6	0.1	45.9	-	-	-	-	0.4	-	-
	F	46	-	28	1.6	-	2.5	-	-	-	-	-	-	-
Oesophagus cancer	M	230	1	187	10.5	0.1	22.0	-	-	-	-	-	-	0.5
	F	23	-	13	0.8	-	1.2	-	-	-	-	-	-	-
Stomach cancer	M	517	9	252	24.1	0.6	32.8	-	-	-	-	0.4	1.8	2.2
	F	318	3	86	9.6	0.2	8.9	-	-	-	-	-	0.9	0.6
Colorectal cancer	M	1009	5	469	47.9	0.4	63.8	0.7	-	-	-	-	0.9	1.1
	F	713	4	264	22.2	0.3	27.7	-	-	-	-	0.4	0.9	0.6
Liver cancer	M	202	2	118	9.6	0.2	15.1	0.7	-	-	-	-	0.5	-
	F	145	-	58	4.6	-	6.3	-	-	-	-	-	-	-
Pancreas cancer	M	318	2	181	14.8	0.2	23.1	-	-	-	-	-	-	1.1
	F	258	-	111	8.2	-	11.7	-	-	-	-	-	-	-
Larynx cancer	M	190	-	155	8.7	-	18.4	-	-	-	-	-	-	-
	F	12	-	9	0.4	-	0.9	-	-	-	-	-	-	-
Lung cancer	M	1887	3	1173	88.7	0.2	157.8	-	-	-	-	-	0.9	0.5
	F	362	-	193	11.7	-	19.4	-	-	-	-	-	-	-
Malignant melanoma	M	83	2	46	3.8	0.1	5.4	-	-	-	-	-	0.5	0.5
	F	83	2	45	2.8	0.1	4.4	-	-	-	-	-	0.5	0.6
Female breast cancer	F	799	9	446	26.6	0.7	44.1	-	-	-	-	-	0.9	3.9
Cervix cancer	F	220	7	146	7.5	0.5	13.3	-	-	-	-	-	0.9	2.8
Other uterine cancer	F	250	3	105	7.9	0.2	11.2	-	-	-	-	0.4	-	1.1
Ovarian cancer	F	271	4	178	9.3	0.3	18.0	-	-	-	-	-	0.9	1.1
Prostate cancer	M	537	-	130	26.8	-	19.1	-	-	-	-	-	-	-
Bladder cancer	M	178	-	66	8.7	-	9.8	-	-	-	-	-	-	-
	F	57	-	17	1.7	-	1.8	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	931	48	528	42.3	3.4	65.7	2.7	0.5	2.4	3.1	3.7	4.6	6.5
	F	974	32	407	31.1	2.4	42.0	1.4	2.3	1.5	2.7	2.1	1.4	5.0
Hodgkin's disease	M	27	7	16	1.2	0.5	2.0	-	-	-	-	1.2	1.4	0.5
	F	27	3	13	0.9	0.2	1.5	-	-	-	-	-	1.4	-
Myeloma and non- Hodgkin lymphomas	M	180	6	93	8.3	0.4	11.8	-	-	0.5	-	0.4	0.9	1.1
	F	186	4	84	6.0	0.3	8.7	-	-	0.5	-	-	1.4	-
Leukaemia	M	185	20	92	8.4	1.4	12.4	1.4	0.5	1.4	1.3	1.2	0.9	3.2
	F	142	12	64	4.6	0.9	6.3	0.7	1.7	0.5	0.9	0.4	0.9	1.1
Diabetes	M	320	-	157	14.8	-	20.2	-	-	-	-	-	-	-
	F	438	1	115	13.1	0.1	12.8	-	-	-	-	-	0.5	-
ALL VASCULAR DISEASE	M	13558	84	5005	659.5	5.8	659.9	2.7	0.5	1.4	3.1	9.1	8.3	15.6
	F	15325	35	2309	450.4	2.7	255.5	4.2	1.1	0.5	0.9	2.6	3.3	6.1
Rheumatic heart disease and fever	M	41	1	23	1.9	0.1	3.1	-	-	-	-	-	0.5	-
	F	79	2	42	2.6	0.1	4.7	-	-	-	-	0.4	0.5	-
Hypertensive disease	M	1504	1	690	72.2	0.1	92.4	-	-	-	-	-	0.5	-
	F	1878	1	396	55.6	0.1	43.5	-	-	-	-	-	-	0.6
Ischaemic heart disease	M	7476	18	2672	365.5	1.3	356.3	-	-	-	-	1.2	2.3	5.4
	F	8212	3	1130	241.2	0.2	126.4	-	-	-	-	-	0.9	0.6
Pulmonary embolism and other venous	M	450	7	182	21.5	0.5	22.8	-	-	-	0.4	0.8	0.9	1.1
	F	528	6	117	15.7	0.5	12.3	0.7	-	-	-	-	0.9	1.7
Cerebrovascular disease	M	2140	13	700	103.5	0.9	93.7	-	0.5	1.0	0.4	1.7	1.4	1.1
	F	2537	4	336	73.3	0.3	37.4	-	-	-	-	0.4	0.5	1.1
Other vascular disease	M	1947	44	738	94.9	3.1	91.7	2.7	-	0.5	2.2	5.4	2.8	8.1
	F	2091	19	288	62.0	1.5	31.2	3.5	1.1	0.5	0.9	1.7	0.5	2.2
Chronic obstructive pulmonary disease	M	589	3	196	28.7	0.2	26.4	-	-	-	0.4	-	0.5	0.5
	F	288	-	55	8.6	-	5.9	-	-	-	-	-	-	-
Other respiratory disease	M	1049	74	319	51.2	6.3	39.8	31.1	1.1	1.4	1.3	3.7	2.3	3.2
	F	983	32	145	29.9	2.9	15.4	14.2	2.3	0.5	0.9	0.4	0.9	1.1
Peptic ulcer	M	167	1	95	7.9	0.1	11.5	-	-	-	0.4	-	-	-
	F	101	1	28	3.1	0.1	2.8	-	-	-	-	-	-	0.6
Liver cirrhosis	M	965	24	818	42.6	1.8	90.6	0.7	-	-	0.4	-	2.3	9.1
	F	296	4	233	10.7	0.3	22.3	-	-	-	-	0.4	0.9	0.6
Renal disease	M	320	2	166	15.2	0.2	20.7	-	-	-	-	-	-	1.1
	F	285	5	93	8.7	0.4	9.7	0.7	-	-	0.5	0.4	0.9	-
Pregnancy, birth Congenital and perinatal causes	F	1	1	-	0.0	0.1	-	-	-	-	0.5	-	-	-
	M	227	217	8	12.0	20.7	0.9	140.1	1.6	1.4	-	1.2	0.5	-
	F	168	163	4	9.2	16.1	0.4	106.2	2.3	0.5	1.8	0.4	-	1.7
Ill-defined causes	M	373	69	212	16.0	5.0	21.7	7.4	-	-	0.9	6.6	7.8	12.4
	F	219	27	52	7.0	2.2	5.2	7.1	1.1	0.5	1.4	1.7	3.3	-
Other medical causes	M	1057	120	577	47.6	9.0	65.5	18.3	3.3	4.8	7.0	5.8	7.8	16.1
	F	842	76	302	27.1	5.8	30.9	12.0	4.6	6.0	5.0	3.9	7.1	2.2
ALL NON- MEDICAL CAUSES	M	2451	709	1466	97.2	48.2	142.4	15.6	13.1	16.4	39.9	75.3	83.4	93.6
	F	663	135	319	22.5	9.6	28.5	8.5	3.4	3.5	18.3	13.3	10.0	9.9
Road traffic accidents	M	611	264	295	23.4	17.7	28.9	5.4	8.2	6.3	18.9	30.2	29.5	25.8
	F	160	61	60	5.4	4.2	5.4	2.1	1.1	2.0	9.6	7.3	4.3	2.8
Fire	M	30	5	17	1.3	0.4	1.5	0.7	1.1	-	0.4	-	0.5	-
	F	24	5	11	0.8	0.4	0.9	1.4	1.1	-	0.5	-	-	-
Suicide	M	594	152	376	23.3	10.0	35.1	-	-	1.4	6.6	21.1	20.7	20.4
	F	135	17	94	4.7	1.1	8.1	-	-	0.5	1.8	2.1	1.9	1.7
Homicide	M	90	35	52	3.4	2.4	4.8	-	0.5	0.5	1.3	2.1	5.5	7.0
	F	28	9	12	1.0	0.7	1.0	0.7	-	0.5	1.4	0.4	0.5	1.1
POPULATION: (1000s; UN, 2004 revision)			M=male		2625.4	1411.3	1063.9	147.8	183.5	207.6	227.8	241.7	217.0	185.9
			F=female		2775.0	1358.8	1154.4	141.2	175.0	199.1	218.2	233.0	210.7	181.6

2000: SLOVAKIA

Annual death rates / 100,000 (zero denoted by -)											9th ICD/10th ICD categories	
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
237.7	421.3	735.1	1219.9	1755.1	2802.1	4106.4	6061.7	8745.4	15994.0	M	ALL CAUSES	001-999/A00-Y89
85.8	152.9	253.4	395.7	621.4	1062.2	1776.6	3114.2	5581.6	14836.1	F		
-	1.0	2.9	1.9	3.4	4.2	5.8	1.5	4.1	26.9	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	-	-	-	-	1.6	0.8	2.8	5.7	6.1	F		
-	-	0.5	-	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
-	-	-	-	-	-	-	-	-	-	F		
0.5	1.0	1.0	1.9	4.3	12.6	3.5	11.7	8.2	12.0	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
-	0.5	-	0.6	2.2	2.5	3.4	7.4	6.8	27.3	F		
24.9	81.6	192.0	389.1	575.3	923.6	1349.7	1660.8	2041.1	2461.1	M	ALL CANCER	140-208/C00-C97
32.6	70.6	131.7	179.6	255.1	385.4	555.6	723.3	932.0	1418.8	F		
2.0	19.8	43.6	69.1	48.8	77.5	60.8	57.3	53.4	56.9	M	Mouth and pharynx cancer	140-149/C00-C14
0.5	1.9	2.9	4.7	2.2	3.3	1.7	2.8	7.9	12.1	F		
1.5	3.9	13.7	27.9	29.1	31.4	46.8	26.4	28.7	29.9	M	Oesophagus cancer	150/C15
0.5	1.0	1.0	-	4.4	0.8	0.8	2.8	3.4	6.1	F		
2.5	4.8	8.8	26.0	36.0	66.0	85.4	149.8	188.9	185.6	M	Stomach cancer	151/C16
0.5	2.4	4.8	5.9	8.0	14.7	26.1	56.6	81.6	145.7	F		
2.5	7.2	14.7	34.2	69.3	116.2	202.3	286.3	371.7	476.0	M	Colorectal cancer	153, 154/C18-C21
1.0	5.8	14.4	16.5	24.7	58.9	72.5	104.9	163.3	285.3	F		
0.5	1.9	6.4	12.0	18.0	28.3	38.6	39.6	53.4	86.8	M	Liver cancer	155.0, 155.1/C22
0.5	0.5	1.4	3.5	6.5	14.7	16.9	26.0	34.0	44.0	F		
0.5	2.4	9.3	20.9	28.3	40.8	59.6	73.4	106.8	98.8	M	Pancreas cancer	157/C25
-	2.4	4.3	7.7	16.0	20.5	31.2	46.4	53.3	75.9	F		
1.0	4.3	10.8	20.3	25.7	31.4	35.1	22.0	28.7	18.0	M	Larynx cancer	161/C32
-	0.5	-	1.2	1.5	3.3	-	0.9	1.1	1.5	F		
3.6	14.0	38.7	100.8	186.6	304.7	456.1	491.9	474.3	434.1	M	Lung cancer	162/C33, C34
1.6	8.3	15.4	10.6	17.4	33.6	48.9	44.6	68.0	92.6	F		
1.0	1.4	3.4	5.1	7.7	7.3	11.7	25.0	16.4	29.9	M	Malignant melanoma	172/C43
1.0	1.9	3.8	4.1	2.9	8.2	8.4	4.6	10.2	33.4	F		
6.2	15.6	29.3	44.3	55.2	60.6	97.8	99.4	122.4	195.8	F	Female breast cancer	174/C50
5.7	7.3	17.8	12.4	8.7	23.7	17.7	29.7	19.3	27.3	F	Cervix cancer	180/C53
1.0	1.9	3.8	5.9	11.6	18.8	35.4	50.1	55.6	59.2	F	Other uterine cancer	179, 182/C54, C55
2.6	5.4	8.7	17.7	21.1	28.6	42.2	28.8	32.9	44.0	F	Ovarian cancer	183.0/C56
0.5	-	2.4	4.4	18.8	28.3	79.5	126.3	271.0	565.9	M	Prostate cancer	185/C61
-	-	0.5	3.2	9.4	16.8	38.6	44.1	82.1	125.7	M	Bladder cancer	188/C67
-	-	1.0	1.2	1.5	-	9.3	11.1	15.9	21.2	F		
6.6	15.0	29.4	53.2	76.2	119.4	160.2	224.7	262.8	221.6	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
7.8	10.7	14.9	33.7	53.8	65.5	107.9	153.2	200.7	292.9	F	Hodgkin's disease	201/C81
-	-	1.5	1.9	0.9	6.3	3.5	4.4	-	3.0	M		
-	-	-	-	1.5	2.5	6.7	4.6	2.3	6.1	F		
1.0	3.9	3.9	7.6	12.0	24.1	30.4	51.4	49.3	65.9	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.6	1.9	3.4	6.5	10.2	16.4	21.1	33.4	35.1	47.0	F	Leukaemia	204-208/C91-C95
1.5	2.9	4.9	2.5	8.6	25.1	40.9	38.2	53.4	62.9	M		
2.1	2.9	4.8	3.5	8.0	11.5	11.0	23.2	24.9	28.8	F		
2.5	3.9	7.8	13.9	17.1	39.8	56.1	101.3	121.1	104.8	M	Diabetes	250/E10-E14
0.5	1.0	2.9	3.5	10.2	31.9	39.6	89.1	123.6	177.5	F		
40.1	93.1	220.4	417.6	680.7	1206.3	1961.4	3368.6	5219.7	10877.2	M	ALL VASCULAR DISEASE	390-459/I00-I99
9.8	29.7	46.2	109.3	221.7	449.3	922.4	1906.2	3857.1	11420.3	F		
-	1.0	-	1.9	4.3	8.4	5.8	11.7	16.4	3.0	M	Rheumatic heart disease and fever	390-398/I00-I09
-	0.5	1.0	1.2	5.8	10.6	13.5	13.0	14.7	12.1	F		
4.1	9.2	27.9	52.0	102.7	184.3	266.7	364.2	566.7	865.3	M	Hypertensive disease	401-405/I10-I15
1.0	5.4	8.2	22.4	42.9	67.9	156.8	264.6	520.4	1118.4	F		
13.2	46.8	106.8	226.2	362.2	644.0	1094.7	1909.0	2872.7	6248.5	M	Ischaemic heart disease	410-414/I20-I25
2.6	10.2	19.2	49.0	102.5	234.0	467.1	1006.5	1964.9	6467.4	F		
4.6	6.3	8.3	17.1	24.8	30.4	67.8	95.4	174.5	332.3	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
2.1	3.4	4.3	7.1	10.2	18.0	41.3	68.7	141.7	312.6	F		
6.1	13.5	32.8	48.2	77.9	175.9	301.8	599.1	928.1	1697.6	M	Cerebrovascular disease	430-438/I60-I69
0.5	4.4	7.2	12.4	32.7	69.6	134.9	347.3	752.8	1758.7	F		
12.2	16.4	44.6	72.2	108.7	163.4	224.6	389.1	661.2	1730.5	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
3.6	5.8	6.3	17.1	27.6	49.1	108.8	206.1	462.6	1751.1	F		
1.5	2.4	7.8	13.3	30.8	48.2	80.7	133.6	281.3	485.0	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
2.1	0.5	0.5	4.1	5.1	9.0	20.2	36.2	62.4	210.9	F		
7.6	8.2	22.5	25.3	34.2	62.8	118.1	202.6	402.5	964.1	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
2.1	2.4	4.8	9.5	16.0	31.1	42.2	86.4	207.5	804.2	F		
1.0	2.4	6.4	12.0	12.0	22.0	24.6	38.2	37.0	80.8	M	Peptic ulcer	531-533/K25-K27
0.5	-	2.4	4.1	2.2	2.5	7.6	17.6	23.8	48.6	F		
23.9	44.9	60.2	97.0	119.9	157.1	131.0	104.3	67.8	56.9	M	Liver cirrhosis	571/K70, K74
5.7	11.7	16.8	23.0	29.8	41.7	27.0	25.1	20.4	21.2	F		
2.0	4.3	6.9	19.0	28.3	36.6	48.0	58.7	110.9	173.7	M	Renal disease	580-590/N00-N19
1.0	1.9	4.3	7.1	9.4	13.9	30.4	44.6	72.6	113.8	F		
-	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-O99 740-779/A33, P00-P96, Q00-Q99
16.3	11.6	20.6	21.5	24.8	20.9	36.3	45.5	47.2	113.8	M	Ill-defined causes	780-799/R00-R99
2.1	1.5	2.4	5.9	4.4	5.7	14.3	24.1	42.0	116.8	F		
20.8	33.8	37.2	62.1	61.6	124.6	118.1	160.1	250.5	386.2	M	Other medical causes	Rest of 001-799/ rest of A00-R99
7.2	8.8	14.4	23.0	31.3	56.5	75.0	102.1	159.9	323.2	F		
96.0	132.7	148.9	143.2	162.7	141.4	171.9	171.8	154.0	251.5	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
22.2	24.4	26.9	25.4	32.7	31.1	37.1	49.2	66.9	147.2	F		
23.4	28.0	27.9	21.5	31.7	35.6	33.9	32.3	24.6	53.9	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
4.7	3.9	5.3	4.7	5.1	5.7	8.4	8.4	14.7	25.8	F		
2.0	1.4	1.5	1.9	1.7	1.0	1.2	2.9	4.1	12.0	M	Fire	E890-E899/X00-X09
1.6	1.5	1.0	-	-	-	2.5	4.6	-	4.6	F		
21.3	38.6	38.7	46.3	42.0	26.2	32.7	45.5	41.1	44.9	M	Suicide	E950-E959/X60-X84
7.2	8.3	8.2	9.5	9.4	7.4	6.7	8.4	7.9	12.1	F		
4.1	4.8	6.4	4.4	5.1	5.2	3.5	2.9	-	3.0	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.0	0.5	1.4	2.4	-	0.8	0.8	1.9	2.3	4.6	F		
196.9	207.2	204.2	157.8	116.8	95.5	85.5	68.1	48.7	33.4	M	POPULATION (1000s; UN, 2004 revision)	
193.4	205.3	208.0	169.3	137.6	122.2	118.6	107.7	88.2	65.9	F		

SLOVENIA: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	9557	399	4406	1090.0	84.9	1214.2	128.8	15.9	16.1	71.6	126.3	97.9	137.6
	F	9031	164	2052	605.9	39.7	503.7	96.6	18.8	8.4	35.8	30.3	39.5	48.3
Tuberculosis	M	9	-	8	0.9	-	1.9	-	-	-	-	-	-	-
	F	12	-	1	0.7	-	0.3	-	-	-	-	-	-	-
HIV	M	4	-	4	0.4	-	0.9	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective and parasitic	M	42	1	20	5.0	0.2	5.2	-	-	-	1.4	-	-	-
	F	34	-	5	2.2	-	1.3	-	-	-	-	-	-	-
ALL CANCER	M	2672	29	1380	293.1	5.9	389.3	2.2	4.0	1.6	1.4	11.6	4.0	16.3
	F	2080	21	875	150.9	4.5	212.9	-	4.2	1.7	1.5	2.8	7.1	14.2
Mouth and pharynx cancer	M	108	-	83	11.1	-	21.7	-	-	-	-	-	-	-
	F	19	-	12	1.5	-	2.7	-	-	-	-	-	-	-
Oesophagus cancer	M	63	1	41	6.4	0.2	10.4	-	-	-	-	-	-	1.4
	F	14	-	5	0.9	-	1.3	-	-	-	-	-	-	-
Stomach cancer	M	240	2	112	26.4	0.4	31.8	-	-	-	-	-	1.3	1.4
	F	165	2	62	11.8	0.4	15.4	-	-	-	-	-	1.4	1.4
Colorectal cancer	M	323	2	137	36.5	0.4	40.8	-	-	-	-	-	-	2.7
	F	277	2	93	19.1	0.4	23.3	-	-	-	-	-	-	2.8
Liver cancer	M	97	-	52	10.3	-	15.1	-	-	-	-	-	-	-
	F	45	-	16	3.1	-	3.9	-	-	-	-	-	-	-
Pancreas cancer	M	117	-	62	12.7	-	17.2	-	-	-	-	-	-	-
	F	117	-	44	8.4	-	11.2	-	-	-	-	-	-	-
Larynx cancer	M	69	-	47	7.3	-	13.4	-	-	-	-	-	-	-
	F	5	-	2	0.3	-	0.4	-	-	-	-	-	-	-
Lung cancer	M	733	1	448	77.3	0.2	126.8	-	-	-	-	-	-	1.4
	F	198	-	107	15.0	-	25.4	-	-	-	-	-	-	-
Malignant melanoma	M	40	5	23	4.3	1.0	6.0	-	-	-	-	1.3	1.3	4.1
	F	29	1	12	2.2	0.2	2.8	-	-	1.7	-	-	-	-
Female breast cancer	F	365	2	173	27.3	0.4	42.1	-	-	-	-	-	1.4	1.4
Cervix cancer	F	62	2	41	5.1	0.4	9.2	-	-	-	-	-	1.4	1.4
Other uterine cancer	F	87	-	30	5.9	-	7.4	-	-	-	-	-	-	-
Ovarian cancer	F	111	1	55	8.4	0.2	13.3	-	-	-	-	-	1.4	-
Prostate cancer	M	246	-	56	30.8	-	17.9	-	-	-	-	-	-	-
Bladder cancer	M	73	-	25	8.2	-	7.4	-	-	-	-	-	-	-
	F	27	-	8	1.7	-	2.1	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	401	12	218	43.4	2.6	60.4	2.2	4.0	-	1.4	5.2	1.3	4.1
	F	393	5	148	28.3	1.2	35.7	-	4.2	-	-	1.4	-	2.8
Hodgkin's disease	M	2	-	-	0.3	-	-	-	-	-	-	-	-	-
	F	8	1	4	0.7	0.2	1.0	-	-	-	-	-	-	1.4
Myeloma and non- Hodgkin lymphomas	M	90	1	46	10.1	0.2	12.4	-	-	1.6	-	-	-	-
	F	92	1	40	6.4	0.2	10.1	-	-	-	-	1.4	-	-
Leukaemia	M	70	5	30	8.0	0.9	8.0	-	-	-	-	5.2	-	1.4
	F	66	4	23	4.8	0.8	5.6	-	-	-	1.5	-	1.4	2.8
Diabetes	M	173	1	63	20.3	0.2	17.9	-	-	-	-	-	1.3	-
	F	318	-	50	19.5	-	12.8	-	-	-	-	-	-	-
ALL VASCULAR DISEASE	M	3395	15	1281	404.4	3.0	368.3	-	2.0	-	2.9	5.2	4.0	6.8
	F	4109	7	488	256.2	1.4	123.5	-	-	-	-	4.1	1.4	4.3
Rheumatic heart disease and fever	M	29	-	18	3.2	-	5.1	-	-	-	-	-	-	-
	F	52	-	8	3.2	-	2.0	-	-	-	-	-	-	-
Hypertensive disease	M	148	1	62	17.4	0.2	18.1	-	-	-	-	1.3	-	-
	F	290	-	31	17.9	-	8.1	-	-	-	-	-	-	-
Ischaemic heart disease	M	1256	2	538	147.0	0.4	155.4	-	-	-	-	-	-	2.7
	F	1241	1	142	76.9	0.2	36.4	-	-	-	-	-	-	1.4
Pulmonary embolism and other venous	M	39	-	17	4.6	-	4.8	-	-	-	-	-	-	-
	F	59	-	13	3.8	-	3.0	-	-	-	-	-	-	-
Cerebrovascular disease	M	911	6	306	107.4	1.2	88.5	-	2.0	-	1.4	2.6	1.3	1.4
	F	1128	4	144	70.7	0.8	36.0	-	-	-	-	2.8	1.4	1.4
Other vascular disease	M	1012	6	340	124.8	1.2	96.4	-	-	-	1.4	1.3	2.7	2.7
	F	1339	2	150	83.7	0.4	38.0	-	-	-	-	1.4	-	1.4
Chronic obstructive pulmonary disease	M	425	2	121	51.3	0.4	37.2	-	-	-	1.4	1.3	-	1.4
	F	209	1	29	13.0	0.2	7.4	-	-	-	-	-	1.4	-
Other respiratory disease	M	340	-	88	43.5	-	25.5	-	-	-	-	-	-	-
	F	496	7	32	30.9	1.7	8.0	2.3	2.1	-	3.0	1.4	2.8	-
Peptic ulcer	M	54	-	21	6.5	-	6.5	-	-	-	-	-	-	-
	F	74	1	8	4.7	0.2	2.1	-	-	-	-	-	-	1.4
Liver cirrhosis	M	473	9	382	48.8	1.7	100.3	-	-	-	1.4	2.6	1.3	6.8
	F	229	2	179	19.5	0.4	43.6	-	-	-	-	-	1.4	1.4
Renal disease	M	51	-	15	6.3	-	4.5	-	-	-	-	-	-	-
	F	93	-	14	5.8	-	3.5	-	-	-	-	-	-	-
Pregnancy, birth	F	2	2	-	0.2	0.4	-	-	-	-	-	-	1.4	1.4
Congenital and perinatal causes	M	55	50	5	8.9	15.2	1.0	100.4	2.0	-	-	2.6	1.3	-
	F	39	36	2	6.8	11.7	0.5	80.5	-	1.7	-	-	-	-
Ill-defined causes	M	318	27	168	37.4	5.7	44.2	8.7	-	1.6	4.3	3.9	8.0	13.6
	F	329	11	66	22.7	2.7	15.8	9.2	-	-	1.5	1.4	5.6	1.4
Other medical causes	M	498	30	252	56.1	6.5	68.4	8.7	4.0	3.2	4.3	6.4	10.7	8.2
	F	512	13	117	34.4	2.9	28.7	-	6.3	1.7	-	4.1	2.8	5.7
ALL NON- MEDICAL CAUSES	M	1048	235	598	107.1	46.1	143.0	8.7	4.0	9.7	54.4	92.8	67.0	85.8
	F	495	63	186	38.5	13.5	43.4	4.6	6.3	3.4	29.8	16.5	15.5	18.5
Road traffic accidents	M	215	92	102	21.0	18.0	23.3	-	2.0	3.2	34.4	37.4	20.1	28.6
	F	72	25	30	6.5	5.4	7.0	2.3	2.1	1.7	14.9	6.9	4.2	5.7
Fire	M	6	-	4	0.6	-	0.7	-	-	-	-	-	-	-
	F	2	-	2	0.2	-	0.4	-	-	-	-	-	-	-
Suicide	M	433	87	275	43.4	16.7	63.6	-	-	1.6	12.9	30.9	36.2	35.4
	F	155	24	100	13.6	4.9	23.2	-	-	-	11.9	6.9	8.5	7.1
Homicide	M	14	2	12	1.3	0.4	2.9	-	-	-	-	2.6	-	-
	F	8	3	4	0.8	0.7	0.9	-	2.1	-	-	1.4	-	1.4
POPULATION:			M=male		959.3	453.6	443.2	45.8	50.4	62.0	69.8	77.6	74.6	73.4
(1000s; UN, 2004 revision)			F=female		1007.9	431.6	454.9	43.5	47.9	59.2	67.1	72.6	70.9	70.4

2000: SLOVENIA

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
210.7	330.8	559.7	775.0	1436.6	1973.2	3213.4	4681.1	7128.5	15967.5	M	ALL CAUSES	001-999/A00-Y89
85.0	134.9	264.1	372.5	536.7	810.9	1321.6	2247.0	4036.1	12591.5	F		
1.3	1.3	2.5	-	-	6.2	2.4	3.1	-	-	M	Tuberculosis	010-018, 137/A15-A19, B90
1.3	1.3	-	1.5	2.0	-	-	12.0	2.6	12.2	F		
1.3	-	-	-	-	-	-	-	-	-	M	HIV	279.5, 279.6/B20-B24
1.3	1.3	4.9	3.0	8.0	8.2	9.6	12.4	22.3	105.7	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
-	-	1.3	-	1.9	1.8	3.7	10.0	15.5	54.9	F		
20.8	65.4	167.3	265.3	420.5	666.0	1119.9	1616.1	2016.8	3089.4	M	ALL CANCER	140-208/C00-C97
26.6	73.9	122.2	193.9	245.2	310.9	517.6	678.7	925.3	1484.8	F		
1.3	2.6	17.2	26.8	22.1	41.2	40.8	43.3	44.7	24.4	M	Mouth and pharynx cancer	140-149/C00-C14
-	1.3	3.9	6.1	1.9	-	5.5	6.0	5.2	6.1	F		
-	3.8	9.8	11.9	14.1	16.5	16.8	34.1	50.3	8.1	M	Oesophagus cancer	150/C15
-	-	-	-	-	3.6	5.5	4.0	12.9	6.1	F		
1.3	6.4	8.6	22.4	46.3	53.6	83.9	182.7	184.4	276.4	M	Stomach cancer	151/C16
1.3	3.9	3.9	15.3	19.3	20.0	44.4	64.3	46.4	155.5	F		
2.6	1.3	4.9	23.8	46.3	72.2	134.3	213.6	312.8	479.7	M	Colorectal cancer	153, 154/C18-C21
2.7	3.9	5.3	21.4	21.2	38.2	70.2	84.3	136.6	265.2	F		
1.3	1.3	3.7	8.9	20.1	22.7	48.0	71.2	78.2	65.0	M	Liver cancer	155.0, 155.1/C22
1.3	-	2.6	3.1	5.8	1.8	12.9	12.0	30.9	33.5	F		
-	2.6	9.8	11.9	24.1	28.9	43.2	80.5	78.2	122.0	M	Pancreas cancer	157/C25
1.3	1.3	1.3	9.2	17.4	20.0	27.7	56.2	38.7	91.5	F		
-	2.6	6.2	7.5	8.0	30.9	38.4	37.2	16.8	56.9	M	Larynx cancer	161/C32
-	1.3	-	-	-	-	1.8	-	2.6	6.1	F		
5.2	20.5	56.6	83.5	140.8	202.1	378.9	439.6	480.4	455.3	M	Lung cancer	162/C33, C34
1.3	10.4	23.7	27.5	17.4	36.4	61.0	82.3	67.0	73.2	F		
1.3	3.8	3.7	1.5	14.1	8.2	9.6	18.6	11.2	32.5	M	Malignant melanoma	172/C43
1.3	1.3	1.3	4.6	1.9	7.3	1.8	10.0	12.9	18.3	F		
2.7	13.0	31.5	35.1	59.8	70.9	81.3	102.4	154.6	240.9	F	Female breast cancer	174/C50
2.7	14.3	6.6	7.6	9.7	10.9	12.9	8.0	15.5	27.4	F	Cervix cancer	180/C53
-	1.3	6.6	1.5	7.7	9.1	25.9	26.1	46.4	79.3	F	Other uterine cancer	179, 182/C54, C55
2.7	3.9	7.9	15.3	17.4	18.2	27.7	36.1	49.0	54.9	F	Ovarian cancer	183.0/C56
-	-	-	3.0	10.1	30.9	81.5	148.6	257.0	780.5	M	Prostate cancer	185/C61
-	-	2.5	4.5	6.0	10.3	28.8	55.7	89.4	113.8	M	Bladder cancer	188/C67
-	-	-	-	-	1.8	12.9	10.0	15.5	24.4	F		
5.2	14.1	29.5	46.2	42.3	117.5	167.9	232.2	251.4	414.6	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
9.3	10.4	23.7	33.6	52.1	54.5	66.5	132.5	206.2	286.6	F	Hodgkin's disease	201/C81
-	-	-	3.1	1.9	-	1.8	3.1	-	8.1	M		
-	-	-	-	-	-	-	2.0	2.6	3.0	F		
-	3.8	8.6	8.9	18.1	20.6	26.4	37.2	89.4	122.0	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C90, C96
2.6	2.6	6.2	4.5	8.0	10.3	21.6	20.1	61.9	51.8	F	Leukaemia	204-208/C91-C95
-	2.6	2.6	6.1	3.9	7.3	16.6	18.6	72.6	130.1	M		
-	-	7.4	11.9	24.1	41.2	40.8	22.1	20.6	61.0	F		
1.3	1.3	1.3	4.6	1.9	29.1	49.9	105.3	184.4	341.5	M	Diabetes	250/E10-E14
-	-	-	-	-	-	-	74.3	255.2	402.4	F		
28.6	66.7	118.1	195.2	414.5	618.6	1136.7	1761.6	3139.7	7869.9	M	ALL VASCULAR DISEASE	390-459/I00-I99
9.3	18.2	46.0	42.7	121.6	212.7	414.0	953.8	1940.7	7274.4	F		
1.3	-	3.7	3.0	-	8.2	19.2	6.2	16.8	48.8	M	Rheumatic heart disease and fever	390-398/I00-I09
-	1.3	-	-	1.9	10.9	-	12.0	51.5	54.9	F		
2.6	2.6	4.9	8.9	16.1	26.8	64.7	55.7	167.6	300.8	M	Hypertensive disease	401-405/I10-I15
-	1.3	-	-	5.8	23.6	25.9	66.3	149.5	512.2	F		
10.4	25.6	45.5	71.5	193.2	290.7	450.8	662.5	1050.3	2552.8	M	Ischaemic heart disease	410-414/I20-I25
1.3	3.9	7.9	15.3	36.7	56.4	133.1	327.3	644.3	2088.4	F		
-	1.3	-	6.0	6.0	6.2	14.4	24.8	22.3	81.3	M	Pulmonary embolism and other venous	415.1, 451-453/I26, I80-I82
1.3	-	3.9	3.1	1.9	3.6	7.4	12.0	51.5	61.0	F		
6.5	11.5	28.3	50.7	98.6	134.0	290.2	538.7	1039.1	1943.1	M	Cerebrovascular disease	430-438/I60-I69
5.3	3.9	19.7	15.3	34.7	54.5	118.3	275.1	541.2	1929.9	F		
7.8	25.6	35.7	55.1	100.6	152.6	297.4	473.7	843.6	2943.1	M	Other vascular disease	Rest of 390-459/rest of I00-I99
1.3	7.8	14.5	9.2	40.5	63.6	129.4	261.0	502.6	2628.0	F		
1.3	-	6.2	6.0	30.2	80.4	136.7	269.3	458.1	1081.3	M	Chronic obstructive pulmonary disease	490-496/J40-J47, J67
1.3	-	1.3	3.1	3.9	10.9	31.4	78.3	116.0	289.6	F	Other respiratory disease	Rest of 460-519/rest of J00-J98
2.6	6.4	7.4	8.9	40.2	28.9	83.9	151.7	335.2	1162.6	M		
2.7	1.3	2.6	3.1	11.6	10.9	24.0	98.4	188.1	1021.3	F		
-	-	-	-	12.1	14.4	19.2	24.8	55.9	122.0	M	Peptic ulcer	531-533/K25-K27
-	-	1.3	-	3.9	3.6	5.5	28.1	28.4	122.0	F		
27.3	33.3	55.4	82.0	177.1	156.7	170.3	142.4	145.3	81.3	M	Liver cirrhosis	571/K70, K74
13.3	7.8	19.7	47.3	52.1	67.3	98.0	48.2	43.8	21.3	F		
-	1.3	-	1.5	6.0	8.2	14.4	34.1	33.5	154.5	M	Renal disease	580-590/N00-N19
2.7	-	-	1.5	-	12.7	7.4	28.1	54.1	134.1	F		
-	-	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34, O00-O99
-	1.3	2.5	3.0	-	-	-	-	-	-	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
16.9	12.8	24.6	28.3	82.5	70.1	74.3	77.4	111.7	634.1	M	Ill-defined causes	780-799/R00-R99
2.7	6.5	9.2	19.8	17.4	25.5	29.6	34.1	79.9	622.0	F		
11.7	28.2	33.2	43.2	78.5	111.3	172.7	204.3	329.6	739.8	M	Other medical causes	Rest of 001-799/rest of A00-R99
5.3	5.2	19.7	18.3	30.9	47.3	73.9	126.5	247.4	679.9	F		
97.5	111.5	130.4	125.2	140.8	162.9	232.6	278.6	296.1	585.4	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
19.9	20.8	39.4	38.2	46.3	72.7	66.5	76.3	139.2	469.5	F		
20.8	12.8	33.2	20.9	20.1	28.9	26.4	34.1	33.5	32.5	M	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
5.3	1.3	3.9	10.7	3.9	18.2	5.5	10.0	12.9	21.3	F		
-	2.6	2.5	-	-	-	-	3.1	-	8.1	M	Fire	E890-E899/X00-X09
-	1.3	-	-	-	1.8	-	-	-	-	F		
49.4	61.5	57.8	70.0	66.4	53.6	86.3	108.4	83.8	170.7	M	Suicide	E950-E959/X60-X84
12.0	11.7	22.3	19.8	27.0	34.5	35.1	24.1	23.2	30.5	F		
5.2	2.6	1.2	-	2.0	2.1	7.2	-	-	-	M	Homicide	E960-E969/X85-X99, Y00-Y09
1.3	-	1.3	-	-	3.6	-	2.0	-	-	F		
76.9	78.0	81.3	67.1	49.7	48.5	41.7	32.3	17.9	12.3	M	POPULATION	
75.3	77.1	76.1	65.5	51.8	55.0	54.1	49.8	38.8	32.8	F	(1000s; UN, 2004 revision)	

SPAIN: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	189468	7972	58662	815.1	77.1	801.1	119.8	18.5	20.3	64.2	89.5	98.0	129.2
	F	170923	3324	25082	458.2	37.3	316.4	101.4	12.7	14.1	26.4	28.3	30.2	47.9
Tuberculosis	M	337	11	110	1.4	0.1	1.5	-	-	-	-	0.1	0.1	0.5
	F	183	6	26	0.5	0.1	0.3	-	0.1	-	-	0.1	0.1	0.1
HIV	M	1391	380	984	6.4	3.2	10.0	0.2	0.1	-	-	0.8	4.4	16.7
	F	320	125	192	1.4	1.1	1.9	0.1	-	0.2	-	0.2	2.1	5.0
Other infective and parasitic	M	1982	117	653	8.6	1.3	8.7	3.4	0.9	0.3	0.8	0.4	0.8	2.3
	F	2065	85	392	6.0	1.1	5.0	4.4	0.9	0.1	1.2	0.4	0.3	0.5
ALL CANCER	M	57525	623	24207	250.9	5.9	337.9	3.8	3.7	3.2	6.0	6.4	7.2	11.3
	F	34321	526	11883	111.0	5.1	149.8	1.6	3.2	3.1	3.8	4.0	6.4	13.6
Mouth and pharynx cancer	M	1838	15	1277	8.9	0.1	17.2	0.1	-	-	0.1	0.3	0.2	0.3
	F	348	8	138	1.2	0.1	1.7	-	-	-	-	-	0.1	0.4
Oesophagus cancer	M	1555	7	941	7.2	0.1	13.1	-	-	-	-	0.1	0.1	0.2
	F	235	-	72	0.7	-	0.9	-	-	-	-	-	-	-
Stomach cancer	M	3747	18	1551	16.2	0.2	21.6	-	-	-	0.1	0.2	0.2	0.6
	F	2345	11	642	7.0	0.1	8.1	-	-	-	-	0.1	0.2	0.4
Colorectal cancer	M	6464	23	2311	27.5	0.2	32.7	-	-	-	0.1	0.3	0.3	0.6
	F	5189	29	1407	15.4	0.2	17.9	-	-	-	-	0.2	0.5	1.0
Liver cancer	M	2495	20	1032	10.7	0.2	14.7	0.1	-	0.1	0.1	0.1	0.3	0.6
	F	1174	6	287	3.4	0.1	3.7	-	0.1	-	0.2	0.1	0.1	-
Pancreas cancer	M	2077	9	994	9.2	0.1	14.0	-	-	-	0.1	-	0.1	0.4
	F	1923	5	594	5.9	0.0	7.7	-	-	-	-	0.1	0.1	0.2
Larynx cancer	M	1770	3	1053	8.2	0.0	14.5	-	-	-	-	-	0.1	0.1
	F	46	-	23	0.2	-	0.3	-	-	-	-	-	-	-
Lung cancer	M	15477	29	7724	68.6	0.2	108.0	-	-	-	-	0.2	0.3	1.2
	F	1886	10	870	6.7	0.1	10.7	-	-	-	-	0.1	0.2	0.4
Malignant melanoma	M	391	20	208	1.8	0.2	2.7	-	-	0.1	-	0.3	0.3	0.5
	F	310	16	131	1.1	0.1	1.6	-	0.1	-	0.2	0.1	0.3	0.4
Female breast cancer	F	5677	71	2756	20.6	0.6	34.2	-	-	-	-	0.3	0.4	3.6
Cervix cancer	F	597	19	365	2.4	0.2	4.3	-	-	-	-	-	0.2	1.0
Other uterine cancer	F	1206	3	420	3.9	0.0	5.4	-	-	-	-	-	0.1	0.1
Ovarian cancer	F	1615	21	787	5.9	0.2	10.0	-	-	-	-	0.2	0.4	0.7
Prostate cancer	M	5456	1	794	22.2	0.0	11.7	-	-	-	-	0.1	-	-
Bladder cancer	M	3193	3	939	13.3	0.0	13.5	-	-	-	-	-	0.1	0.1
	F	721	1	101	1.9	0.0	1.3	-	-	-	-	-	-	0.1
Other and ill-defined cancer sites	M	9244	255	3943	40.7	2.5	54.4	1.9	1.6	1.0	3.1	2.7	2.9	4.0
	F	7740	171	2289	24.0	1.8	29.1	1.1	1.9	1.5	1.5	1.6	2.2	2.7
Hodgkin's disease	M	155	28	68	0.7	0.3	0.9	-	0.1	0.1	0.4	0.4	0.4	0.4
	F	125	23	40	0.4	0.2	0.5	-	-	0.1	0.5	0.2	0.4	0.3
Myeloma and non-Hodgkin lymphomas	M	2045	56	800	8.7	0.5	11.0	0.1	0.2	0.3	0.4	0.6	0.9	1.1
	F	1921	29	599	6.0	0.3	7.7	-	-	0.4	0.3	0.6	0.2	0.4
Leukaemia	M	1618	136	572	7.1	1.5	7.8	1.5	1.7	1.7	1.7	1.2	1.1	1.2
	F	1263	103	362	4.1	1.1	4.6	0.5	1.1	1.2	1.3	0.5	1.2	1.9
Diabetes	M	3558	16	814	14.8	0.1	11.6	0.1	-	-	0.1	-	0.2	0.6
	F	5695	13	551	14.1	0.1	7.2	-	-	-	-	0.1	0.2	0.5
ALL VASCULAR DISEASE	M	57056	416	14508	240.4	3.6	202.7	1.2	0.5	0.9	2.0	4.1	5.5	11.2
	F	68667	186	5378	166.2	1.8	69.2	1.4	0.3	1.1	1.0	1.8	2.6	4.3
Rheumatic heart disease and fever	M	523	6	222	2.2	0.1	3.1	0.1	-	-	-	-	0.1	0.2
	F	1277	2	351	3.8	0.0	4.6	-	-	-	0.1	-	0.1	-
Hypertensive disease	M	1583	4	335	6.6	0.0	4.8	-	-	-	0.1	0.1	0.1	0.1
	F	3472	2	207	8.2	0.0	2.6	-	-	-	-	-	0.1	0.1
Ischaemic heart disease	M	22541	110	7585	96.2	0.9	105.6	-	-	0.1	0.3	0.5	1.7	3.9
	F	16774	24	1774	42.0	0.2	22.9	0.2	-	-	0.1	0.2	0.4	0.6
Pulmonary embolism and other venous	M	1170	27	374	5.0	0.2	5.0	-	-	-	-	0.4	0.3	0.9
	F	1645	17	210	4.3	0.2	2.7	-	-	0.1	-	0.3	0.2	0.4
Cerebrovascular disease	M	15019	86	2696	62.3	0.8	38.0	0.2	0.1	0.3	0.3	1.2	1.0	2.2
	F	21577	66	1545	52.0	0.6	19.8	-	0.1	0.2	0.4	0.5	0.9	2.1
Other vascular disease	M	16220	183	3296	68.0	1.7	46.0	0.9	0.4	0.6	1.3	2.0	2.4	4.0
	F	23922	75	1291	56.0	0.8	16.6	1.2	0.2	0.8	0.5	0.7	1.0	1.2
Chronic obstructive pulmonary disease	M	12222	19	1854	49.7	0.2	27.0	-	-	-	0.2	0.3	0.3	0.4
	F	4405	12	363	10.7	0.1	4.7	0.1	-	0.1	0.2	0.2	0.1	0.1
Other respiratory disease	M	11909	228	2007	49.5	2.1	27.7	2.8	0.7	0.4	1.0	2.5	2.8	4.8
	F	12447	80	831	29.8	0.8	10.5	1.9	0.1	0.3	0.5	0.6	1.0	1.6
Peptic ulcer	M	416	1	104	1.8	0.0	1.4	-	-	-	-	-	-	0.1
	F	337	4	31	0.8	0.0	0.4	-	0.1	-	-	-	0.2	-
Liver cirrhosis	M	3539	60	2280	16.5	0.5	30.5	-	-	-	-	-	0.5	2.9
	F	1605	23	694	5.6	0.2	8.8	-	-	-	0.1	0.1	0.3	1.0
Renal disease	M	2876	15	470	11.9	0.1	6.6	-	0.1	-	0.3	0.1	0.2	0.4
	F	3010	19	310	7.5	0.2	4.0	0.1	-	-	0.2	0.5	0.2	0.3
Pregnancy, birth	F	14	12	2	0.1	0.1	0.0	-	-	-	0.1	0.2	0.2	0.3
Congenital and perinatal causes	M	1055	911	103	7.8	12.8	1.2	82.2	2.1	0.6	0.9	1.2	1.2	1.2
	F	916	752	103	6.8	11.2	1.2	71.2	1.5	1.5	1.8	1.0	0.3	0.9
Ill-defined causes	M	4288	334	1231	18.9	3.4	16.0	8.3	0.7	0.4	1.6	3.2	3.5	6.0
	F	5355	118	395	13.2	1.4	4.9	6.0	0.1	0.5	0.4	0.6	1.0	1.5
Other medical causes	M	19207	536	4083	81.3	5.6	55.5	9.5	3.7	3.5	5.1	4.3	5.0	7.9
	F	27149	335	2492	67.8	3.8	31.6	8.2	3.1	2.4	3.4	2.9	2.8	4.0
ALL NON-MEDICAL CAUSES	M	12107	4305	5254	55.2	38.2	62.8	8.3	5.9	11.1	46.1	66.3	66.3	63.1
	F	4434	1028	1439	16.6	10.1	17.0	6.3	3.3	4.9	13.7	15.8	12.6	14.1
Road traffic accidents	M	4682	2199	1916	21.5	19.7	22.8	2.6	3.3	6.8	30.1	38.8	31.0	25.2
	F	1451	573	534	6.3	5.7	6.3	2.4	1.9	3.6	9.8	10.2	6.5	5.6
Fire	M	127	27	54	0.6	0.3	0.7	0.7	0.5	-	0.1	0.1	0.3	0.4
	F	79	16	19	0.3	0.2	0.2	0.4	0.1	0.1	0.2	0.3	-	0.2
Suicide	M	2574	635	1247	11.6	5.4	15.1	-	-	0.6	5.3	9.2	12.2	10.3
	F	819	153	414	3.3	1.4	5.0	-	-	0.3	1.4	1.5	2.7	3.6
Homicide	M	298	126	160	1.4	1.1	1.8	0.2	0.1	-	0.3	1.5	2.2	3.1
	F	113	47	49	0.5	0.4	0.5	0.4	-	0.1	0.3	0.2	0.6	1.4
POPULATION:			M=male											
(1000s; UN, 2004 revision)			F=female											
				19970	9639	8450	984	980	1081	1343	1713	1843	1696	
				20747	9200	8750	931	935	1026	1273	1635	1763	1637	

2000: SPAIN

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
181.0	246.7	368.2	568.5	814.7	1401.7	2026.5	3112.8	5576.5	13785.7	M	ALL CAUSES	001-999/A00-Y89
69.7	106.0	152.4	219.4	307.0	528.4	832.0	1426.9	2959.6	11021.4	F		
0.7	0.3	0.8	1.2	1.1	2.2	4.0	5.9	12.4	20.4	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.1	-	0.2	0.2	0.4	0.6	0.9	2.8	4.6	9.0	F		
26.9	18.4	8.6	5.7	4.6	3.2	2.1	1.4	1.4	1.5	M	HIV	279.5, 279.6/B20-B24
6.0	3.8	1.7	0.6	0.1	0.3	0.5	0.3	-	-	F		
3.5	3.5	4.9	6.5	6.8	13.6	22.1	33.7	55.8	129.7	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.0	0.7	1.7	2.8	3.4	8.1	17.1	21.7	42.0	108.6	F		
27.3	66.6	141.8	248.4	380.0	630.3	871.1	1175.3	1736.3	2746.4	M	ALL CANCER	140-208/C00-C97
27.1	53.9	81.9	125.8	165.3	252.4	342.6	446.8	687.9	1241.5	F		
1.9	6.2	11.8	19.7	22.3	30.2	28.1	25.0	31.5	33.3	M	Mouth and pharynx cancer	140-149/C00-C14
0.2	0.7	1.1	2.1	2.2	2.5	3.4	4.0	4.9	12.9	F		
0.4	2.3	5.8	12.1	18.8	25.4	26.9	29.6	33.1	36.0	M	Oesophagus cancer	150/C15
0.1	0.2	0.6	0.7	1.4	1.8	1.6	2.8	4.2	10.5	F		
1.9	4.6	8.9	15.3	23.0	39.2	58.6	79.1	118.4	178.3	M	Stomach cancer	151/C16
1.2	3.5	3.7	6.3	7.4	12.0	22.3	29.6	48.3	105.4	F		
2.2	4.3	10.8	19.3	30.2	60.9	101.5	134.2	208.0	386.1	M	Colorectal cancer	153, 154/C18-C21
2.2	5.2	8.1	12.0	19.7	30.4	47.9	63.1	111.7	232.9	F		
0.5	1.7	3.7	8.8	16.5	26.8	44.8	63.1	78.4	99.0	M	Liver cancer	155.0/C22 excl C221
0.3	0.5	1.2	1.2	3.1	7.1	12.7	19.7	31.1	45.0	F		
0.9	1.9	4.1	10.1	16.5	27.4	37.3	44.0	57.7	79.7	M	Pancreas cancer	157/C25
0.6	0.9	2.2	5.1	9.0	13.7	22.3	27.7	47.1	69.5	F		
0.9	3.1	8.2	13.9	18.1	27.1	30.3	31.7	38.1	49.0	M	Larynx cancer	161/C32
-	0.3	0.4	0.2	0.2	0.3	0.6	0.5	0.7	1.3	F		
5.2	19.3	50.1	82.8	128.0	203.9	266.7	346.8	453.3	473.4	M	Lung cancer	162/C33, C34
2.5	5.9	9.1	10.9	11.4	16.5	19.0	24.1	34.9	50.1	F		
1.2	0.9	1.9	2.1	3.7	4.3	5.1	7.1	7.8	12.5	M	Malignant melanoma	172/C43
0.9	0.8	1.0	1.5	1.3	2.7	3.1	3.9	4.7	8.9	F		
8.3	16.6	24.3	35.7	41.3	55.3	58.2	66.9	87.3	153.5	F	Female breast cancer	174/C50
1.8	3.7	4.4	5.2	4.4	4.8	6.1	5.6	8.3	9.2	F	Cervix cancer	180/C53
0.2	0.6	1.9	4.9	6.5	9.3	14.6	18.5	23.9	42.1	F	Other uterine cancer	179, 182/C54, C55
1.4	2.7	4.7	11.0	13.2	18.0	19.2	23.1	31.1	33.4	F	Ovarian cancer	183/C56, C570-C574
0.1	0.1	0.9	2.9	6.2	24.0	47.8	91.5	209.7	573.0	M	Prostate cancer	185/C61
0.2	0.7	3.2	7.1	13.4	26.6	43.5	66.2	122.3	212.2	M	Bladder cancer	188/C67
0.2	-	0.6	0.8	1.3	3.2	3.3	8.4	15.3	43.3	F		
6.9	14.8	24.1	41.2	66.0	98.4	129.1	182.2	261.2	430.6	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
4.8	8.7	13.0	20.2	30.9	51.6	74.6	102.2	158.5	311.5	F		
0.3	0.8	0.7	1.3	0.5	1.2	1.2	1.9	3.7	4.7	M	Hodgkin's disease	201/C81
0.6	0.2	0.3	0.3	0.4	0.6	0.9	1.9	1.4	3.3	F		
2.7	3.2	4.2	5.9	10.6	21.2	29.6	45.1	68.8	88.8	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
1.2	1.7	2.8	4.6	7.2	14.2	22.1	29.5	49.7	61.9	F	Leukaemia	204-208/C91-C95
2.0	2.5	3.5	5.9	6.1	13.8	20.7	27.9	44.2	89.9	M		
0.7	1.8	2.6	3.2	4.5	8.5	10.9	15.4	24.5	46.6	F		
0.9	1.7	1.6	6.4	11.5	23.7	35.8	67.6	125.8	306.6	M	Diabetes	250/E10-E14
0.5	0.7	1.0	1.6	6.0	12.5	27.9	55.9	127.7	373.7	F		
22.0	44.5	76.9	133.6	196.4	373.4	571.8	959.0	1811.0	5044.9	M	ALL VASCULAR DISEASE	390-459/I00-199
7.9	13.3	22.0	32.5	56.0	123.0	229.9	493.8	1169.4	5154.7	F		
0.3	0.4	1.0	2.0	3.1	5.7	9.5	13.0	15.8	20.4	M	Rheumatic heart disease and fever	390-398/I00-I09
0.4	0.3	0.6	2.2	3.9	10.0	14.9	21.8	33.6	45.0	F		
0.3	0.7	0.9	3.1	4.2	9.8	14.5	26.0	48.8	158.6	M	Hypertensive disease	401-405/I10-I15
0.1	0.3	1.0	1.3	2.1	3.3	10.4	23.9	59.1	269.5	F		
10.5	24.5	41.4	77.1	105.0	191.8	289.3	431.5	723.0	1508.4	M	Ischaemic heart disease	410-414/I20-I25
1.4	3.6	6.7	9.6	16.9	38.0	84.0	162.1	347.2	1113.7	F		
1.2	2.1	3.8	3.4	4.4	10.2	10.2	18.7	35.9	86.5	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
0.4	0.9	1.3	1.8	2.8	4.9	6.5	15.0	32.6	106.0	F		
3.7	5.7	13.5	21.8	35.2	71.4	114.9	238.4	513.1	1552.7	M	Cerebrovascular disease	430-438/I60-I69
3.2	4.1	8.2	10.6	16.2	35.8	60.3	147.8	382.0	1630.3	F		
6.0	11.1	16.4	26.3	44.4	84.5	133.4	231.4	474.3	1718.5	M	Other vascular disease	Rest of 390-459/ rest of I00-199
2.4	4.0	4.2	6.9	14.1	31.0	53.7	123.2	314.9	1990.1	F		
0.5	1.9	3.8	6.9	18.1	51.3	106.7	215.4	471.2	1243.8	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.4	1.0	1.1	1.9	3.2	8.5	16.6	34.8	80.2	320.9	F	Other respiratory disease	Rest of 460-519/ rest of J00-J98
6.4	8.3	9.6	14.4	23.3	48.2	83.8	153.9	383.5	1315.9	M		
2.7	3.1	4.5	5.3	9.3	15.4	32.8	71.6	186.4	986.6	F		
0.2	0.3	0.9	1.4	1.4	2.9	2.9	6.4	13.6	38.2	M	Peptic ulcer	531-533/K25-K27
0.2	0.1	0.1	0.2	0.2	0.7	1.1	2.7	6.4	23.7	F		
5.7	13.1	19.8	30.5	35.2	52.4	56.7	59.1	69.7	64.9	M	Liver cirrhosis	571/K70, K74
1.8	2.1	5.6	7.6	10.2	14.9	19.3	25.9	39.5	31.7	F		
0.7	1.4	2.2	2.7	6.1	12.3	21.0	44.0	89.2	321.2	M	Renal disease	580-590/N00-N19
0.4	0.6	1.3	1.5	2.8	7.4	14.1	23.9	57.4	209.1	F		
0.1	0.1	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34,000-099
1.4	1.1	0.8	1.7	1.0	1.2	1.3	0.6	4.4	2.3	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.7	1.3	1.0	0.7	1.1	1.9	1.8	1.4	1.9	3.3	F	Ill-defined causes	780-799/R00-R99
7.8	9.2	10.4	12.1	16.6	24.5	31.1	43.6	82.5	400.5	M		
1.9	2.3	2.9	3.9	3.4	7.4	12.2	19.2	53.6	447.3	F		
13.6	17.7	27.0	39.5	52.9	91.3	146.5	259.3	592.2	1918.8	M	Other medical causes	Rest of 001-799/ rest of A00-R99
6.7	10.1	13.0	18.9	29.2	54.4	88.7	187.9	449.9	1990.2	F		
63.5	58.6	59.1	57.5	59.4	71.2	69.9	87.6	127.4	230.7	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
12.2	12.9	14.2	16.0	16.4	20.9	26.4	38.3	52.8	121.1	F		
23.1	22.3	21.7	21.1	23.3	24.9	23.1	27.0	31.7	33.9	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
4.6	5.5	5.5	6.3	6.0	6.9	9.0	10.3	13.5	13.6	F		
0.5	0.4	0.9	0.5	0.7	1.0	0.7	0.9	3.4	4.0	M	Fire	E890-E899/X00-X09
0.2	0.2	0.4	-	0.2	-	0.4	0.4	1.4	3.1	F		
13.6	12.9	13.8	13.2	14.1	17.9	20.4	24.3	34.7	61.7	M	Suicide	E950-E959/X60-X84
2.9	3.5	4.1	5.3	4.8	7.1	6.9	8.3	8.7	10.1	F		
2.1	2.5	2.2	1.5	1.6	1.8	0.9	0.2	0.7	1.3	M	Homicide	E960-E969/ X85-X99, Y00-Y09
0.7	0.8	0.5	0.7	0.5	0.2	0.4	0.5	1.0	0.4	F		
1621	1491	1250	1177	1058	865	987	845	565	472	M	POPULATION	
1603	1499	1260	1203	1108	947	1131	1053	803	941	F	(1000s; UN, 2004 revision)	

SWEDEN: 2000

		No. of deaths			Standardised rates			Annual death rates / 100,000						
		<small>(Source: WHO)</small>			<small>(defined overleaf)</small>			<small>(zero denoted by -)</small>						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	45710	1077	10394	729.2	55.3	638.3	89.1	9.7	13.9	47.7	76.6	74.2	75.6
	F	47806	490	6708	492.0	26.9	397.7	64.1	9.6	12.9	23.2	24.9	25.7	27.9
Tuberculosis	M	36	-	1	0.5	-	0.1	-	-	-	-	-	-	-
	F	33	1	2	0.4	0.0	0.1	-	-	-	-	-	0.3	-
HIV	M	22	2	20	0.5	0.1	1.0	-	-	-	-	-	-	0.6
	F	4	-	4	0.1	-	0.2	-	-	-	-	-	-	-
Other infective and parasitic	M	435	13	81	6.8	0.7	4.9	3.0	0.3	0.7	0.4	0.4	0.3	-
	F	477	4	60	4.7	0.2	3.5	0.4	0.3	-	0.8	-	-	-
ALL CANCER	M	11033	120	3330	183.9	5.9	209.5	1.7	2.6	4.1	6.9	5.7	8.3	11.7
	F	10120	75	3414	139.0	3.8	199.4	2.2	3.8	3.6	2.0	4.0	4.5	6.7
Mouth and pharynx cancer	M	162	5	73	3.0	0.2	4.3	-	-	-	-	-	0.3	1.2
	F	104	-	36	1.4	-	2.2	-	-	-	-	-	-	2.2
Oesophagus cancer	M	246	3	107	4.4	0.1	6.7	-	-	-	-	-	0.3	0.6
	F	108	-	30	1.4	-	1.9	-	-	-	-	-	-	-
Stomach cancer	M	503	2	149	8.3	0.1	9.3	-	-	-	-	-	0.3	0.3
	F	359	1	101	4.5	0.0	6.0	-	-	-	-	-	0.3	-
Colorectal cancer	M	1231	6	372	20.5	0.3	23.7	-	-	-	0.4	-	0.3	1.2
	F	1270	5	318	15.7	0.3	19.2	-	-	-	0.4	-	1.0	0.3
Liver cancer	M	261	-	79	4.3	-	4.9	-	-	-	-	-	-	-
	F	205	-	46	2.5	-	2.8	-	-	-	-	-	-	-
Pancreas cancer	M	666	4	253	11.5	0.2	15.9	-	-	-	-	0.4	0.3	0.6
	F	785	1	231	10.3	0.1	13.9	-	-	-	-	0.4	-	-
Larynx cancer	M	44	-	17	0.8	-	1.1	-	-	-	-	-	-	-
	F	16	-	6	0.2	-	0.4	-	-	-	-	-	-	-
Lung cancer	M	1766	-	731	31.4	-	46.5	-	-	-	-	-	-	-
	F	1220	1	578	19.3	0.1	34.3	-	-	-	-	0.4	-	-
Malignant melanoma	M	222	7	95	4.0	0.3	5.3	-	-	-	-	-	0.3	1.8
	F	148	1	68	2.3	0.0	3.7	-	-	-	-	-	-	0.3
Female breast cancer	F	1526	6	710	23.6	0.3	39.2	-	-	-	-	-	0.7	1.3
Cervix cancer	F	171	4	80	2.7	0.2	4.6	-	-	-	-	-	0.3	1.0
Other uterine cancer	F	315	-	74	4.0	-	4.5	-	-	-	-	-	-	-
Ovarian cancer	F	656	6	328	10.6	0.3	18.6	-	-	-	0.4	0.4	-	1.3
Prostate cancer	M	2501	-	318	37.1	-	22.1	-	-	-	-	-	-	-
Bladder cancer	M	428	-	81	6.6	-	5.4	-	-	-	-	-	-	-
	F	193	-	24	2.0	-	1.4	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	1971	62	718	34.3	3.0	43.2	0.4	1.9	2.4	2.7	4.2	4.7	4.9
	F	2128	36	572	27.3	1.9	33.8	1.8	2.4	2.9	0.8	1.6	1.7	1.9
Hodgkin's disease	M	24	4	11	0.5	0.2	0.7	-	0.3	-	-	0.4	0.7	-
	F	14	2	2	0.2	0.1	0.1	-	-	0.4	-	0.4	-	-
Myeloma and non-Hodgkin lymphomas	M	618	5	199	10.5	0.3	12.4	-	-	-	1.2	0.4	0.3	-
	F	575	2	131	7.0	0.1	8.1	-	-	0.4	-	-	-	0.3
Leukaemia	M	390	22	127	6.8	1.1	7.7	1.3	0.3	1.7	2.7	0.4	0.7	0.9
	F	327	10	79	4.1	0.5	4.6	0.4	1.4	-	0.4	0.8	0.3	0.3
Diabetes	M	848	5	194	13.4	0.2	11.7	-	-	-	0.4	-	1.0	0.3
	F	922	4	115	9.2	0.2	7.0	-	-	-	0.4	0.4	0.3	0.3
ALL VASCULAR DISEASE	M	20877	50	3761	317.8	2.4	239.4	0.4	-	0.3	1.5	3.4	4.3	6.8
	F	22400	27	1433	197.5	1.4	89.1	1.3	-	0.4	2.4	1.2	2.7	1.9
Rheumatic heart disease and fever	M	53	-	6	0.8	-	0.4	-	-	-	-	-	-	-
	F	97	1	6	1.0	0.0	0.4	-	-	-	-	-	0.3	-
Hypertensive disease	M	265	-	33	3.9	-	2.1	-	-	-	-	-	-	-
	F	459	-	20	3.9	-	1.3	-	-	-	-	-	-	-
Ischaemic heart disease	M	10957	10	2366	171.0	0.4	150.1	-	-	-	-	-	0.7	2.5
	F	9171	4	695	83.4	0.2	43.8	-	-	-	0.4	0.4	0.3	0.3
Pulmonary embolism and other venous	M	381	3	99	6.1	0.1	6.3	-	-	0.3	-	-	0.3	0.3
	F	529	3	81	5.7	0.2	4.8	-	-	-	0.8	-	-	0.3
Cerebrovascular disease	M	4215	6	585	62.4	0.3	37.7	-	-	-	0.8	-	0.7	0.6
	F	5978	4	378	52.4	0.2	23.3	-	-	-	0.4	0.4	0.3	0.3
Other vascular disease	M	5006	31	672	73.6	1.5	42.7	0.4	-	-	0.8	3.4	2.7	3.4
	F	6166	15	253	51.1	0.8	15.5	1.3	-	0.4	0.8	0.4	1.7	1.0
Chronic obstructive pulmonary disease	M	1364	4	192	20.5	0.2	13.1	-	-	-	0.4	0.4	0.3	0.3
	F	1170	2	240	13.7	0.1	15.5	-	-	-	-	-	-	0.6
Other respiratory disease	M	1958	15	186	27.9	0.7	11.6	0.8	-	0.3	-	1.1	1.7	1.2
	F	2227	6	116	18.7	0.3	6.6	0.4	0.3	0.4	0.4	0.4	-	0.3
Peptic ulcer	M	212	-	51	3.3	-	3.2	-	-	-	-	-	-	-
	F	228	-	27	2.2	-	1.6	-	-	-	-	-	-	-
Liver cirrhosis	M	318	1	212	6.3	0.0	12.1	-	-	-	-	-	-	0.3
	F	190	1	111	3.4	0.1	6.5	0.4	-	-	-	-	-	-
Renal disease	M	405	2	34	5.8	0.1	2.3	-	-	0.3	-	-	0.3	-
	F	351	1	32	3.3	0.1	2.0	-	-	0.4	-	-	-	-
Pregnancy, birth	F	4	3	1	0.1	0.1	0.0	-	-	-	-	-	0.3	0.6
Congenital and perinatal causes	M	219	161	32	6.3	9.5	1.8	60.0	1.3	0.7	1.2	0.8	1.3	1.2
	F	190	135	28	5.4	8.2	1.5	48.1	2.4	1.1	0.8	1.2	1.7	2.2
Ill-defined causes	M	891	42	202	14.4	2.4	11.9	11.8	-	-	0.8	1.5	2.0	0.6
	F	1646	26	95	14.2	1.6	5.6	7.6	-	1.1	-	2.0	-	0.3
Other medical causes	M	4392	127	943	69.0	6.3	54.4	7.2	2.3	3.1	2.7	8.0	9.7	11.4
	F	6277	59	576	58.5	3.1	34.6	2.2	2.4	1.4	1.6	4.7	4.8	4.2
ALL NON-MEDICAL CAUSES	M	2700	535	1155	52.8	26.7	61.5	4.2	3.2	4.4	33.5	55.4	44.9	41.2
	F	1567	146	454	21.7	7.7	24.4	1.3	0.3	4.7	14.6	11.1	11.0	10.6
Road traffic accidents	M	412	171	157	9.0	8.7	8.1	0.8	1.0	1.7	17.3	19.0	12.0	9.2
	F	138	42	48	2.7	2.2	2.6	-	-	2.9	4.1	4.4	1.7	2.6
Fire	M	54	8	30	1.1	0.4	1.7	0.4	0.3	-	0.8	-	1.0	0.3
	F	36	2	14	0.5	0.1	0.8	-	-	0.4	0.4	-	-	-
Suicide	M	802	178	444	16.7	8.7	23.3	-	-	0.3	8.1	15.9	16.6	19.7
	F	328	57	202	6.7	3.0	10.6	-	-	0.4	6.5	4.0	5.5	4.5
Homicide	M	55	25	29	1.3	1.3	1.5	-	0.3	0.3	1.9	3.0	1.7	1.5
	F	35	10	18	0.7	0.5	1.0	0.4	-	0.7	0.4	0.4	0.7	1.0
POPULATION:			M=male		4392.2	1988.5	1932.1	236.8	307.8	294.4	259.9	263.7	300.4	325.5
(1000s; UN, 2004 revision)			F=female		4485.2	1899.0	1905.8	224.6	293.1	279.3	246.0	252.8	291.8	311.4

2000: SWEDEN

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+ /NK			
98.5	152.9	260.5	404.9	630.6	1089.1	1831.9	3157.1	5343.8	13496.1	M	ALL CAUSES	001-999/A00-Y89
65.7	93.4	169.9	272.2	450.3	685.1	1047.1	1752.9	3169.5	10849.6	F		
-	-	-	-	-	-	0.5	3.0	8.7	10.9	M	Tuberculosis	010-018, 137/ A15-A19, B90
-	-	-	-	-	0.5	0.5	2.5	5.6	4.9	F		
0.6	1.3	2.4	0.6	1.0	0.5	0.5	-	-	-	M	HIV	279.5, 279.6/B20-B24
0.7	-	-	-	-	0.5	0.5	-	-	-	F		
0.6	1.3	2.0	4.0	5.2	8.3	12.6	22.8	57.0	140.1	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33, A34
0.7	1.0	0.7	1.9	7.1	2.7	10.5	14.6	32.0	112.8	F		
12.8	28.1	58.2	121.5	209.2	408.3	628.0	1028.8	1471.2	2359.9	M	ALL CANCER	140-208/C00-C97
25.0	44.1	95.7	153.4	261.6	351.6	464.4	689.0	873.2	1244.2	F		
0.3	0.3	1.3	2.7	7.6	9.7	8.2	18.6	14.7	19.9	M	Mouth and pharynx cancer	140-149/C00-C14
-	-	1.0	1.6	1.8	6.8	4.0	8.1	7.1	13.4	F		
-	0.7	0.7	2.7	9.6	14.8	18.7	20.4	30.8	36.0	M	Oesophagus cancer	150/C15
-	-	1.4	0.3	1.4	5.4	4.5	6.0	10.7	15.8	F		
0.6	1.3	2.7	5.5	10.0	18.0	26.9	44.4	69.0	112.5	M	Stomach cancer	151/C16
-	1.7	2.1	3.1	8.5	11.3	15.5	18.1	30.9	56.2	F		
1.3	4.0	5.0	13.4	19.3	49.9	73.1	120.5	165.5	260.3	M	Colorectal cancer	153, 154/C18-C21
0.7	2.1	9.3	12.1	20.5	32.2	57.7	84.0	111.6	196.8	F		
-	0.3	1.3	3.7	6.2	8.8	13.7	25.8	41.6	49.5	M	Liver cancer	155.0/C22 excl C221
-	0.3	0.7	1.9	3.9	5.4	7.0	14.1	21.8	30.9	F		
0.3	1.7	2.7	11.3	17.9	27.7	49.5	61.8	88.5	111.8	M	Pancreas cancer	157/C25
1.0	1.0	3.5	9.0	18.7	27.2	36.6	57.9	81.2	97.7	F		
-	0.3	0.3	0.3	1.0	2.8	2.7	6.0	4.0	7.1	M	Larynx cancer	161/C32
-	-	-	0.3	-	1.8	0.5	1.0	1.0	2.1	F		
-	3.0	12.8	22.3	48.6	100.7	138.5	203.2	233.2	223.7	M	Lung cancer	162/C33, C34
1.3	4.2	12.8	24.0	46.7	66.7	84.8	103.2	104.5	80.8	F		
0.3	3.7	3.0	6.1	7.9	4.6	11.5	25.8	21.4	28.9	M	Malignant melanoma	172/C43
1.3	1.0	2.1	5.0	6.0	4.5	6.0	8.1	10.1	15.1	F		
10.5	18.4	31.4	37.0	57.3	65.3	54.7	91.1	92.3	157.1	F	Female breast cancer	174/C50
2.6	3.5	2.1	2.5	3.5	6.8	11.5	11.1	10.7	15.5	F	Cervix cancer	180/C53
0.3	0.3	1.4	3.4	4.9	5.9	15.0	33.2	28.9	41.5	F	Other uterine cancer	179, 182/C54, C55
1.3	3.5	7.9	21.8	27.2	33.1	35.6	43.8	56.3	43.6	F	Ovarian cancer	183/C56, C570-C574
0.3	-	0.7	5.5	11.4	43.0	94.0	199.6	392.8	812.3	M	Prostate cancer	185/C61
-	0.3	0.3	0.9	5.9	9.2	21.4	37.8	60.3	124.7	M	Bladder cancer	188/C67
-	-	0.7	1.6	1.4	3.2	3.0	10.6	20.3	37.9	F		
6.6	9.4	19.9	31.1	46.9	81.8	107.1	163.7	231.2	368.3	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
3.9	6.6	15.9	23.6	44.9	48.5	92.8	137.9	189.2	306.7	F		
0.3	0.3	-	-	-	2.3	2.2	0.6	1.3	3.9	M	Hodgkin's disease	201/C81
-	-	-	-	-	-	1.0	2.0	1.0	1.4	F		
0.9	1.0	4.7	8.9	11.0	22.6	37.9	64.7	73.1	126.6	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/ C82-C90, C96
0.7	0.3	2.1	4.4	7.4	16.8	25.1	42.3	60.9	83.6	F		
1.9	1.7	2.7	7.0	5.9	12.5	22.5	36.0	43.6	74.6	M	Leukaemia	204-208/C91-C95
1.3	1.0	1.4	1.9	7.4	10.4	9.0	16.6	34.5	48.1	F		
2.2	2.0	7.7	8.2	12.4	16.6	32.4	65.3	100.5	250.6	M	Diabetes	250/E10-E14
2.0	1.0	1.4	4.7	6.0	13.6	20.1	38.2	67.0	209.1	F		
13.1	28.8	76.1	128.2	225.4	407.9	796.7	1414.3	2546.2	7010.3	M	ALL VASCULAR DISEASE	390-459/I00-I99
7.9	13.5	23.1	43.2	73.9	160.6	301.4	636.1	1428.7	5924.1	F		
-	-	-	-	-	1.4	1.6	3.6	9.4	17.4	M	Rheumatic heart disease and fever	390-398/I00-I09
-	0.3	-	-	0.4	0.5	1.5	7.5	8.1	20.7	F		
-	0.3	1.0	0.6	1.7	4.2	7.1	18.6	31.5	99.0	M	Hypertensive disease	401-405/I10-I15
-	-	-	0.3	0.4	2.7	6.0	10.6	28.9	126.8	F		
5.6	14.4	45.4	84.9	149.6	263.7	487.4	840.5	1333.1	3335.5	M	Ischaemic heart disease	410-414/I20-I25
1.3	4.2	10.7	19.0	33.2	85.3	153.0	314.0	638.8	2315.2	F		
0.9	0.3	0.7	2.7	6.5	13.4	19.8	27.0	51.6	100.9	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
1.3	2.1	2.8	2.8	4.2	7.7	12.5	27.7	47.2	104.4	F		
2.5	3.7	11.1	20.2	31.4	60.0	135.2	272.2	553.6	1506.4	M	Cerebrovascular disease	430-438/I60-I69
3.0	4.2	6.6	11.5	20.5	43.6	73.7	154.5	392.2	1586.8	F		
4.1	10.0	17.8	19.8	36.2	65.1	145.6	252.4	567.0	1951.2	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
2.3	2.8	3.1	9.6	15.2	20.9	54.7	121.8	313.5	1770.2	F		
0.6	0.3	1.3	4.3	7.9	23.6	53.3	117.5	203.1	429.9	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.7	1.0	1.0	6.5	8.8	25.0	65.7	80.5	123.3	184.5	F		
2.2	3.0	4.4	8.2	7.6	18.0	37.9	76.1	195.7	859.9	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
1.0	2.8	4.1	7.2	8.1	7.3	15.5	39.3	92.3	648.3	F		
0.3	-	1.0	2.4	3.1	5.1	10.4	12.6	29.5	61.7	M	Peptic ulcer	531-533/K25-K27
-	-	0.7	1.2	1.8	3.6	4.0	6.5	13.7	56.6	F		
-	3.0	8.1	11.9	20.0	18.0	23.6	26.4	24.8	15.4	M	Liver cirrhosis	571/K70, K74
0.3	0.7	3.5	6.8	5.3	18.1	10.5	16.1	13.2	7.0	F		
-	-	0.3	0.9	2.1	3.2	9.3	22.8	53.6	161.3	M	Renal disease	580-590/N00-N19
-	-	0.3	1.6	2.5	2.3	7.0	13.1	24.4	85.7	F		
-	-	-	0.3	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34, O00-O99
0.3	0.7	0.7	1.8	2.8	3.7	2.7	6.0	3.4	7.1	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
0.7	-	1.0	2.5	2.1	3.2	1.0	3.5	3.6	4.6	F		
2.5	3.7	7.1	7.6	14.8	19.9	28.0	39.0	53.6	322.6	M	Ill-defined causes	780-799/R00-R99
0.7	0.3	3.1	4.0	6.0	12.3	13.0	16.6	44.6	493.3	F		
18.8	25.1	32.3	47.9	53.1	88.2	115.4	213.4	449.1	1475.6	M	Other medical causes	Rest of 001-799/ rest of A00-R99
5.3	9.4	15.5	17.4	38.2	56.7	99.8	157.5	385.6	1605.4	F		
44.4	55.5	58.9	57.1	66.2	67.9	80.2	109.1	147.5	390.7	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
21.0	19.5	19.7	21.5	29.0	27.2	33.1	39.3	62.4	269.1	F		
6.6	10.0	9.8	7.3	7.6	9.2	6.0	15.0	20.1	18.6	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
3.3	1.7	2.8	1.6	1.8	5.0	2.0	5.0	9.1	7.0	F		
0.6	1.0	1.0	1.5	2.1	2.8	2.7	4.2	0.7	5.1	M	Fire	E890-E899/X00-X09
-	0.3	0.3	0.9	1.1	1.4	1.5	1.5	1.5	4.9	F		
20.6	21.7	23.9	22.3	24.8	19.9	29.7	31.2	38.2	45.6	M	Suicide	E950-E959/X60-X84
10.8	10.1	9.7	10.3	13.1	10.0	10.0	10.1	9.1	10.9	F		
1.3	2.0	1.3	1.5	1.0	1.8	1.6	-	-	0.6	M	Homicide	E960-E969/ X85-X99, Y00-Y09
1.0	2.1	0.3	0.9	-	0.9	1.5	0.5	1.5	1.1	F		
319.9	298.9	297.1	327.5	290.2	216.5	182.0	166.8	149.2	155.6	M	POPULATION	
304.3	287.9	289.5	321.4	282.9	220.4	199.4	198.7	197.1	284.6	F	(1000s; UN, 2004 revision)	

SWITZERLAND: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	30411	1200	8783	744.3	76.2	686.3	127.2	13.9	19.7	55.6	106.3	110.9	99.7
	F	32134	566	4937	466.9	36.8	348.1	101.4	7.6	13.4	22.9	33.0	40.0	39.5
Tuberculosis	M	22	-	3	0.5	-	0.2	-	-	-	-	-	-	-
	F	11	-	3	0.2	-	0.2	-	-	-	-	-	-	-
HIV	M	86	18	65	2.2	1.0	3.6	-	-	-	-	-	2.2	4.6
	F	49	12	37	1.3	0.7	2.0	-	-	-	0.5	0.5	2.9	1.0
Other infective and parasitic	M	230	15	80	5.8	1.0	5.9	3.0	-	0.9	-	1.0	0.9	1.1
	F	315	12	50	4.9	0.8	3.7	3.1	-	0.5	-	1.0	0.4	0.7
ALL CANCER	M	8575	82	3296	215.8	5.1	266.2	2.5	2.7	4.1	3.8	7.9	5.3	9.1
	F	6934	82	2507	126.9	4.9	176.1	1.6	2.8	2.9	2.9	5.3	11.1	8.0
Mouth and pharynx cancer	M	275	3	179	7.4	0.2	13.4	0.5	-	-	-	0.5	-	0.4
	F	91	-	48	1.9	-	3.4	-	-	-	-	-	-	-
Oesophagus cancer	M	289	-	150	7.5	-	11.9	-	-	-	-	-	-	-
	F	95	-	29	1.6	-	2.0	-	-	-	-	-	-	-
Stomach cancer	M	343	3	122	8.5	0.2	9.4	-	-	-	-	-	-	1.1
	F	232	6	63	3.9	0.3	4.5	-	-	-	-	-	1.7	0.7
Colorectal cancer	M	929	2	309	23.0	0.1	25.4	-	-	-	-	-	0.4	0.4
	F	791	1	224	13.2	0.1	16.3	-	-	-	-	0.5	-	-
Liver cancer	M	345	1	157	8.9	0.1	13.1	-	-	-	-	-	-	0.4
	F	156	-	44	2.8	-	3.1	-	-	-	-	-	-	-
Pancreas cancer	M	401	2	176	10.3	0.1	14.2	-	-	-	-	-	-	0.7
	F	465	2	132	7.9	0.1	9.8	-	-	-	-	-	0.4	0.3
Larynx cancer	M	87	-	45	2.3	-	3.5	-	-	-	-	-	-	-
	F	17	-	7	0.3	-	0.5	-	-	-	-	-	-	-
Lung cancer	M	2044	3	976	53.0	0.2	79.3	-	-	-	-	0.5	-	0.7
	F	781	4	387	15.9	0.2	27.5	-	-	-	-	-	0.8	0.7
Malignant melanoma	M	141	3	72	3.6	0.2	5.4	-	-	-	-	-	0.4	0.7
	F	98	7	38	1.9	0.4	2.5	-	-	-	-	0.5	1.7	0.7
Female breast cancer	F	1337	9	637	26.4	0.5	43.2	-	-	-	-	-	0.8	2.4
Cervix cancer	F	85	3	44	1.7	0.2	2.8	-	-	-	-	-	0.4	0.7
Other uterine cancer	F	204	-	63	3.5	-	4.4	-	-	-	-	-	-	-
Ovarian cancer	F	420	2	151	7.7	0.1	11.0	-	-	-	0.5	-	0.4	-
Prostate cancer	M	1307	-	189	30.4	-	17.2	-	-	-	-	-	-	-
Bladder cancer	M	280	-	74	6.8	-	6.3	-	-	-	-	-	-	-
	F	156	-	33	2.5	-	2.4	-	-	-	-	-	-	-
Other and ill-defined cancer sites	M	1486	46	606	37.7	2.9	47.8	2.0	1.3	1.8	2.9	5.4	3.1	3.9
	F	1380	34	414	24.4	2.2	29.1	1.6	1.4	1.4	2.4	3.8	2.5	2.1
Hodgkin's disease	M
	F
Myeloma and non-Hodgkin lymphomas	M	399	2	146	10.0	0.1	11.9	-	-	-	-	0.5	-	0.4
	F	396	5	131	7.2	0.3	9.3	-	0.5	0.5	-	-	0.8	0.3
Leukaemia	M	249	17	95	6.4	1.1	7.3	-	1.3	2.3	1.0	1.0	1.3	0.7
	F	230	9	62	4.0	0.6	4.3	-	0.9	1.0	-	0.5	1.7	-
Diabetes	M	626	2	168	15.2	0.1	14.1	-	-	-	-	-	0.4	0.4
	F	932	-	100	12.5	-	7.6	-	-	-	-	-	-	-
ALL VASCULAR DISEASE	M	11011	46	2372	259.7	2.7	193.0	3.0	-	0.5	2.9	2.0	3.5	7.4
	F	13899	27	845	173.0	1.6	63.1	1.6	-	0.5	0.5	1.4	2.1	4.9
Rheumatic heart disease and fever	M	38	-	4	0.9	-	0.3	-	-	-	-	-	-	-
	F	97	-	7	1.2	-	0.6	-	-	-	-	-	-	-
Hypertensive disease	M	550	-	117	13.0	-	9.8	-	-	-	-	-	-	-
	F	1028	-	46	12.5	-	3.5	-	-	-	-	-	-	-
Ischaemic heart disease	M	5346	12	1291	127.3	0.6	105.5	-	-	-	-	0.5	0.9	3.2
	F	5360	2	341	66.9	0.1	26.0	-	-	-	-	-	-	0.7
Pulmonary embolism and other venous	M
	F
Cerebrovascular disease	M	1758	2	276	40.6	0.1	22.6	-	-	-	-	-	-	0.7
	F	2820	6	175	35.4	0.3	12.7	-	-	0.5	-	-	0.8	1.0
Other vascular disease, incl. venous	M	3319	32	684	77.9	2.0	54.8	3.0	-	0.5	2.9	1.5	2.6	3.5
	F	4594	19	276	56.9	1.1	20.3	1.6	-	-	0.5	1.4	1.2	3.1
Chronic obstructive pulmonary disease	M	1186	4	213	28.0	0.2	18.8	-	0.4	-	-	-	0.9	0.4
	F	687	-	98	10.1	-	7.3	-	-	-	-	-	-	-
Other respiratory disease	M	1231	7	146	28.0	0.5	12.2	0.5	-	0.5	0.5	0.5	0.9	0.4
	F	1521	8	90	18.8	0.5	6.5	1.6	-	0.5	0.5	-	-	1.0
Peptic ulcer	M	100	-	23	2.4	-	1.8	-	-	-	-	-	-	-
	F	145	-	14	2.0	-	1.1	-	-	-	-	-	-	-
Liver cirrhosis & other liver disease	M	459	2	304	12.2	0.1	22.3	0.5	-	-	-	-	-	0.4
	F	219	4	136	4.8	0.2	9.2	-	-	-	-	-	0.4	1.0
Renal disease	M
	F
Pregnancy, birth	F	5	4	1	0.1	0.2	0.1	-	-	-	-	-	0.8	0.7
Congenital and perinatal causes	M	233	192	25	8.4	13.4	1.7	83.3	0.9	1.8	1.0	3.0	2.2	1.4
	F	214	150	42	7.4	10.9	2.7	67.8	0.5	2.9	0.5	1.9	1.7	1.0
Ill-defined causes	M	1002	78	372	25.3	5.0	27.7	10.8	1.3	1.4	2.4	5.4	7.5	6.0
	F	1001	47	166	15.3	3.2	11.7	12.9	-	1.0	2.4	3.8	0.8	1.7
Other medical causes	M	3275	176	684	77.9	10.9	52.1	11.3	1.8	3.2	4.3	14.8	22.8	17.9
	F	4833	66	446	64.4	4.2	31.6	6.7	0.5	2.4	2.9	6.7	3.7	6.3
ALL NON-MEDICAL CAUSES	M	2375	578	1032	63.0	36.3	66.8	12.3	6.7	7.3	40.7	71.7	64.4	50.9
	F	1369	154	402	25.2	9.6	25.3	6.2	3.8	2.9	12.7	12.4	16.1	12.9
Road traffic accidents	M
	F
Fire	M	22	7	9	0.6	0.5	0.7	1.5	0.4	-	1.0	-	-	0.4
	F	14	1	7	0.3	0.1	0.4	-	-	-	-	0.5	-	-
Suicide	M	979	230	536	26.2	14.1	33.4	-	-	1.8	12.9	25.7	34.6	23.9
	F	399	68	220	9.3	4.0	13.7	-	-	0.5	3.9	5.7	9.5	8.4
Homicide	M	25	14	9	0.7	0.9	0.6	1.5	-	-	0.5	2.0	1.3	1.1
	F	32	16	13	0.9	1.0	0.7	1.6	-	1.0	0.5	1.9	0.4	1.7
POPULATION:			M=male		3480.6	1567.5	1614.8	202.9	222.5	218.1	208.8	202.3	228.1	284.8
(1000s; UN, 2004 revision)			F=female		3686.9	1556.1	1661.3	193.3	210.6	209.1	205.4	209.2	242.4	286.1

2000: SWITZERLAND

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
117.8	175.5	275.9	452.4	714.3	1150.8	1917.5	3048.5	5340.1	12941.5	M	ALL CAUSES	001-999/A00-Y89
69.9	97.5	145.8	241.4	394.4	577.2	910.6	1568.6	2846.9	10802.0	F		
-	0.3	-	-	-	0.6	0.7	1.7	2.3	16.0	M	Tuberculosis	010-018/A15-A19
-	0.4	-	-	-	1.1	-	0.7	-	3.7	F		
7.2	4.9	4.9	1.7	3.7	1.2	1.4	1.7	-	1.1	M	HIV	279.5, 279.6/B20-B24
4.3	4.7	2.0	0.4	1.3	0.5	0.6	-	-	-	F		
1.9	2.4	4.1	3.8	6.5	9.1	13.5	24.2	41.7	74.5	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
0.3	-	2.4	1.6	3.1	7.5	10.9	16.3	37.9	94.0	F		
16.6	37.4	66.5	168.8	302.8	511.2	760.3	1192.2	1685.8	2471.3	M	ALL CANCER	140-208/C00-C97
24.7	41.7	81.3	130.9	222.1	311.1	421.1	602.6	792.3	1267.3	F		
0.3	2.1	4.9	15.9	24.0	19.5	27.0	26.8	29.3	38.3	M	Mouth and pharynx cancer	140-149/C00-C14
0.7	-	1.2	2.8	4.8	8.6	5.4	7.5	6.1	12.6	F		
-	1.0	2.8	9.2	18.9	18.2	33.4	43.3	40.5	56.4	M	Oesophagus cancer	150/C15
-	0.4	0.4	1.6	3.5	4.8	3.6	7.5	10.6	21.5	F		
1.3	0.7	4.1	7.1	14.7	15.8	22.0	45.9	74.3	105.3	M	Stomach cancer	151/C16
1.0	-	1.6	3.2	5.2	10.7	9.7	15.6	21.2	58.8	F		
2.5	3.5	6.5	13.8	24.0	45.6	81.8	137.7	198.2	301.1	M	Colorectal cancer	153, 154/C18-C21
1.3	1.8	6.0	9.6	19.2	29.4	46.5	57.7	100.1	183.3	F		
0.3	1.0	4.1	5.8	11.5	29.8	39.1	46.8	86.7	59.6	M	Liver cancer	155.0, 155.1/C22
0.3	1.1	0.8	1.6	5.2	4.3	8.5	22.4	19.0	28.4	F		
1.6	2.8	2.0	9.2	15.7	27.4	40.5	71.0	73.2	80.9	M	Pancreas cancer	157/C25
0.3	1.1	2.4	3.6	12.7	18.7	29.6	43.5	62.9	96.6	F		
-	0.3	0.4	2.5	6.5	7.3	7.8	13.9	15.8	12.8	M	Larynx cancer	161/C32
-	-	0.4	0.8	-	0.5	1.8	0.7	0.8	4.2	F		
1.9	7.6	19.5	50.5	92.2	166.0	217.6	322.9	402.0	356.4	M	Lung cancer	162/C33, C34
1.6	3.6	11.2	25.7	35.9	39.0	75.5	80.2	81.9	86.1	F		
2.2	1.7	-	4.6	6.9	9.7	12.8	14.7	22.5	30.9	M	Malignant melanoma	172/C43
1.6	-	2.0	2.4	3.1	3.7	4.8	9.5	8.3	14.7	F		
5.6	16.6	27.6	38.6	59.5	78.0	76.7	101.9	116.0	203.8	F	Female breast cancer	174/C50
2.0	2.5	2.8	1.6	3.1	3.7	3.6	6.8	3.8	12.1	F	Cervix cancer	180/C53
0.3	0.4	2.8	4.0	5.2	8.0	10.3	15.6	28.8	42.0	F	Other uterine cancer	179, 182/C54, C55
1.0	0.7	3.2	4.4	14.4	27.3	26.0	39.4	56.1	70.9	F	Ovarian cancer	183.0/C56
-	-	-	3.8	8.8	37.1	71.1	151.5	295.0	724.5	M	Prostate cancer	185/C61
-	-	1.2	4.6	4.6	12.8	20.6	36.4	47.3	129.8	M	Bladder cancer	188/C67
-	0.7	1.2	1.6	1.3	4.3	7.9	16.3	12.1	43.6	F		
5.3	12.1	14.2	30.1	55.8	85.1	132.3	191.3	269.1	397.9	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
5.3	9.7	11.6	20.5	33.2	50.2	73.1	120.9	172.1	276.8	F		
...	M	Hodgkin's disease	Not given separately
...	F		
-	2.8	5.3	5.8	9.2	24.9	35.6	57.1	89.0	112.8	M	Myeloma and non-Hodgkin lymphomas	200, 202-203/C82-C85, C90
2.3	1.4	4.0	6.0	10.1	15.0	26.6	36.0	67.5	62.0	F	Leukaemia	204-208/C91-C95
1.3	1.7	1.6	5.8	10.1	12.2	18.5	32.9	42.8	64.9	M		
1.3	1.8	2.0	2.8	5.7	4.8	11.5	21.1	25.0	49.9	F		
0.3	1.4	5.3	5.4	14.3	20.7	51.2	83.1	129.5	260.6	M	Diabetes	250/E10-E14
1.0	0.4	1.2	4.4	6.1	10.2	29.6	47.6	91.7	336.7	F		
15.7	36.1	64.9	110.3	182.0	312.5	629.4	1045.0	2004.5	5963.8	M	ALL VASCULAR DISEASE	390-459/I00-199
6.3	9.7	20.4	30.5	46.8	103.2	224.8	470.8	1121.3	5701.2	F		
-	-	-	0.8	-	0.6	0.7	2.6	5.6	27.7	M	Rheumatic heart disease and fever	390-398/I00-I09
-	-	-	-	-	1.6	2.4	3.4	12.1	36.2	F		
0.3	1.7	4.1	4.2	6.9	14.6	37.0	59.7	100.2	292.6	M	Hypertensive disease	401-404/I10-I13
-	0.4	0.8	2.8	0.9	8.6	10.9	38.7	77.3	432.2	F		
5.0	18.4	34.1	63.1	100.0	174.5	343.5	547.2	1028.2	2657.4	M	Ischaemic heart disease	410-414/I20-I25
0.7	2.2	8.0	9.6	20.1	39.6	102.1	188.2	441.2	2183.8	F		
...	M	Pulmonary embolism and other venous	Not given separately
...	F		
1.9	4.9	6.5	13.4	17.5	40.7	73.3	158.4	318.7	1078.7	M	Cerebrovascular disease	430-438/I60-I69
2.6	2.5	5.6	8.4	8.3	21.4	39.9	101.2	248.7	1135.5	F		
8.5	11.1	20.3	28.8	57.6	82.1	175.0	277.1	551.8	1907.4	M	Other vascular disease, incl. venous	Rest of 390-459/rest of I00-199
3.0	4.7	6.0	9.6	17.5	32.1	69.5	139.3	341.9	1913.3	F		
0.3	-	1.2	5.8	14.3	40.7	69.0	143.7	296.2	574.5	M	Chronic obstructive pulmonary disease	490-494, 496/J40-J47
0.3	0.4	1.2	3.2	9.2	14.4	22.4	54.3	92.5	203.3	F		
1.3	2.4	3.2	5.0	10.6	17.0	45.5	84.8	211.7	842.6	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
0.3	0.7	1.6	4.4	8.3	13.4	16.9	44.8	102.4	641.8	F		
-	0.3	1.2	0.8	3.2	2.4	4.3	6.9	19.1	55.3	M	Peptic ulcer	531-533/K25-K27
-	-	0.8	0.4	0.4	2.1	3.6	9.5	14.4	51.5	F		
3.1	9.4	15.0	21.3	25.3	35.3	46.9	46.8	41.7	66.0	M	Liver cirrhosis & other liver disease	570-573/K70-K76
1.3	4.3	4.0	8.4	14.0	15.5	16.9	12.9	23.5	15.2	F	Renal disease	Not given separately
...	M		
...	F		
-	0.4	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/O00-O99
0.9	0.7	0.4	2.9	2.3	1.8	2.8	3.5	9.0	4.3	M	Congenital and perinatal causes	740-779/P00-P96, Q00-Q99
1.3	1.1	0.8	3.2	5.7	1.1	6.0	4.1	4.5	5.3	F		
9.1	6.2	14.6	24.6	30.9	45.0	63.3	77.1	146.4	354.3	M	Ill-defined causes	780-799/R00-R99
3.3	2.2	7.2	4.8	15.3	19.8	29.0	38.0	72.8	334.0	F		
14.1	18.4	26.4	36.3	45.2	87.5	136.6	218.2	563.1	1769.1	M	Other medical causes	Rest of 001-799/rest of A00-R99
8.9	10.1	8.4	22.9	32.8	44.4	93.7	199.7	410.2	1830.9	F		
47.1	55.5	68.2	65.6	73.3	65.7	92.5	119.5	189.2	488.3	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
17.8	21.6	14.4	26.1	29.3	33.1	35.0	67.3	83.4	317.2	F		
...	M	Road traffic accidents	Not given separately
...	F		
-	0.3	0.4	-	1.4	0.6	2.1	1.7	1.1	3.2	M	Fire	E890-E899/X00-X09
0.7	0.7	0.4	-	-	0.5	0.6	2.0	0.8	1.1	F		
29.8	30.2	36.1	37.2	36.4	26.7	37.7	52.8	66.4	98.9	M	Suicide	E950-E959/X60-X84
9.9	12.6	10.4	13.3	14.4	19.8	15.7	21.7	19.7	27.8	F		
0.9	0.3	-	0.8	0.5	0.6	0.7	1.7	-	-	M	Homicide	E960-E969/X85-X99, Y00-Y09
1.3	1.1	0.8	0.8	0.4	-	0.6	0.7	0.8	0.5	F		
318.4	288.4	246.5	239.4	217.0	164.5	140.6	115.5	88.8	94.0	M	POPULATION	
303.4	277.9	249.7	249.0	228.7	187.1	165.5	147.2	131.9	190.4	F	(1000s; UN, 2004 revision)	

UKRAINE: 2000

		No. of deaths <small>(Source: WHO)</small>			Standardised rates <small>(defined overleaf)</small>			Annual death rates / 100,000 <small>(zero denoted by -)</small>						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	382260	27616	210854	1873.9	251.0	2445.8	335.5	44.5	46.4	131.2	278.1	381.8	539.4
	F	375822	9678	100292	970.1	95.4	917.3	245.2	27.1	27.7	52.0	73.5	95.6	146.7
Tuberculosis	M	9746	1775	7513	42.9	15.4	73.1	0.3	0.1	-	2.0	15.8	33.9	55.7
	F	1230	284	766	4.4	2.4	6.4	0.2	-	0.1	0.9	3.1	5.7	6.9
(HIV*)	M	6171	2040	4109	26.5	17.9	37.1	4.4	-	-	4.5	16.5	34.8	65.2
	F	819	413	404	3.4	3.7	3.2	4.5	-	-	1.0	4.7	8.1	7.9
Other infective and parasitic	M	1093	436	559	5.4	4.6	6.1	17.1	0.8	0.5	1.6	2.8	4.1	5.0
	F	656	300	258	2.8	3.2	2.3	12.0	0.8	0.5	1.0	2.2	2.6	3.4
ALL CANCER	M	55151	1280	36893	253.5	11.1	447.5	6.8	5.6	5.3	8.7	12.1	15.6	23.9
	F	41972	1166	24025	123.2	10.3	215.9	7.7	3.9	4.8	5.9	8.6	13.9	27.6
Mouth and pharynx cancer	M	3170	34	2604	14.7	0.3	30.3	0.1	0.1	0.1	0.3	0.4	0.2	0.8
	F	446	12	217	1.3	0.1	2.0	0.1	-	-	0.1	0.1	0.3	0.1
Oesophagus cancer	M	1594	4	1217	7.4	0.0	14.6	-	-	-	-	-	0.1	0.2
	F	260	-	101	0.7	-	0.9	-	-	-	-	-	-	-
Stomach cancer	M	7539	68	4984	34.6	0.6	60.4	-	-	-	0.2	0.6	1.2	2.2
	F	4895	72	2530	13.7	0.6	23.1	-	-	-	0.1	0.4	1.1	2.7
Colorectal cancer	M	5771	48	3256	27.0	0.4	40.8	-	-	0.1	0.2	0.3	0.7	1.6
	F	5792	31	2818	15.8	0.3	25.8	-	-	0.1	0.1	0.2	0.5	1.1
Liver cancer	M
	F
Pancreas cancer	M
	F
Larynx cancer	M	2068	4	1644	9.5	0.0	19.6	-	-	-	0.1	-	-	0.2
	F	63	3	32	0.2	0.0	0.3	-	-	0.1	-	-	-	0.1
Lung cancer	M	15887	67	11213	71.9	0.6	138.1	-	-	-	0.1	0.4	1.1	2.6
	F	2913	38	1483	8.1	0.3	13.5	0.1	-	-	0.1	0.2	0.5	1.4
Malignant melanoma	M
	F
Female breast cancer	F	7998	86	5493	24.9	0.8	48.4	-	-	0.1	0.1	0.1	0.8	4.2
Cervix cancer	F	2443	115	1537	7.7	1.0	13.3	-	-	-	0.1	0.6	2.1	4.1
Other uterine cancer	F	2236	21	1297	6.4	0.2	11.8	-	-	-	0.1	0.2	0.3	0.7
Ovarian cancer	F
Prostate cancer	M	2537	5	1092	12.3	0.0	14.4	-	-	-	0.1	-	0.1	0.2
Bladder cancer	M
	F
Other and ill-defined cancer sites	M	13735	636	9048	63.3	5.6	108.0	3.5	3.3	2.6	4.4	5.9	7.3	11.9
	F	12595	464	7200	37.2	4.1	64.8	3.7	2.7	2.6	2.7	3.9	4.9	8.5
Hodgkin's disease	M
	F
Myeloma and all lymphomas	M	1279	201	859	5.7	1.7	9.7	0.6	0.8	0.7	1.8	2.7	2.9	2.4
	F	944	144	536	3.0	1.2	4.8	0.8	0.2	0.5	0.8	1.9	2.1	2.4
Leukaemia	M	1571	213	976	7.2	1.9	11.6	2.7	1.5	1.8	1.7	1.9	2.0	1.7
	F	1387	180	781	4.4	1.7	7.1	3.0	1.0	1.6	1.7	1.0	1.2	2.2
Diabetes	M	1408	156	929	6.3	1.3	10.7	0.1	0.1	0.1	0.3	1.7	3.6	3.4
	F	2066	160	1193	6.1	1.3	10.8	-	0.1	0.2	1.0	1.6	3.2	3.3
ALL VASCULAR DISEASE	M	196536	2181	92452	1001.5	19.4	1137.7	8.6	0.7	1.2	4.8	15.2	32.2	73.3
	F	267340	677	52779	643.2	6.0	496.8	5.4	0.5	1.4	3.1	5.7	7.7	18.6
Rheumatic heart disease and fever	M	1331	73	1151	6.0	0.6	12.6	-	-	0.1	0.3	0.4	1.2	2.5
	F	1758	42	1399	5.8	0.4	12.4	-	-	0.2	0.4	0.5	0.2	1.1
Hypertensive disease	M	570	13	440	2.7	0.1	5.0	-	-	-	-	0.1	0.3	0.4
	F	524	10	277	1.5	0.1	2.5	-	-	-	0.1	0.1	0.2	0.3
Ischaemic heart disease	M	130474	864	60102	663.6	7.6	748.9	-	-	-	1.4	4.8	12.0	35.1
	F	168724	158	31257	400.5	1.4	296.8	-	-	-	0.4	1.4	1.7	6.0
Pulmonary embolism and other venous	M
	F
Cerebrovascular disease	M	44612	320	20810	227.2	2.8	259.7	1.0	0.1	0.2	1.3	2.5	4.7	9.8
	F	71414	156	16103	174.2	1.3	151.1	0.2	0.4	0.4	0.6	1.4	2.3	4.1
Other vascular disease, incl. venous	M	19549	911	9949	102.0	8.2	111.4	7.5	0.6	0.9	1.8	7.3	14.0	25.5
	F	24920	311	3743	61.2	2.9	33.9	5.2	0.1	0.8	1.6	2.4	3.4	7.1
Chronic obstructive pulmonary disease	M	17840	104	8295	89.3	0.9	107.0	-	-	0.1	0.3	0.8	1.6	3.6
	F	9197	48	1947	22.3	0.4	18.3	-	0.1	0.1	0.3	0.4	0.7	1.2
Other respiratory disease	M	8273	1041	5881	38.8	10.2	62.9	25.1	0.7	0.8	2.9	6.3	13.1	22.3
	F	2589	465	1212	9.0	4.9	10.5	18.1	0.8	1.0	1.6	2.9	4.4	5.7
Peptic ulcer	M	1544	80	1126	7.0	0.7	12.4	0.1	-	-	0.2	0.5	1.7	2.5
	F	533	9	285	1.5	0.1	2.6	-	-	-	-	-	0.2	0.3
Liver cirrhosis & some other digestive	M	8993	555	7489	40.5	4.9	80.3	0.6	-	0.4	0.9	3.5	8.2	20.6
	F	4243	192	3200	14.2	1.7	27.9	0.5	0.1	0.3	0.4	1.3	3.1	6.0
Renal disease	M	1831	180	1252	8.4	1.6	13.7	0.5	0.1	0.3	0.8	1.4	3.6	4.1
	F	1562	127	1025	5.0	1.1	9.0	0.7	0.3	0.4	1.1	1.5	2.0	1.7
Pregnancy, birth	F	95	71	24	0.4	0.6	0.2	-	-	-	0.6	0.8	1.4	1.2
Congenital and perinatal causes	M	2493	2308	179	17.0	29.1	1.7	189.4	4.1	2.7	2.7	2.3	1.3	1.4
	F	1704	1525	166	12.0	20.4	1.4	133.2	2.3	2.1	1.3	1.5	1.3	0.7
Ill-defined causes	M	7562	467	2027	49.2	4.7	21.6	13.4	0.5	0.3	1.2	3.2	5.6	8.6
	F	19276	170	519	45.8	2.0	4.6	9.6	0.1	0.1	0.7	0.9	0.6	1.7
Other medical causes	M	11711	2376	7437	54.0	21.4	78.0	24.9	7.7	7.1	11.1	21.6	30.5	47.1
	F	7863	1238	4103	26.0	11.6	35.8	20.2	6.0	4.9	7.3	10.6	13.4	18.8
ALL NON-MEDICAL CAUSES	M	58079	14677	38822	259.9	125.7	393.2	48.6	23.9	27.6	93.8	191.0	226.9	267.9
	F	15496	3246	8790	54.3	29.4	75.0	37.7	12.1	11.5	26.8	32.6	35.4	49.5
Road traffic accidents	M	4966	2166	2530	21.3	18.1	25.2	4.1	4.7	3.8	18.8	37.3	30.4	27.6
	F	1582	561	748	5.7	4.9	6.4	4.2	3.7	2.1	7.2	7.3	4.8	5.1
Fire	M	1353	228	973	6.2	2.1	10.2	2.3	0.8	0.7	0.4	1.6	3.5	5.2
	F	489	69	215	1.6	0.7	1.9	2.8	0.4	0.3	-	0.5	0.6	0.7
Suicide	M	11910	2932	7784	52.7	24.5	80.3	-	0.4	4.7	19.7	40.8	49.3	57.0
	F	2648	468	1452	8.7	3.9	12.5	-	0.1	1.1	5.0	5.9	6.7	8.5
Homicide	M	4545	1470	2834	19.8	12.4	27.3	2.1	0.6	1.0	9.4	21.7	24.7	27.5
	F	1913	480	1037	6.7	4.2	8.7	2.7	1.1	1.1	4.3	5.6	6.0</	

2000: UKRAINE

Annual death rates / 100,000 (zero denoted by -)										9th ICD/10th ICD categories		
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
730.5	1080.1	1498.9	2127.6	2625.8	3911.6	5146.3	7347.4	10360.8	19017.2	M	ALL CAUSES	001-999/A00-Y89
192.5	282.7	429.9	683.1	934.4	1512.5	2385.8	3928.0	6832.3	16407.8	F		
72.0	94.7	98.0	88.8	68.2	51.7	38.3	30.1	25.5	49.9	M	Tuberculosis	010-018/A15-A19
7.1	7.0	9.1	6.3	6.1	4.4	4.8	5.1	6.2	5.0	F		
64.5	63.9	52.0	43.4	19.5	9.1	7.6	2.5	0.6	-	M	HIV*	279.5, 279.6/B20-B24)
6.1	5.5	4.6	3.8	1.7	0.5	0.4	0.1	-	-	F		
3.6	4.2	4.4	7.1	8.1	7.3	7.9	6.9	8.6	4.8	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.9	1.1	1.5	2.1	2.5	3.1	3.7	3.0	3.4	2.3	F		
43.7	89.6	193.7	377.3	558.1	840.6	1029.7	1249.3	1277.6	947.7	M	ALL CANCER	140-208/C00-C97
48.7	81.9	130.2	207.4	253.8	352.1	436.9	525.0	572.4	390.1	F		
2.0	7.3	21.1	38.7	45.8	51.1	45.9	40.5	34.1	33.9	M	Mouth and pharynx cancer	140-149/C00-C14
0.4	0.9	1.1	1.6	2.3	3.0	4.5	5.4	6.3	8.8	F		
0.6	2.1	7.9	14.8	21.1	26.8	29.2	29.1	22.7	23.2	M	Oesophagus cancer	150/C15
0.2	0.2	0.4	0.7	0.8	1.6	2.7	4.1	4.8	5.8	F		
5.5	12.3	27.7	50.9	72.6	113.9	139.7	183.1	196.5	125.0	M	Stomach cancer	151/C16
4.4	6.5	11.6	19.5	25.1	38.1	56.5	71.5	84.1	47.0	F		
3.8	6.6	11.5	25.5	42.8	79.7	115.7	167.8	194.0	169.7	M	Colorectal cancer	153, 154/C18-C21
3.0	6.3	10.7	20.3	29.4	46.0	65.0	86.3	104.2	74.1	F		
...	M	Liver cancer	Not given separately
...	F		
...	M	Pancreas cancer	Not given separately
...	F		
0.9	3.4	10.9	23.1	30.6	33.1	35.2	35.1	28.0	15.2	M	Larynx cancer	161/C32
0.1	0.1	0.2	0.4	0.4	0.4	0.5	0.8	1.2	0.5	F		
6.7	19.5	48.7	102.7	178.8	276.8	333.8	373.9	327.5	173.3	M	Lung cancer	162/C33, C34
1.9	3.5	7.1	12.2	15.1	22.5	32.5	45.0	48.9	28.1	F		
...	M	Malignant melanoma	Not given separately
...	F		
11.3	23.4	40.1	58.1	61.7	74.6	69.7	78.8	79.1	54.6	F	Female breast cancer	174/C50
8.2	10.6	12.1	15.7	12.5	15.8	18.1	23.5	27.7	19.7	F	Cervix cancer	180/C53
1.2	2.5	4.3	8.9	15.5	22.8	27.6	31.2	30.7	17.6	F	Other uterine cancer	179, 182/C54, C55
...	M	Ovarian cancer	Not given separately
0.2	0.4	1.8	5.0	10.8	31.1	51.3	86.1	126.9	117.0	M	Prostate cancer	185/C61
...	F		
...	M	Bladder cancer	Not given separately
...	F		
17.5	29.3	52.1	96.6	132.0	193.2	235.4	289.6	302.6	256.4	M	Other and ill-defined cancer sites	Rest of 140-199/rest of C00-C80, C97
13.5	22.7	36.6	60.2	78.2	109.1	133.4	153.2	163.0	122.5	F	Hodgkin's disease	Not given separately
...	M		
...	F		
3.5	4.8	6.9	10.5	9.9	15.1	17.3	15.9	17.2	12.0	M	Myeloma and all lymphomas	200-203 incl 201/C81-C90, C96
2.0	2.4	2.5	4.4	4.9	7.2	10.3	9.9	7.8	4.7	F	Leukaemia	204-208/C91-C95
3.0	3.9	5.1	9.5	13.7	19.8	26.1	28.1	28.3	22.0	M		
2.7	2.9	3.4	5.3	7.9	11.0	16.4	15.2	14.5	6.7	F		
3.8	5.3	6.1	8.9	12.2	17.6	20.8	23.9	24.9	16.8	M	Diabetes	250/E10-E14
2.3	3.7	5.0	8.3	12.0	19.7	24.3	28.0	21.4	9.8	F		
134.3	269.4	462.5	794.3	1122.7	2082.0	3098.8	4928.9	7540.6	14080.7	M	ALL VASCULAR DISEASE	390-459/I00-I99
31.3	60.6	121.5	252.9	448.5	903.6	1658.9	3020.1	5647.0	13275.4	F		
4.0	7.9	10.2	16.6	17.8	17.2	14.7	9.3	6.4	4.0	M	Rheumatic heart disease and fever	390-398/I00-I09
2.4	4.0	8.2	14.5	19.5	21.3	17.1	14.1	8.0	3.3	F	Hypertensive disease	401-405/I10-I15
1.7	2.1	3.0	6.2	7.1	7.2	7.8	7.1	10.0	9.6	M		
0.2	0.8	1.3	2.2	3.4	4.3	5.4	5.9	8.6	7.6	F		
67.3	150.2	262.8	468.7	706.2	1431.8	2155.2	3391.6	5315.6	9261.6	M	Ischaemic heart disease	410-414/I20-I25
11.3	22.4	46.7	110.1	242.9	561.3	1083.0	1975.5	3763.8	8301.2	F		
...	M	Pulmonary embolism and other venous	Not given separately
...	F		
21.0	47.5	91.2	186.5	269.8	473.4	728.5	1189.6	1662.5	3180.9	M	Cerebrovascular disease	430-438/I60-I69
7.1	20.1	43.0	95.0	146.5	269.7	476.1	845.7	1449.7	3313.6	F		
40.3	61.6	95.2	116.3	121.7	152.4	192.6	331.3	546.1	1624.6	M	Other vascular disease, incl. venous	Rest of 390-459/rest of I00-I99
10.3	13.3	22.2	31.1	36.2	47.1	77.4	179.0	416.8	1649.8	F	Chronic obstructive pulmonary disease	490-493/J40-J46
5.6	11.3	24.7	50.0	107.6	204.0	345.8	491.8	770.0	1089.5	M	Other respiratory disease	Rest of 460-519/rest of J00-J98
2.0	2.9	5.3	8.9	16.8	31.0	61.5	107.5	203.2	422.0	F		
31.6	46.8	65.4	72.2	73.5	74.4	76.5	80.6	86.7	156.9	M		
6.0	8.6	10.8	11.4	11.8	11.7	12.8	17.3	24.6	48.3	F		
5.2	7.9	9.8	12.2	14.2	19.1	18.1	21.8	28.0	25.2	M	Peptic ulcer	531-533/K25-K27
0.9	0.8	1.6	2.1	2.3	3.9	6.4	5.7	7.7	9.2	F		
36.6	58.6	75.2	99.9	104.0	102.1	85.4	76.3	61.0	47.5	M	Liver cirrhosis & some other digestive	570-3, 575.2-579.9/K70-K77, K82-K92
11.9	16.2	24.3	35.5	39.7	37.0	31.1	27.9	25.9	21.0	F	Renal disease	580-590/N00-N19
6.8	8.7	10.5	16.7	16.3	18.0	19.0	27.4	30.8	27.6	M		
3.7	4.7	6.0	9.1	10.2	15.1	14.2	13.8	12.2	9.9	F		
0.8	0.5	-	-	-	-	-	-	-	-	F	Pregnancy, birth	630-676/A34, O00-O99
1.7	2.9	1.9	2.6	1.6	0.9	0.2	0.3	0.8	0.4	M	Congenital and perinatal causes	740-779/A33, P00-P96, Q00-Q99
1.3	1.3	2.0	2.1	1.3	1.0	0.8	0.5	0.3	0.2	F	III-defined causes	780-799/R00-R99
10.8	16.5	21.2	26.8	28.9	25.0	22.0	43.1	154.1	1664.1	M		
1.6	2.0	3.4	6.1	6.3	6.1	6.7	26.1	137.0	1968.8	F		
53.5	63.2	81.8	89.9	83.8	87.0	86.7	108.0	144.9	204.1	M	Other medical causes	Rest of 001-799/rest of A00-R99
21.0	25.0	29.8	40.0	41.0	43.1	50.4	64.9	78.7	91.5	F		
321.3	401.1	443.6	480.8	426.5	381.9	297.0	259.3	207.3	702.1	M	ALL NON-MEDICAL CAUSES	E800-E999/V01-Y89
51.9	66.3	79.5	91.0	82.2	80.7	73.4	83.0	92.3	154.0	F	Road traffic accidents	E810-E819, E826-E829/part of V01-V99, Y850
27.9	26.7	28.3	26.0	26.8	21.9	18.8	20.9	15.8	18.4	M	Fire	E890-E899/X00-X09
5.3	6.2	6.1	6.1	7.1	6.7	7.2	7.2	9.5	8.5	F		
6.8	9.3	9.0	11.6	12.4	11.5	11.1	8.9	8.9	19.6	M		
0.8	1.8	1.8	2.0	2.4	2.1	2.0	4.3	6.2	9.5	F		
63.0	75.8	85.6	93.6	86.6	77.9	79.4	84.0	58.5	124.2	M	Suicide	E950-E959/X60-X84
8.1	10.8	11.4	13.1	13.5	14.7	15.9	18.5	19.9	30.0	F		
34.1	35.4	33.1	29.9	23.7	20.7	13.8	13.8	12.2	34.7	M	Homicide	E960-E969/X85-X99, Y00-Y09
8.1	10.0	10.3	8.6	7.7	8.3	7.7	9.1	10.8	18.0	F		
1799	1788	1649	1256	1092	1401	845	800	361	250	M	POPULATION	
1912	1956	1863	1501	1414	1926	1277	1501	971	857	F	(1000s; UN, 2004 revision)	

UNITED KINGDOM: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	290186	10009	83480	836.8	74.4	804.6	137.7	13.1	16.4	56.7	85.0	102.0	109.7
	F	318180	5273	54196	577.3	39.7	495.4	112.7	9.7	10.7	25.3	30.2	37.7	51.7
Tuberculosis	M	269	5	92	0.8	0.0	0.9	-	-	0.1	-	-	-	0.2
	F	231	12	65	0.5	0.1	0.6	0.1	0.1	-	-	0.1	0.3	0.1
HIV	M	161	34	124	0.5	0.2	0.9	0.1	-	-	-	0.1	0.5	0.9
	F	45	15	27	0.1	0.1	0.2	-	-	-	-	-	0.2	0.5
Other infective and parasitic	M	1619	208	544	5.0	1.6	4.9	5.3	0.4	0.6	1.1	1.3	0.9	1.5
	F	1994	183	421	4.2	1.4	3.7	4.9	0.7	0.4	1.3	0.9	1.2	0.7
ALL CANCER	M	78011	799	28539	228.6	5.8	281.6	3.1	3.5	2.8	5.1	5.7	7.8	12.4
	F	73175	775	25432	163.4	5.4	230.5	2.1	2.0	2.3	3.2	4.8	7.3	15.8
Mouth and pharynx cancer	M	1183	13	697	3.7	0.1	6.5	0.1	-	-	0.1	0.1	0.1	0.3
	F	731	12	286	1.7	0.1	2.6	-	-	0.1	0.1	0.1	0.2	0.3
Oesophagus cancer	M	4296	7	1904	12.9	0.0	18.4	-	-	-	-	-	0.1	0.3
	F	2623	2	630	5.2	0.0	5.9	-	-	-	-	-	0.1	-
Stomach cancer	M	4080	11	1327	11.8	0.1	13.3	-	-	-	0.1	0.1	0.2	0.2
	F	2528	13	581	5.0	0.1	5.4	-	-	-	-	0.1	0.1	0.5
Colorectal cancer	M	8539	34	3081	24.9	0.2	30.6	-	-	-	0.1	0.3	0.4	0.9
	F	7726	33	1981	15.5	0.2	18.3	-	-	0.1	0.2	0.4	0.2	0.8
Liver cancer	M	668	12	328	2.0	0.1	3.2	-	0.1	-	0.1	0.1	0.3	0.1
	F	208	7	85	0.5	0.0	0.8	0.1	-	0.1	-	0.1	0.1	0.1
Pancreas cancer	M	3369	9	1436	10.1	0.1	14.0	-	-	-	-	-	0.1	0.4
	F	3528	3	1055	7.5	0.0	9.9	-	-	0.1	-	-	0.1	0.0
Larynx cancer	M	676	2	335	2.1	0.0	3.2	-	-	-	-	-	-	0.1
	F	165	-	62	0.4	-	0.6	-	-	-	-	-	-	-
Lung cancer	M	20684	23	7872	60.7	0.2	79.2	-	-	-	0.1	0.2	0.2	0.7
	F	13085	11	4728	30.2	0.1	44.4	-	-	-	-	-	0.1	0.4
Malignant melanoma	M	862	43	518	2.7	0.3	4.7	-	-	0.1	0.2	0.3	0.5	1.1
	F	820	23	409	2.1	0.2	3.5	0.1	-	-	0.1	0.1	0.4	0.5
Female breast cancer	F	12768	159	5916	31.2	1.0	51.0	-	-	-	-	0.3	1.3	5.5
Cervix cancer	F	1253	58	677	3.3	0.4	5.6	-	-	-	-	0.2	0.8	1.7
Other uterine cancer	F	1494	4	518	3.3	0.0	4.9	-	-	-	-	-	0.1	0.1
Ovarian cancer	F	4422	36	2107	11.1	0.3	19.1	-	0.1	-	0.1	0.4	0.6	0.6
Prostate cancer	M	9279	-	1522	25.2	-	16.3	-	-	-	-	-	-	-
Bladder cancer	M	3195	6	783	9.0	0.0	8.0	-	-	-	-	0.1	0.1	0.2
	F	1746	2	325	3.2	0.0	3.1	-	-	-	-	-	-	0.1
Other and ill-defined cancer sites	M	15401	370	6407	46.1	2.7	61.7	1.5	2.1	1.4	2.4	3.0	3.6	4.9
	F	14721	254	4432	31.6	1.8	40.5	1.1	1.1	1.6	1.4	2.2	2.1	3.3
Hodgkin's disease	M	154	24	98	0.5	0.2	0.9	-	-	0.1	-	0.2	0.5	0.5
	F	124	17	55	0.3	0.1	0.5	-	-	-	-	0.3	0.3	0.3
Myeloma and non-Hodgkin lymphomas	M	3442	73	1471	10.3	0.5	14.2	0.1	0.2	0.3	0.5	0.3	0.8	1.4
	F	3429	42	1088	7.4	0.3	10.1	0.1	0.1	-	0.5	0.3	0.3	0.8
Leukaemia	M	2183	172	760	6.5	1.3	7.3	1.4	1.1	1.1	1.7	1.0	1.2	1.4
	F	1804	99	497	3.9	0.7	4.4	0.8	0.7	0.5	0.8	0.6	0.9	0.9
Diabetes	M	3047	40	889	8.7	0.3	8.7	-	-	-	0.3	0.2	0.7	0.8
	F	3431	35	631	6.3	0.2	5.9	-	0.1	0.1	0.2	0.2	0.5	0.7
ALL VASCULAR DISEASE	M	113784	609	30822	322.2	4.4	303.6	4.6	0.7	0.8	2.2	3.8	7.3	11.2
	F	122939	385	13506	202.6	2.8	128.2	4.5	0.4	0.6	1.7	2.4	4.4	5.5
Rheumatic heart disease and fever	M	468	10	152	1.4	0.1	1.5	0.1	-	-	-	0.1	0.2	0.2
	F	1321	5	296	2.5	0.0	2.9	0.1	-	-	-	0.1	-	0.1
Hypertensive disease	M	1596	7	545	4.6	0.0	5.2	-	0.1	-	-	-	-	0.3
	F	2027	3	263	3.4	0.0	2.5	-	-	-	-	-	-	0.1
Ischaemic heart disease	M	68459	127	21175	196.3	0.9	208.6	0.2	-	-	0.2	0.5	1.6	3.7
	F	55608	32	6863	94.1	0.2	66.2	0.2	-	0.1	-	0.1	0.4	0.8
Pulmonary embolism and other venous	M	2999	27	978	8.6	0.2	9.4	0.1	-	-	0.1	0.1	0.4	0.7
	F	5008	55	957	9.4	0.4	8.8	0.1	-	0.1	0.1	0.6	0.6	1.2
Cerebrovascular disease	M	22599	144	4164	62.0	1.0	41.2	1.0	0.2	0.5	0.3	0.9	1.8	2.6
	F	38196	108	3299	60.0	0.8	30.7	0.5	0.3	0.2	0.7	0.6	1.5	1.7
Other vascular disease	M	17663	294	3808	49.3	2.2	37.6	3.2	0.5	0.4	1.7	2.3	3.3	3.7
	F	20779	182	1828	33.1	1.4	17.2	3.7	0.2	0.3	0.9	1.1	2.0	1.5
Chronic obstructive pulmonary disease	M	15990	82	3247	44.2	0.6	33.5	0.3	0.2	0.6	0.4	0.9	0.7	1.0
	F	13277	61	2547	25.7	0.4	24.6	-	0.3	0.3	0.5	0.6	0.6	0.9
Other respiratory disease	M	30222	294	3990	81.7	2.2	39.5	6.7	0.3	0.4	1.4	1.7	1.8	3.1
	F	42567	206	2608	63.5	1.5	24.3	4.1	0.6	0.8	1.0	1.1	1.1	2.2
Peptic ulcer	M	2058	6	541	5.8	0.0	5.2	-	-	-	-	-	0.1	0.2
	F	2386	9	326	4.1	0.1	3.1	0.1	0.1	0.1	0.1	-	0.2	0.1
Liver cirrhosis	M	3619	102	2922	12.2	0.7	24.8	-	-	0.1	-	0.1	1.1	3.5
	F	2198	76	1573	6.6	0.5	13.0	0.1	-	-	0.1	0.2	1.3	1.9
Renal disease	M	1898	18	319	5.2	0.1	3.2	0.4	-	-	0.1	0.2	0.2	0.1
	F	2190	35	263	3.7	0.3	2.4	0.7	0.2	0.1	0.1	0.1	0.4	0.4
Pregnancy, birth	F	46	32	14	0.1	0.2	0.1	-	-	-	0.1	0.1	0.6	0.7
Congenital and perinatal causes	M	2051	1724	209	8.5	13.5	1.7	86.6	0.8	1.4	1.5	1.4	1.4	1.4
	F	1718	1372	199	7.1	11.2	1.6	71.8	1.0	0.6	1.2	1.2	1.2	1.4
Ill-defined causes	M	3235	332	356	9.2	2.6	3.0	12.2	0.1	0.2	0.7	1.3	2.0	1.5
	F	10992	194	167	14.8	1.6	1.4	8.8	0.1	0.1	0.3	0.6	0.4	0.6
Other medical causes	M	21914	1576	5572	63.2	11.6	50.9	12.1	3.4	3.0	7.8	14.9	18.8	20.9
	F	33769	807	4398	57.9	6.0	39.5	9.9	2.5	3.2	4.9	5.8	6.9	8.6
ALL NON-MEDICAL CAUSES	M	12308	4180	5314	40.8	30.9	42.2	6.3	3.8	6.7	36.0	53.4	58.9	50.9
	F	7222	1076	2019	16.6	7.9	16.1	5.7	1.7	2.3	10.7	12.1	11.4	11.6
Road traffic accidents	M	2483	1274	916	8.6	9.5	7.2	1.0	1.8	3.2	16.9	17.1	15.4	11.3
	F	871	284	301	2.5	2.1	2.4	0.8	0.6	1.2	3.9	3.8	2.5	2.2
Fire	M	252	71	103	0.8	0.5	0.8	0.4	0.5	0.4	0.3	0.5	0.5	1.1
	F	182	29	64	0.5	0.2	0.5	0.5	0.2	0.1	0.1	0.2	0.1	0.3
Suicide	M	3311	1163	1811	11.3	8.5	14.0	-	-	0.3	6.5	15.5	19.3	17.9
	F	979	272	545	3.1	1.9	4.2	-	-	0.2	2.3	3.4	3.9	3.8
Homicide	M	351	201	141	1.3	1.5	1.0	0.7	0.5	0.4	1.6	3.3	2.5	1.7
	F	178	82	74	0.6	0.6	0.5	0.8	0.2	0.2	1.0	0.7	0.8	0.7
POPULATION:			M=male											
(1000s; UN, 2004 revision)			F=female											
				28513	13464	12391	1816	1924	1992	1837	1753	1913	2229	
				30										

2000: UNITED KINGDOM

Annual death rates / 100,000 (zero denoted by -)											9th ICD/10th ICD categories	
35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK			
139.4	193.9	315.4	476.1	812.8	1403.6	2291.1	3874.7	6432.4	13236.2	M	ALL CAUSES	001-999/A00-Y89
78.2	130.1	207.1	320.3	511.7	839.0	1381.4	2348.9	4139.2	11202.3	F		
0.4	0.2	0.4	0.4	1.0	1.5	2.2	3.9	6.3	10.2	M	Tuberculosis	010-018, 137/ A15-A19, B90
0.1	0.2	0.2	0.3	0.3	0.8	2.4	2.2	4.2	4.7	F		
1.8	1.5	1.3	0.4	0.4	0.6	0.5	0.3	-	-	M	HIV	279.5, 279.6/B20-B24
0.6	0.2	0.2	-	0.1	0.2	-	0.1	0.2	-	F		
1.8	2.3	3.7	3.7	4.5	7.6	11.1	16.6	28.3	59.1	M	Other infective and parasitic	Rest of 001-139/rest of A00-B99 excl A33,A34
1.2	1.4	2.1	2.8	3.8	6.1	8.6	12.9	21.9	60.1	F		
19.9	37.3	82.2	156.0	294.8	539.2	841.8	1288.4	1848.0	2554.7	M	ALL CANCER	140-208/C00-C97
28.7	59.2	101.5	173.1	270.6	402.8	577.8	819.9	1090.1	1476.9	F		
0.4	1.4	3.4	6.2	8.4	11.4	14.4	14.2	18.2	22.3	M	Mouth and pharynx cancer	140-149/C00-C14
0.3	0.5	1.1	2.0	3.2	4.9	6.1	7.2	8.3	15.1	F		
0.9	2.3	6.1	12.3	24.5	35.1	47.9	67.3	95.0	114.8	M	Oesophagus cancer	150/C15
0.3	0.6	1.6	3.5	6.6	12.0	17.0	30.4	44.2	67.5	F		
1.0	1.6	3.8	5.8	12.1	25.2	43.7	75.6	101.4	142.7	M	Stomach cancer	151/C16
0.7	1.1	1.8	2.9	4.8	9.3	17.4	27.5	42.4	67.6	F		
1.4	3.8	7.9	16.0	31.8	59.6	94.0	143.8	212.0	278.0	M	Colorectal cancer	153, 154/C18-C21
1.4	3.9	6.0	12.1	20.5	31.5	52.9	78.5	122.1	204.1	F		
0.4	0.5	1.1	2.2	2.9	5.9	9.3	12.8	12.6	11.5	M	Liver cancer	155.0/C22 excl C221
0.2	0.2	0.3	0.7	0.8	1.2	1.8	2.8	2.9	2.9	F		
0.6	1.7	4.9	8.3	17.9	28.1	36.6	54.8	72.8	95.9	M	Pancreas cancer	157/C25
0.4	1.2	2.7	5.2	11.5	18.6	29.9	43.2	59.5	76.1	F		
0.2	0.3	1.0	2.8	3.9	6.5	7.8	9.5	12.0	18.0	M	Larynx cancer	161/C32
-	0.1	0.1	0.2	0.9	1.1	1.7	1.9	2.5	3.0	F		
1.8	6.0	16.0	37.8	83.3	155.9	254.0	386.4	524.0	565.4	M	Lung cancer	162/C33, C34
1.3	5.6	13.7	26.2	50.0	81.0	132.7	202.2	229.4	191.7	F		
1.5	1.8	2.5	4.3	5.5	7.9	9.3	10.5	11.0	12.9	M	Malignant melanoma	172/C43
0.6	2.1	3.0	3.6	4.1	4.8	6.2	7.1	7.4	13.1	F		
11.5	21.4	33.2	54.3	66.8	79.5	90.3	109.7	143.8	224.4	F	Female breast cancer	174/C50
3.1	4.7	5.1	5.0	6.0	7.2	7.9	10.5	13.3	14.2	F	Cervix cancer	180/C53
0.1	0.5	1.6	2.7	5.8	10.0	13.4	15.5	23.8	30.8	F	Other uterine cancer	179, 182/C54, C55
1.3	3.7	9.0	14.7	24.9	37.2	43.2	50.6	54.9	61.6	F	Ovarian cancer	183/C56, C570-C574
0.0	0.1	0.9	3.3	9.1	31.0	69.4	131.2	255.9	549.0	M	Prostate cancer	185/C61
-	0.4	1.6	3.0	6.8	17.0	27.3	58.2	80.2	145.6	M	Bladder cancer	188/C67
0.3	0.4	0.9	1.7	2.4	5.7	10.1	17.2	28.1	54.1	F		
7.9	12.3	24.4	39.9	65.2	116.5	165.9	237.9	330.0	436.8	M	Other and ill-defined cancer sites	Rest of 140-199/ rest of C00-C80, C97
5.0	9.1	15.2	28.8	46.5	71.7	107.2	158.2	226.3	333.9	F		
0.5	0.4	0.4	0.8	0.9	1.2	1.9	0.8	1.8	1.0	M	Hodgkin's disease	201/C81
0.4	0.2	0.4	0.5	0.4	0.6	0.7	1.2	1.5	1.2	F		
1.8	3.0	5.7	8.7	14.9	25.6	39.7	53.3	75.3	92.0	M	Myeloma and non- Hodgkin lymphomas	200, 202-203/ C82-C90, C96
0.8	2.2	3.5	5.6	11.3	18.7	28.7	38.5	53.5	73.5	F	Leukaemia	204-208/C91-C95
1.5	1.8	2.5	4.6	7.6	12.5	20.7	32.0	45.9	68.9	M		
1.2	1.5	2.6	3.4	4.0	7.9	10.4	17.6	26.3	42.0	F		
1.6	1.9	3.2	4.4	7.3	16.7	25.4	46.1	67.5	138.5	M	Diabetes	250/E10-E14
1.3	1.1	1.7	2.5	4.3	11.2	19.5	28.8	48.6	113.7	F		
23.2	49.8	98.4	170.3	304.8	539.9	938.7	1621.7	2753.4	5478.8	M	ALL VASCULAR DISEASE	390-459/I00-I99
10.2	20.2	35.7	58.3	108.1	224.3	440.9	863.9	1731.1	4832.5	F		
0.3	0.1	0.5	0.8	1.6	2.8	4.3	7.3	12.6	16.2	M	Rheumatic heart disease and fever	390-398/I00-I09
0.3	0.5	0.5	0.9	2.0	5.2	10.6	13.2	22.1	36.9	F		
0.5	1.4	2.0	2.7	7.0	9.5	13.6	21.6	36.6	66.3	M	Hypertensive disease	401-405/I10-I15
0.3	0.2	0.6	1.3	2.4	4.7	7.8	16.0	26.8	77.3	F		
11.9	31.0	66.7	118.5	220.6	380.9	630.7	1041.4	1648.5	2907.5	M	Ischaemic heart disease	410-414/I20-I25
2.8	7.4	13.8	25.2	52.1	121.0	241.0	455.5	872.2	2032.3	F		
1.6	2.5	4.1	5.9	8.9	14.9	27.9	41.5	73.3	122.5	M	Pulmonary embolism and other venous	415.1, 451-453/ I26, I80-I82
1.5	2.2	3.8	5.2	9.0	14.3	25.2	44.9	76.3	157.3	F		
4.4	8.3	13.6	22.2	33.3	67.9	138.8	269.9	561.5	1392.9	M	Cerebrovascular disease	430-438/I60-I69
3.0	6.7	12.2	17.7	27.4	50.2	97.8	212.0	475.1	1647.8	F		
4.6	6.4	11.6	20.2	33.4	63.9	123.4	240.1	420.9	973.4	M	Other vascular disease	Rest of 390-459/ rest of I00-I99
2.3	3.2	4.7	7.9	15.1	28.9	58.5	122.3	258.5	881.0	F		
0.9	2.4	5.1	10.4	28.4	65.1	122.1	255.4	448.7	807.2	M	Chronic obstructive pulmonary disease	490-496/ J40-J47, J67
0.9	2.2	4.2	9.4	20.9	45.5	89.3	175.0	262.4	334.0	F		
3.8	7.5	12.6	20.5	34.7	68.7	128.6	280.8	631.1	2288.9	M	Other respiratory disease	Rest of 460-519/ rest of J00-J98
3.3	4.8	9.4	12.5	22.3	42.4	75.5	173.8	422.9	2023.4	F		
0.4	1.1	2.1	3.4	5.5	9.0	15.0	29.5	55.1	96.0	M	Peptic ulcer	531-533/K25-K27
0.3	0.8	0.8	1.1	2.7	5.2	10.9	18.7	36.2	86.3	F		
8.2	17.1	25.5	29.1	32.4	34.1	27.5	26.0	22.4	17.4	M	Liver cirrhosis	571/K70, K74
4.8	8.5	12.6	14.7	16.3	16.0	18.4	15.9	15.6	10.2	F		
0.4	0.7	0.8	1.7	2.7	4.8	11.0	21.9	43.9	124.7	M	Renal disease	580-590/N00-N19
0.6	0.3	0.7	1.6	2.2	4.3	7.3	13.3	25.5	88.5	F		
0.5	0.1	-	-	-	-	-	-	-	-	F	Pregnancy, birth Congenital and perinatal causes	630-676/A34,000-099 740-779/A33, P00-P96, Q00-Q99
1.5	1.2	1.4	1.7	2.6	2.1	1.6	2.5	4.4	7.1	M	Ill-defined causes	780-799/R00-R99
1.2	1.3	1.2	1.6	2.0	2.0	2.1	2.7	3.3	4.6	F		
2.4	2.0	2.8	2.5	3.9	3.5	3.8	5.9	14.4	304.5	M		
0.9	1.0	1.0	1.1	1.3	1.8	3.0	5.3	21.8	639.3	F		
21.3	24.0	30.9	33.1	51.8	73.0	122.4	221.6	427.2	1147.0	M	Other medical causes	Rest of 001-799/ rest of A00-R99
10.4	13.7	19.6	26.5	40.2	61.2	104.9	185.6	401.2	1335.7	F		
51.8	44.8	44.9	38.4	38.1	37.9	39.5	54.2	81.5	202.2	M	ALL NON- MEDICAL CAUSES	E800-E999/V01-Y89
13.4	15.1	16.5	15.0	16.8	15.3	20.8	30.9	54.1	192.5	F		
10.7	7.9	6.7	6.1	5.7	6.4	6.8	7.3	8.9	18.4	M	Road traffic accidents	E810-E819, E826-E829/ part of V01-V99, Y850
2.1	2.3	2.6	1.7	2.5	2.0	3.8	5.3	6.5	8.8	F		
0.6	0.9	0.9	0.7	1.1	1.0	0.7	1.9	2.8	4.5	M	Fire	E890-E899/X00-X09
0.3	0.4	0.5	0.5	0.6	0.5	0.9	0.5	1.9	3.8	F		
18.8	16.3	17.3	14.0	12.0	10.4	9.4	10.7	11.7	16.3	M	Suicide	E950-E959/X60-X84
4.3	4.5	5.3	4.5	4.3	3.2	3.1	4.1	4.0	3.9	F		
2.1	1.7	0.8	0.9	1.1	0.5	0.2	0.4	0.5	0.1	M	Homicide	E960-E969/ X85-X99, Y00-Y09
0.8	1.2	0.5	0.4	0.4	0.1	0.2	0.4	0.7	0.6	F		
2275	2016	1826	2039	1607	1389	1238	1061	820	777	M	POPULATION	
2348	2056	1864	2060	1640	1447	1353	1290	1153	1613	F	(1000s; UN, 2004 revision)	

UNITED STATES: 2000

		No. of deaths (Source: WHO)			Standardised rates (defined overleaf)			Annual death rates / 100,000 (zero denoted by -)						
		All ages	0-34	35-69	All ages	0-34	35-69	0-4	5-9	10-14	15-19	20-24	25-29	30-34
ALL CAUSES	M	1177578	73904	404951	853.5	104.2	916.9	182.5	17.4	24.1	94.5	137.0	127.5	146.1
	F	1225773	38281	267773	597.6	55.8	571.5	149.6	13.8	16.0	39.5	46.7	52.5	72.5
Tuberculosis	M	534	24	224	0.4	0.0	0.5	0.0	-	0.0	0.0	0.1	0.0	0.1
	F	367	17	85	0.2	0.0	0.2	0.1	-	0.0	-	0.0	0.0	0.0
HIV	M	10868	1737	8949	7.6	2.4	13.6	0.1	0.1	0.1	0.2	0.8	3.7	11.8
	F	3610	949	2601	2.4	1.4	3.7	0.1	0.1	0.2	0.2	0.7	2.9	5.4
Other infective and parasitic	M	20397	910	8277	14.8	1.3	17.5	3.7	0.4	0.3	0.7	0.9	1.1	1.7
	F	23231	732	5983	11.7	1.1	12.4	3.3	0.4	0.3	0.5	0.7	0.9	1.4
ALL CANCER	M	286082	3728	116716	214.9	5.2	285.7	2.8	2.5	2.8	4.3	5.9	7.0	11.1
	F	267009	3427	102686	152.9	4.9	221.5	2.4	2.2	2.2	3.1	4.2	6.9	13.5
Mouth and pharynx cancer	M	4952	45	2977	3.9	0.1	6.8	-	-	0.0	0.1	0.1	0.1	0.2
	F	2540	35	968	1.4	0.1	2.1	-	-	-	0.0	0.1	0.1	0.2
Oesophagus cancer	M	9279	34	4944	7.2	0.0	11.9	0.0	-	-	-	0.0	0.1	0.2
	F	2953	9	1022	1.7	0.0	2.3	-	-	-	0.0	-	0.0	0.1
Stomach cancer	M	7328	75	3075	5.5	0.1	7.3	-	-	-	-	0.1	0.2	0.4
	F	5317	64	1627	2.8	0.1	3.4	-	-	0.0	0.0	0.1	0.1	0.4
Colorectal cancer	M	28462	179	11133	21.2	0.2	27.1	-	-	0.0	0.1	0.2	0.4	1.1
	F	29015	136	8326	15.1	0.2	18.3	-	-	0.0	0.1	0.1	0.4	0.8
Liver cancer	M	6843	88	3699	5.3	0.1	8.4	0.1	0.1	0.0	0.1	0.1	0.2	0.3
	F	3349	53	1123	1.9	0.1	2.4	0.1	0.0	0.1	0.0	0.1	0.1	0.1
Pancreas cancer	M	14238	38	6524	10.9	0.1	15.9	0.0	-	-	0.0	0.0	0.1	0.2
	F	15094	26	4640	8.2	0.0	10.5	0.0	-	0.0	-	0.0	0.1	0.2
Larynx cancer	M	3041	2	1556	2.4	0.0	3.8	-	-	-	-	-	-	0.0
	F	820	5	381	0.5	0.0	0.9	-	-	0.0	0.0	-	-	0.0
Lung cancer	M	90469	119	40791	69.6	0.2	103.5	0.0	-	-	0.0	0.1	0.3	0.7
	F	65052	105	27039	39.1	0.1	61.8	0.0	-	0.0	-	0.1	0.1	0.8
Malignant melanoma	M	4592	132	2485	3.5	0.2	5.4	-	-	0.0	0.0	0.2	0.3	0.7
	F	2828	96	1396	1.7	0.1	2.7	-	-	-	0.0	0.2	0.3	0.5
Female breast cancer	F	41872	475	20737	25.2	0.7	41.4	-	-	-	0.0	0.1	0.8	3.7
Cervix cancer	F	4200	248	2699	2.7	0.4	4.8	-	-	0.0	0.0	0.1	0.8	1.5
Other uterine cancer	F	6586	30	2567	3.8	0.0	5.8	-	-	-	-	0.0	0.0	0.2
Ovarian cancer	F	14224	126	6243	8.5	0.2	13.4	-	0.0	-	0.1	0.2	0.4	0.6
Prostate cancer	M	31078	1	4791	21.6	0.0	13.5	-	-	-	-	-	0.0	-
Bladder cancer	M	8163	5	2138	5.9	0.0	5.6	-	-	-	0.0	0.0	-	0.0
	F	3839	9	755	1.8	0.0	1.7	-	-	0.0	-	-	0.0	0.1
Other and ill-defined cancer sites	M	47749	1696	21479	36.0	2.4	50.1	1.6	1.6	1.6	2.0	2.6	3.0	4.2
	F	42690	1131	15193	24.0	1.6	32.6	1.3	1.4	1.3	1.5	1.6	1.8	2.5
Hodgkin's disease	M	686	118	326	0.5	0.2	0.7	-	0.0	0.0	0.1	0.3	0.3	0.5
	F	601	108	236	0.4	0.2	0.4	-	0.0	0.0	0.2	0.2	0.3	0.4
Myeloma and non-Hodgkin lymphomas	M	17425	340	6845	13.0	0.5	16.4	0.1	0.2	0.1	0.4	0.8	0.6	1.1
	F	16467	200	4988	8.9	0.3	11.2	0.0	0.1	0.1	0.1	0.4	0.6	0.6
Leukaemia	M	11777	856	3953	8.6	1.2	9.5	0.9	0.8	1.0	1.5	1.5	1.3	1.5
	F	9562	571	2746	5.1	0.8	5.8	0.9	0.6	0.6	0.9	0.8	1.0	0.9
Diabetes	M	31602	489	12471	23.4	0.7	29.6	0.1	0.0	0.1	0.3	0.6	1.2	2.5
	F	37699	332	10649	19.8	0.5	23.7	0.0	0.0	0.1	0.2	0.5	0.9	1.5
ALL VASCULAR DISEASE	M	437893	3933	131708	314.5	5.5	312.3	4.8	0.8	1.2	2.9	5.1	8.3	15.5
	F	503631	2613	69425	220.1	3.8	155.3	4.3	0.6	1.0	2.1	3.7	5.6	9.2
Rheumatic heart disease and fever	M	1072	33	429	0.8	0.0	1.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1
	F	2510	29	711	1.3	0.0	1.5	0.0	0.0	-	0.0	0.0	0.1	0.1
Hypertensive disease	M	17934	233	7083	13.1	0.3	15.6	0.0	0.0	0.0	0.0	0.3	0.6	1.3
	F	26685	143	4591	12.0	0.2	9.8	0.0	0.0	0.0	0.1	0.2	0.4	0.7
Ischaemic heart disease	M	260574	818	82956	188.7	1.1	198.8	0.2	0.0	0.0	0.2	0.6	1.8	5.0
	F	254630	296	34447	111.4	0.4	79.5	0.2	0.0	0.0	0.1	0.3	0.6	1.7
Pulmonary embolism and other venous	M	4907	214	2185	3.6	0.3	4.7	0.1	0.1	0.0	0.1	0.3	0.5	0.9
	F	6940	277	2297	3.7	0.4	4.6	0.0	0.0	0.0	0.2	0.6	0.8	1.1
Cerebrovascular disease	M	64769	540	14541	45.4	0.8	34.9	0.9	0.1	0.2	0.4	0.7	1.1	1.9
	F	102892	508	12696	44.0	0.7	27.7	0.8	0.1	0.3	0.3	0.7	1.0	1.9
Other vascular disease	M	88637	2095	24514	63.0	2.9	57.3	3.5	0.5	0.9	2.1	3.1	4.2	6.3
	F	109974	1360	14683	47.7	2.0	32.2	3.2	0.4	0.6	1.3	1.9	2.6	3.7
Chronic obstructive pulmonary disease	M	60008	401	13817	42.9	0.6	37.0	0.4	0.2	0.5	0.6	0.6	0.7	0.9
	F	62009	286	12950	31.0	0.4	31.0	0.3	0.2	0.3	0.3	0.4	0.6	0.8
Other respiratory disease	M	50708	1144	9643	35.1	1.6	23.0	4.6	0.5	0.4	0.8	1.3	1.5	2.2
	F	58354	941	7140	25.1	1.4	15.6	3.9	0.4	0.5	0.7	1.0	1.3	1.9
Peptic ulcer	M	2176	13	746	1.6	0.0	1.7	-	-	-	0.0	0.0	0.0	0.0
	F	2328	10	404	1.1	0.0	0.9	-	-	-	0.0	0.0	0.0	0.1
Liver cirrhosis	M	17109	296	12960	13.3	0.4	25.8	0.0	-	-	0.0	0.1	0.6	2.1
	F	9003	141	5364	5.8	0.2	10.3	0.0	-	-	0.0	0.1	0.2	1.0
Renal disease	M	18234	309	4577	12.9	0.4	11.0	1.2	0.1	0.1	0.2	0.2	0.4	0.8
	F	20171	246	3919	9.6	0.4	8.8	0.7	0.0	0.1	0.1	0.4	0.4	0.8
Pregnancy, birth	F	404	277	127	0.3	0.4	0.2	-	-	-	0.2	0.8	0.9	0.9
Congenital and perinatal causes	M	13485	12005	1051	10.5	16.9	2.0	110.4	1.1	1.1	1.4	1.4	1.3	1.5
	F	11162	9610	955	8.8	14.2	1.8	93.3	1.0	1.0	0.9	0.9	0.9	1.1
Ill-defined causes	M	15863	4033	6378	11.5	5.7	11.9	22.6	0.5	0.5	1.9	3.9	4.6	5.8
	F	16015	2453	3358	8.2	3.6	6.1	16.5	0.4	0.4	1.2	1.8	2.1	2.8
Other medical causes	M	107935	4945	30659	76.0	6.9	66.5	11.5	2.4	3.1	4.6	7.2	8.3	11.5
	F	164196	3756	24704	72.6	5.5	51.0	9.4	2.2	2.8	3.5	5.1	6.4	8.7
ALL NON-MEDICAL CAUSES	M	104684	39937	46775	74.2	56.5	78.9	20.4	8.8	13.9	76.5	108.7	88.7	78.6
	F	46584	12491	17423	28.1	18.2	29.1	15.3	6.3	7.0	26.6	26.3	22.5	23.5
Road traffic accidents	M	28999	13868	11797	20.6	19.6	20.1	4.0	3.8	5.4	33.8	40.4	27.9	22.1
	F	13857	5815	5377	9.2	8.5	9.2	3.4	3.4	3.6	17.5	14.1	9.5	8.1
Fire	M	2025	617	919	1.5	0.9	1.7	1.9	1.0	0.3	0.4	0.8	0.8	0.8
	F	1352	409	479	0.9	0.6	0.9	1.4	0.7	0.5	0.4	0.4	0.4	0.4
Suicide	M	23597	7599	12384	16.8	10.8	21.0	-	0.1	2.3	13.1	21.2	19.7	18.9
	F	5722	1485	3612	3.9	2.2	5.8	-	0.0	0.6	2.8	3.2	4.0	4.5
Homicide	M	12678	8138	4206										

2000: UNITED STATES

Annual death rates / 100,000
(zero denoted by -)

9th ICD/10th ICD categories

35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80+/NK		
204.0	302.9	447.5	640.6	972.5	1513.2	2337.7	3597.7	5529.3	12148.8	M	ALL CAUSES 001-999/A00-Y89
112.5	170.4	247.5	379.5	599.2	967.9	1523.4	2353.7	3791.2	10665.4	F	
0.1	0.2	0.4	0.5	0.4	0.7	1.1	1.3	2.5	5.0	M	Tuberculosis 010-018, 137/A15-A19, B90
0.1	0.1	0.0	0.1	0.1	0.3	0.6	1.0	1.8	2.3	F	
19.1	20.2	19.9	14.9	9.9	6.9	4.5	2.9	1.7	0.4	M	HIV 279.5, 279.6/B20-B24
6.3	6.6	5.2	3.4	2.0	1.5	1.0	0.7	0.3	0.2	F	
3.7	7.1	13.9	16.8	18.1	25.3	37.8	57.2	92.7	191.6	M	Other infective and parasitic Rest of 001-139/rest of A00-B99 excl A33,A34
2.5	4.5	7.0	9.0	13.0	20.2	30.7	47.0	73.3	183.8	F	
21.1	44.0	91.7	173.5	315.7	527.7	826.1	1165.0	1540.3	2255.1	M	ALL CANCER 140-208/C00-C97
27.6	52.2	92.0	158.1	255.1	395.6	570.0	767.5	977.3	1346.2	F	
0.5	1.4	3.1	6.0	9.3	12.5	15.0	16.5	18.2	22.3	M	Mouth and pharynx cancer 140-149/C00-C14
0.2	0.4	1.0	1.6	2.2	3.9	5.4	7.3	8.4	13.6	F	
0.6	1.7	4.1	8.6	14.9	22.7	30.3	37.2	42.7	47.1	M	Oesophagus cancer 150/C15
0.1	0.2	0.6	1.4	2.7	4.4	7.1	9.7	11.1	16.1	F	
0.9	1.6	2.9	4.8	7.6	13.8	19.3	27.7	38.3	59.5	M	Stomach cancer 151/C16
0.6	1.2	1.7	2.4	3.5	5.8	8.9	12.8	18.6	36.5	F	
2.4	4.3	8.9	17.0	30.0	50.2	76.6	113.3	154.8	247.5	M	Colorectal cancer 153, 154/C18-C21
1.8	3.5	7.3	12.4	19.9	33.7	49.1	74.5	105.1	205.6	F	
0.6	1.7	5.3	7.5	10.1	13.8	19.5	24.9	30.5	35.2	M	Liver cancer 155.0/C22 excl C221
0.3	0.6	1.0	1.5	2.7	4.3	6.7	10.5	13.4	17.9	F	
0.8	2.1	5.3	11.1	18.2	29.6	44.2	55.8	78.1	95.6	M	Pancreas cancer 157/C25
0.5	1.5	2.9	6.4	11.7	19.9	31.0	47.3	64.0	88.7	F	
0.1	0.4	1.2	2.5	4.8	7.8	9.9	12.6	14.4	16.8	M	Larynx cancer 161/C32
0.0	0.1	0.3	0.6	0.9	1.4	2.6	2.9	3.3	2.5	F	
3.2	10.4	25.2	53.1	113.9	199.3	319.1	431.1	501.7	529.3	M	Lung cancer 162/C33, C34
2.6	8.0	16.2	34.5	69.5	120.6	181.1	235.9	267.1	245.3	F	
1.0	2.1	3.2	5.2	6.3	8.6	11.1	14.3	17.8	26.8	M	Malignant melanoma 172/C43
1.0	1.3	2.1	2.4	2.9	4.0	5.1	6.3	7.6	11.6	F	
8.5	16.1	26.1	40.2	53.0	65.6	80.0	97.8	119.7	177.6	F	Female breast cancer 174/C50
2.6	3.5	4.3	5.2	5.9	5.8	6.7	7.0	7.4	9.8	F	Cervix cancer 180/C53
0.4	0.8	1.8	3.5	6.8	11.3	15.7	19.9	24.0	32.8	F	Other uterine cancer 179, 182/C54, C55
1.3	2.9	6.0	10.8	16.1	23.5	33.2	39.9	53.5	59.6	F	Ovarian cancer 183/C56, C570-C574
0.1	0.2	1.1	3.0	9.4	25.0	55.5	108.9	201.4	497.2	M	Prostate cancer 185/C61
0.2	0.4	1.1	2.5	5.6	10.5	18.8	31.5	49.2	102.5	M	Bladder cancer 188/C67
0.2	0.3	0.5	0.8	1.7	3.3	5.5	9.7	14.1	33.1	F	
6.9	11.9	20.4	36.1	57.5	88.7	129.1	176.0	228.5	330.6	M	Other and ill-defined cancer sites Rest of 140-199/rest of C00-C80, C97
4.8	8.1	13.9	23.8	37.2	56.9	83.3	114.7	154.5	233.8	F	
0.4	0.4	0.5	0.6	0.5	1.1	1.3	1.9	2.3	3.0	M	Hodgkin's disease 201/C81
0.3	0.3	0.3	0.4	0.5	0.6	0.7	1.3	1.5	2.2	F	
1.9	3.2	6.1	10.4	18.0	28.3	47.2	68.1	99.4	140.3	M	Myeloma and non-Hodgkin lymphomas 200, 202-203/C82-C90, C96
1.0	1.8	3.5	6.4	12.2	20.8	32.6	47.0	68.7	99.8	F	
1.6	2.1	3.5	5.0	9.5	15.8	28.9	45.2	63.2	101.3	M	Leukaemia 204-208/C91-C95
1.6	1.7	2.6	3.9	5.8	9.6	15.4	23.0	35.4	59.7	F	
3.5	6.7	11.1	19.7	32.8	53.1	80.0	117.1	168.7	276.2	M	Diabetes 250/E10-E14
2.5	4.2	7.6	14.9	25.8	42.5	68.5	100.4	145.7	257.7	F	
31.7	68.4	125.8	210.2	346.3	551.3	852.2	1379.4	2247.1	5624.0	M	ALL VASCULAR DISEASE 390-459/I00-199
17.5	31.6	51.5	87.8	152.1	273.0	473.9	809.2	1509.0	5443.0	F	
0.2	0.3	0.5	0.6	1.1	1.8	2.2	3.5	5.6	9.4	M	Rheumatic heart disease and fever 390-398/I00-109
0.2	0.5	0.7	0.9	1.6	2.5	4.5	7.2	9.8	16.6	F	
2.5	5.6	8.8	13.7	18.1	27.1	33.4	50.1	74.5	199.9	M	Hypertensive disease 401-405/I10-I15
1.5	2.9	4.6	6.3	10.6	16.8	26.0	40.5	74.8	278.8	F	
14.6	36.7	75.4	133.8	228.8	357.5	544.9	860.8	1354.3	3181.6	M	Ischaemic heart disease 410-414/I20-I25
5.0	10.1	19.6	41.1	78.9	146.8	255.2	432.2	786.9	2743.7	F	
1.4	1.9	2.8	4.1	4.7	7.5	10.8	14.7	22.5	38.7	M	Pulmonary embolism and other venous 415.1, 451-453/I26, I80-I82
1.5	2.1	2.7	3.7	4.7	7.5	10.1	14.7	20.6	45.9	F	
3.8	7.7	13.9	21.3	34.6	61.4	101.5	188.8	357.0	985.0	M	Cerebrovascular disease 430-438/I60-I69
3.9	7.4	11.8	17.2	26.2	45.8	81.4	151.1	311.0	1146.9	F	
9.2	16.3	24.4	36.7	59.1	96.0	159.4	261.5	433.2	1209.4	M	Other vascular disease Rest of 390-459/rest of I00-199
5.5	8.5	12.1	18.7	30.2	53.6	96.8	163.5	306.0	1211.2	F	
1.3	2.6	6.1	12.1	31.3	67.0	138.3	252.3	392.7	744.9	M	Chronic obstructive pulmonary disease 490-496/J40-J47, J67
1.4	2.8	5.4	11.5	27.1	57.2	111.3	188.0	276.9	458.8	F	
3.4	6.3	8.4	13.5	22.0	37.5	70.2	133.7	254.7	846.3	M	Other respiratory disease Rest of 460-519/rest of J00-J98
2.8	4.1	6.0	9.4	15.1	25.8	45.8	82.4	160.4	654.9	F	
0.3	0.4	0.8	1.5	2.0	2.9	3.8	6.7	10.8	25.9	M	Peptic ulcer 531-533/K25-K27
0.1	0.2	0.4	0.5	0.9	1.6	2.4	3.6	6.9	24.0	F	
6.2	14.1	24.8	28.4	31.1	37.1	38.6	39.6	39.2	33.1	M	Liver cirrhosis 571/K70, K74
3.2	5.9	8.2	8.9	12.1	15.0	18.9	22.3	24.7	22.2	F	
1.4	2.5	4.4	6.5	10.7	18.5	33.0	53.8	99.3	257.4	M	Renal disease 580-590/N00-N19
1.2	1.7	2.6	4.8	8.4	15.8	27.5	43.0	68.2	182.3	F	
0.8	0.3	0.0	0.0	-	-	-	-	-	-	F	Pregnancy, birth 630-676/A34, O00-O99
1.4	1.5	1.6	2.2	2.0	2.6	2.7	2.6	3.2	7.3	M	Congenital and perinatal causes 740-779/A33, P00-P96, Q00-Q99
1.1	1.1	1.3	1.5	2.4	2.5	2.5	2.3	3.3	5.7	F	
7.5	10.1	11.5	11.2	11.2	13.2	18.7	22.0	35.1	110.6	M	Ill-defined causes 780-799/R00-R99
3.7	4.9	5.5	5.0	5.8	7.3	10.2	16.5	26.2	137.7	F	
18.0	28.1	41.2	52.9	69.2	99.5	156.5	266.0	500.0	1464.9	M	Other medical causes Rest of 001-799/rest of A00-R99
12.9	19.8	26.2	37.9	52.9	80.6	126.7	223.7	447.0	1757.1	F	
85.4	90.7	85.8	76.6	70.0	69.9	74.2	98.2	141.4	306.1	M	ALL NON-MEDICAL CAUSES E800-E999/V01-Y89
28.8	30.3	28.6	26.9	26.4	29.1	33.4	46.1	70.1	189.5	F	
22.0	21.7	20.6	19.3	19.0	19.2	18.9	22.9	30.2	46.9	M	Road traffic accidents E810-E819, E826-E829/part of V01-V99, Y850
9.1	8.3	8.3	8.2	8.9	10.1	11.2	13.6	17.9	20.3	F	
1.2	1.2	1.4	1.8	1.9	2.2	2.4	3.1	4.3	7.3	M	Fire E890-E899/X00-X09
0.5	0.7	0.7	0.7	0.9	1.2	1.6	1.8	2.8	4.3	F	
21.5	23.6	22.8	21.3	19.7	18.4	19.5	25.5	33.9	48.8	M	Suicide E950-E959/X60-X84
5.7	6.9	6.5	6.7	5.7	4.9	4.0	4.1	3.8	4.3	F	
10.7	9.5	7.5	5.8	4.9	3.7	3.2	3.3	2.6	3.9	M	Homicide E960-E969/X85-X99, Y00-Y09
4.3	3.5	2.7	2.0	1.6	1.5	1.6	1.6	2.0	2.2	F	
11399	11239	10084	8630	6625	5214	4446	3988	3135	3144	M	POPULATION (1000s; UN, 2004 revision)
11458	11510	10388	9021	7063	5703	5107	4928	4336	5995	F	